

COVER SHEET

**COUNTY OF SAN BENITO
RESOURCE MANAGEMENT AGENCY
PUBLIC WORKS DIVISION**

COUNTY PROJECT NO. PWB-1904

**SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS
AT VARIOUS LOCATIONS
FY 2018-2019**

SPECIAL PROVISIONS

INVITATION FOR BIDS

NOTICE TO CONTRACTORS

INVITATION FOR BIDS


GENERAL PROVISIONS

**SAN BENITO COUNTY PUBLIC WORKS & ROAD PROJECTS
SPECIAL PROVISIONS**

CONTRACT

APPROVED AS TO LEGAL FORM:

**BARBARA THOMPSON
SAN BENITO
COUNTY COUNSEL**

By: 
G. Michael Ziman, Deputy County Counsel
Date: July 8, 2019

APPROVED FOR USE IN INVITATION TO BID:

**SAN BENITO COUNTY
BOARD OF SUPERVISORS**

By: _____
Mark Medina, CHAIR
Date: _____

TITLE SHEET

BOARD OF SUPERVISORS

COUNTY OF SAN BENITO

Mark Medina, Chair

Peter Hernandez Jaime De La Cruz

Jim Gillio Anthony Botelho

Ray Espinosa, County Administrative Officer

Edgar Nolasco, Deputy CAO

Harry Mavrogenes, RMA Director

NOTICE TO CONTRACTORS: INVITATION FOR BIDS

GENERAL PROVISIONS: SAN BENITO COUNTY

PUBLIC WORKS DIVISION

PROJECTS

SPECIAL PROVISIONS

COUNTY PROJECT NO. [PWB-1904](#)

**[SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS](#)
[AT VARIOUS LOCATIONS](#)
[FY 2018-2019](#)**

IN

SAN BENITO COUNTY

2301 Technology Parkway, Hollister, CA 95023

(831) 636-4170

SIGNATURE SHEET

NOTICE TO CONTRACTORS

INVITATION FOR BIDS

GENERAL PROVISIONS

SAN BENITO COUNTY PUBLIC WORKS DIVISION PROJECTS

SPECIAL PROVISIONS AND SAMPLE CONTRACT

COUNTY PROJECT NO. PWB-1904

**SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS
AT VARIOUS LOCATIONS
FY 2018-2019**

**The special provisions contained herein have been prepared by or under
the direction of the following Registered Persons.**

Gregory J. Bucknell, PE

NAME

SIGNATURE

DATE



TABLE OF CONTENTS

COVER SHEET.....	1
TITLE SHEET.....	2
SIGNATURE SHEET	3
TABLE OF CONTENTS	4
NOTICE TO CONTRACTORS: INVITATION FOR BIDS	9
BID SCHEDULES	13
GENERAL PROVISIONS: SAN BENITO COUNTY PUBLIC WORKS AND ROADS PROJECTS ..	17
1. DEFINITIONS	17
2. ADDITIONAL INSTRUCTIONS AND DETAIL DRAWINGS	19
3. SCHEDULES, REPORTS AND RECORDS.....	19
4. PLANS AND SPECIFICATIONS	20
5. SHOP DRAWINGS	20
6. MATERIALS, SERVICES AND FACILITIES	20
7. INSPECTIONS AND TESTING	21
8. SUBSTITUTIONS	22
9. PATENTS.....	22
10. SURVEYS, PERMITS, AND REGULATIONS.....	23
11. PROTECTION OF WORK, PROPERTY, AND PERSONS.....	23
12. SUPERVISION BY CONTRACTOR; INDEPENDENT CONTRACTOR	24
13. CHANGES IN THE WORK	24
14. CHANGES IN CONTRACT PRICE	25
15. TIME FOR COMPLETION; LIQUIDATED DAMAGES	25
16. CORRECTION OF WORK	26
17. SUBSURFACE CONDITIONS	26
18. SUSPENSION OF WORK, TERMINATION, AND DELAY	27
19. PAYMENT TO CONTRACTOR.....	28
20. ACCEPTANCE OF FINAL PAYMENT AS RELEASE	30
21. INSURANCE	30
22. CONTRACT SECURITY	33
23. ASSIGNMENTS	33
24. INDEMNIFICATION	33
25. SEPARATE CONTRACTS	34
26. SUBCONTRACTING.....	34
27. ARCHITECT/ENGINEER'S AUTHORITY	35
28. LAND AND RIGHTS-OF-WAY	35
29. GUARANTEE.....	35
30. RESOLUTION OF CONSTRUCTION CLAIMS	36
31. TAXES	37
32. CONFLICT OF INTEREST	37
33. PROJECT SIGN	38
34. PRE-CONSTRUCTION CONFERENCE.....	38
35. ACCESS TO CONTRACTOR'S RECORDS.....	38
36. ENVIRONMENTAL REQUIREMENTS:.....	39
37. MISCELLANEOUS PROVISIONS	39
SPECIAL PROVISIONS	42
SECTION 1. SPECIFICATIONS AND PLANS.....	42
1-1.01 INTERPRETATION OF STANDARD SPECIFICATIONS	42
1-1.01A DEFINITIONS.....	42
1-1.01B DEFINITIONS.....	42
AMENDMENTS TO 2015 STANDARD SPECIFICATIONS	43
DIVISION I GENERAL PROVISIONS.....	43

<u>SECTION 7 LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC</u>	43
7-1.01 GENERAL.....	43
7-1.02K(3) CERTIFIED PAYROLL RECORDS (LABOR CODE § 1776).....	43
<u>SECTION 9 PAYMENT; 9.1.16D MOBILIZATION; 9-1.16D(1) GENERAL</u>	44
DIVISION II GENERAL CONSTRUCTION	44
<u>SECTION 12 TEMPORARY TRAFFIC CONTROL;</u>	44
12-1.04 PAYMENT	44
12-3.11 CONSTRUCTION AREA SIGNS	44
12-3.11B(5) GENERAL INFORMATION SIGNS ADD:	44
12-3.11 CONSTRUCTION AREA SIGNS;	44
12-3.11D PAYMENT.....	44
12-3.32 PORTABLE CHANGEABLE MESSAGE SIGNS; 12-3.32D PAYMENT	44
12-4 MAINTAINING TRAFFIC; 12-4.02 TRAFFIC CONTROL SYSTEMS;	45
12-4.02C(3) CLOSURE REQUIREMENTS AND CHARTS.....	45
12-4.02D PAYMENT.....	46
<u>SECTION 13 WATER POLLUTION CONTROL</u>	46
SECTION 13-2 WATER POLLUTION CONTROL PROGRAM; 13-2.04 PAYMENT.....	46
DIVISION III EARTHWORK AND LANDSCAPE	47
<u>SECTION 19 EARTHWORK</u>	47
19-9 SHOULDER BACKING.....	47
19-9.04 PAYMENT	47
DIVISION IV SUBBASES AND BASES	47
REPLACE SECTION 30-6 WITH:	47
30-6 COLD IN-PLACE RECYCLING USING FOAMED ASPHALT.....	47
30-6.01 GENERAL.....	47
30-6.01A SUMMARY	47
30-6.01C SUBMITTALS.....	47
30-6.01C(1) GENERAL	47
30-6.01C(2) QUALITY CONTROL PLAN	48
30-6.01C(3) MIX DESIGN.....	48
30-6.01C(5) CONTINGENCY PLAN.....	49
30-6.01C(6) QUALITY CONTROL REPORTING	49
30-6.01C(7) CERTIFICATES	50
30-6.01C(9) COLD IN-PLACE RECYCLING	50
CIR QUALITY CONTROL TEST RESULT REPORTING.....	51
30-6.01D QUALITY ASSURANCE	51
30-6.01D(1) GENERAL NOT USED.....	51
30-6.01D(2) QUALITY CONTROL	51
30-6.01D(2)(A) GENERAL.....	51
30-6.01D(2)(B) QUALITY CONTROL PLAN.....	52
30-6.01D(2)(C) PREPAVING CONFERENCE	52
30-6.01D(2)(D) QUALITY CONTROL.....	53
30-6.01D(2)(D)(I) GENERAL.....	53
30-6.01D(2)(D)(II) TEST STRIP.....	53
30-6.01D(2)(D)(III) QUALITY CONTROL TESTING.....	53
30-6.01D(2)(D)(III)(A) GENERAL	53
30-6.01D(2)(D)(III)(B) ASPHALT BINDER.....	53
30-6.01D(2)(D)(III)(C) ASPHALTIC EMULSION.....	53
30-6.01D(2)(C)(III)(D) COLD IN-PLACE RECYCLING.....	53
CIR QUALITY TESTING FREQUENCIES.....	54
30-6.01D(2)(C)(III)(E) DENSITY.....	55
DENSITY QUALITY TESTING FREQUENCIES	55
30-6.01D(3) DEPARTMENT ACCEPTANCE.....	55
CIR QUALITY	55
30-6.01D(4) DISPUTE RESOLUTION	56

30-6.02 MATERIALS	57
30-6.02A GENERAL.....	57
30-6.02B WATER	57
WATER REQUIREMENTS.....	57
30-6.02C CEMENT	57
30-6.02D RECLAIMED ASPHALT PAVEMENT.....	57
CIR REQUIREMENTS	57
30-6.02E ASPHALT.....	57
30-6.02F CIR MIX DESIGN	58
MIX DESIGN REQUIREMENTS	58
30-6.02G TEMPORARY STRUCTURAL SECTION	58
30-6.02H ASPHALTIC EMULSION.....	58
30-6.02I SAND COVER.....	59
30-6.03 CONSTRUCTION	59
30-6.03A GENERAL.....	59
30-6.03B SURFACE PREPARATION	59
30-6.03C COLD IN-PLACE RECYCLING EQUIPMENT.....	59
30-6.03C(1) GENERAL	59
30-6.03C(2) COLD-PLANING EQUIPMENT	60
30-6.03C(3) MIXING CHAMBER OR PUGMILL	60
30-6.03C(4) MIXING AND PROPORTIONING EQUIPMENT	60
30-6.03C(4)(A) GENERAL.....	60
30-6.03C(4)(B) CEMENT CONTINUOUS MIXING EQUIPMENT.....	60
30-6.03C(4)(C) CEMENT BATCH MIXING EQUIPMENT	61
30-6.03C(5) WATER STORAGE AND SUPPLY EQUIPMENT	61
30-6.03C(6) CEMENT STORAGE AND SUPPLY EQUIPMENT.....	61
30-6.03C(7) SPREADING EQUIPMENT.....	62
30-6.03C(8) COMPACTING EQUIPMENT.....	62
30-6.03D COLD IN-PLACE RECYCLING.....	62
30-6.03D(1) GENERAL	62
30-6.03D(2) COLD PLANING	62
30-6.03D(3) UNSUITABLE CONDITIONS	62
30-6.03D(4) ASPHALT BINDER.....	63
30-6.03D(5) CEMENT	63
30-6.03D(6) WATER.....	63
30-6.03D(7) PROPORTIONING.....	63
30-6.03D(8) SPREADING AND COMPACTING	63
30-6.03E ASPHALTIC EMULSION AND SAND COVER	64
30-6.03F TEMPORARY STRUCTURAL SECTION.....	64
30-6.03G MAINTAIN, CURE AND PROTECT SURFACE	65
30-6.04 PAYMENT	65
DIVISION V SURFACINGS AND PAVEMENTS	65
<u>SECTION 37 BITUMINOUS SEALS</u>	<u>65</u>
37-2 CHIP SEALS.....	65
37-2.01 GENERAL.....	65
37-2.01B(3) AGGREGATE	65
37-2.01B(3)(A) GENERAL.....	65
37-2.01D PAYMENT.....	65
37-2.02 ASPHALTIC EMULSION CHIP SEALS.....	66
37-2.02A GENERAL	66
37-2.02D PAYMENT.....	66
37-3.02 SLURRY SEALS.....	66
37-3.02A GENERAL	66
37-3.02A(1) SUMMARY.....	66
37-3.02B MATERIALS.....	66
37-3.02B(2) ASPHALTIC EMULSIONS.....	66

37-3.02B(4) AGGREGATE	66
37-3.02D PAYMENT.....	66
<u>SECTION 39 ASPHALT CONCRETE</u>	67
39-2.01B(10) TACK COAT.....	67
39-2.01C(3)(F) TACK COAT.....	67
39-2.01D PAYMENT.....	67
39-2.02 TYPE A HOT MIX ASPHALT.....	67
39-2.02D PAYMENT.....	67
39-2.0B(3) ASPHALT BINDER	67
39-2.02C CONSTRUCTION	67
39-3.04 COLD PLANING ASPHALT CONCRETE PAVEMENT.....	67
39-3.04D PAYMENT.....	67
DIVISION VIII MISCELLANEOUS CONSTRUCTION.....	67
<u>SECTION 77 LOCAL INFRASTRUCTURE</u>	67
PAYMENT.....	67
DIVISION IX TRAFFIC CONTROL DEVICES.....	68
<u>SECTION 84 MARKINGS</u>	68
84-2 TRAFFIC STRIPES AND PAVEMENT MARKINGS	68
84-2.03C(2) THERMOPLASTIC TRAFFIC STRIPES AND PAVEMENT MARKINGS	68
84-2.03C(2)(C) SPRAYABLE THERMOPLASTIC TRAFFIC STRIPES AND PAVEMENT MARKINGS...	68
84-2.04 PAYMENT	68
<u>SECTION 86 ELECTRICAL SYSTEMS</u>	68
86-5 DETECTORS.....	68
86-5.01 VEHICLE DETECTORS.....	68
END OF AMENDMENTS	68
SECTION 2. PROPOSAL REQUIREMENTS AND CONDITIONS	69
2-1.01 GENERAL.....	69
2-1.01A DESIGN ENGINEER MAY NOT BID ON CONSTRUCTION CONTRACT	69
2-1.02 REQUIRED LISTING OF PROPOSED SUBCONTRACTORS	69
SECTION 3. CONTRACT AWARD AND EXECUTION.....	70
3-1.01 GENERAL.....	70
3-1.02 AWARD OF CONTRACT.....	70
3-1.03 CONTRACT BONDS	70
SECTION 4. PROSECUTION AND PROGRESS.....	70
4-1.01 PRE-CONSTRUCTION CONFERENCE.....	70
4-1.02 BEGINNING OF WORK.....	71
4-1.03 TIME OF COMPLETION.....	71
4-1.04 LIQUIDATED DAMAGES	71
DOUBLE SHIFT CLAUSE	71
SECTION 5. GENERAL	71
SECTION 5-1. MISCELLANEOUS.....	71
5-1.01 LABOR NONDISCRIMINATION	71
5-1.02 GENERAL PREVAILING WAGE.....	72
5-1.03 PUBLIC SAFETY	72
5-1.04 REMOVAL OF ASBESTOS AND HAZARDOUS SUBSTANCES	74
5-1.05 SUBCONTRACTING.....	74
5-1.06 PROMPT PROGRESS PAYMENT TO SUBCONTRACTORS.....	75
5-1.07 PROMPT PAYMENT OF FUNDS WITHHELD TO SUBCONTRACTORS.....	75
5-1.08 PARTNERING	75
5-1.09 ENCROACHMENT PERMIT - BLANK	76
5-1.10 LABOR CODE REQUIREMENTS	76
7-1.01K(3) WAGES.....	78
7-1.02K(3) CERTIFIED PAYROLL RECORDS.....	78
5-1.11 WORKERS' COMPENSATION.....	80

7-1.01A(6) WORKERS' COMPENSATION.....	80
5-1.12 CONTRACTOR'S LICENSING LAWS	80
5-1.13 AIR POLLUTION CONTROL	80
5-1.14 SOUND CONTROL REQUIREMENTS	80
5-1.15 RESPONSIBILITY FOR DAMAGE	81
5-1.16 AREAS FOR CONTRACTOR'S USE	83
5-1.17 FINAL PAY QUANTITIES	84
5-1.18 NOTICE OF POTENTIAL CLAIM	85
5-1.19 PAYMENTS.....	85
5-1.20 PARTIAL PAYMENTS	86
5-1.21 FINAL PAYMENT AND CLAIMS.....	86
9-1.17D FINAL PAYMENT AND CLAIMS.....	86
5-1.22 MEASUREMENT AND PAYMENT	88
5-1.23 PROJECT APPEARANCE	91
5-1.24 MATERIAL SITES	91
SECTION 10. CONSTRUCTION DETAILS	91
10-1.01 ORDER OF WORK	91
10-1.02 WATER POLLUTION CONTROL	92
10-1.03 PRESERVATION OF PROPERTY	92
10-1.04 OBSTRUCTIONS	92
10-1.05 CONSTRUCTION AREA TRAFFIC CONTROL DEVICES.....	93
10-1.06 CONSTRUCTION AREA SIGNS	94
10-1.07 MAINTAINING TRAFFIC.....	94
10-1.08 TRAFFIC CONTROL SYSTEM FOR LANE CLOSURE.....	95
SECTION 11. BID FORMS	98
BIDDER'S BOND.....	98
EQUAL EMPLOYMENT OPPORTUNITY CERTIFICATION	99
PUBLIC CONTRACT CODE SECTION 10162 QUESTIONNAIRE	100
PUBLIC CONTRACT SECTION 10232 STATEMENT.....	101
PUBLIC CONTRACT CODE SECTION 10285.1 STATEMENT	102
NONCOLLUSION AFFIDAVIT	103
CONTRACTS CERTIFICATE TO WORKER'S COMPENSATION.....	104
AFFIDAVIT CONCERNING EMPLOYMENT OF UNDOCUMENTED ALIENS.....	105
BID SCHEDULES	106
LIST OF SUBCONTRACTORS.....	112
ADDENDUM ACKNOWLEDGEMENT.....	114
THIS PAGE LEFT BLANK INTENTIONALLY	115
SAMPLE CONTRACT.....	116
PAYMENT BOND.....	121
PERFORMANCE BOND	123

ATTACHMENTS

SB 1 ROAD MAINTENANCE PROJECTS, FY 18-19 ON FAIRVIEW RD, UNION RD, SOSUTHSIDE RD & F STREET PWB-1904, PLAN SHEETS T-1, C-1, C-2, C-3, C-4, C-5, CS-1, CS-2

NOTICE TO CONTRACTORS: INVITATION FOR BIDS

BOARD OF SUPERVISORS
COUNTY OF SAN BENITO
STATE OF CALIFORNIA

Notice is hereby given that the County of San Benito is soliciting bids for the:

County Contract No. PWB-1904

SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS AT VARIOUS LOCATIONS FY 2018-2019

in San Benito County, as shown on the plans and in accordance with the specifications and other requirements therefore.

Sealed bids will be received at the San Benito County Resource Management Agency Public Works Division, 2301 Technology Parkway, Hollister, California, 95023, until August 22, 2019 at 2:00 P.M., at which time they will be publicly opened and read by the Resource Management Agency Director or authorized representative in the Public Works Division, 2301 Technology Parkway, Hollister, California 95023. Bidders or their agents are invited to be present.

Bids must be signed by the bidder or by a duly authorized officer of the bidding organization, delivered along with all required documents, sealed and plainly addressed to the County as specified above. The envelope should bear on the outside the bidder's name, address, and license number, and the name of the project for which the bid is submitted. If forwarded by mail or other delivery, the sealed envelope containing the bid must be enclosed in another envelope addressed to the County as specified above. Use of U.S. Mail or other delivery methods will be at the bidder's risk.

ALL BIDS MUST BE SEALED AND MUST BE RECEIVED ON OR BEFORE THE DATE AND TIME LISTED ABOVE. AN UNSEALED BID OR A BID RECEIVED AFTER THE DATE AND TIME LISTED ABOVE SHALL NOT BE CONSIDERED. FACSIMILE TRANSMISSION OF BIDS IS NOT ACCEPTABLE.

All costs of the preparation of a bid shall be the responsibility of the bidder. All materials submitted in response to the Invitation for Bid become the property of the County of San Benito and shall not be returned.

Bidders must satisfy themselves of the accuracy of the estimated quantities in the Bid Schedule by examination of the site and a review of the plans and specification, including addenda. If a prospective bidder has any questions relating to this Invitation for Bids, the questions, in writing, must be received by the county representative ten (10) days before the deadline for bids. Questions will not be accepted by facsimile transmission, telephone or orally. All questions and responses thereto will be distributed to all persons requesting an Invitation for Bids package and those already submitting bids. The County of San Benito reserves its rights to decline to respond to any question if, in the County's assessment, the information cannot be obtained and shared with all potential bidders in a timely manner.

The bidder may withdraw a bid by submitting a written request for its withdrawal to the County representative at any time prior to the bid submission deadline. The withdrawal shall be signed by the bidder or an authorized agent of the bidder. The bidder may thereafter submit a new bid prior to the deadline. Modifications of a bid offered in any manner, oral or written, will not be considered after the deadline. No bidder may withdraw a Bid within sixty (60) days after the actual date of the opening

thereof. Should there be reasons why the contract cannot be awarded within the specified period, the time may be extended by mutual agreement between the County and the Bidder.

The County is under no obligation to award any contract. The County reserves the right to reject any and all bids received pursuant to the Invitation for Bids and/or waive all informalities, minor defects or irregularities in the bidding process. The County also reserves the right to determine which bid is, in the County's judgment, the lowest responsible bid of a bidder or group of bidders.

Award will be made to the lowest responsive, responsible Bidder. The County reserves the right to determine which Bid is, in the County's judgment, the lowest responsive Bid and the lowest responsible Bidder of a bidder or group of bidders. The lowest responsive, responsible Bidder will be determined by: (1) lowest overall cost to the County, (2) evaluation of Bidder's experience and, (3) a Bid that complies with all the requirements prescribed in this document.

There shall be no appeal of any decision of the County, or any County representative in connection with the bidding process and the selection of the successful bidder.

All bids must be made on the required Bid form. All blank spaces for Bid prices must be filled in (in ink or typewritten), and the Bid form must be fully completed and executed when submitted. Bids are required for the entire work described herein. Prices on alternative construction methods or materials will be considered only when specified. Each Bidder shall supply the names and addresses of major material suppliers and Subcontractors when submitting the Bid.

General work description: The project includes, but is not limited to improve Fairview Road, and Union Road by 0.25' Cold In-Place Recycle with a 0.20' HMA Overlay, Southside Road by 0.25' Cold In-Place Recycle with a CAPE Seal (Chip Seal followed by Slurry Seal), and F Street by CAPE Seal (Chip Seal followed by Slurry Seal) .

Special attention of the prospective bidders is called to the "Bid Requirements and Conditions" section of the special provisions. A bidder's bond in an amount equal to at least ten percent of the amount of the bid must accompany the bid. A blank Bidder's Bond form is attached herein.

A payment bond and a performance bond, each in the amount of 100 percent of the Contract, are required as specified by Section 3-1.02, "Contract Bonds," of the Standard Specifications.

Prospective bidders shall be licensed contractors in the State of California and shall be skilled and regularly engaged in the general class or type of work called for under the contract. The contractor shall possess a [Class "A" General Engineering Contractor or "C-12" Earthwork and Paving Contractor license](#) at the time this contract is awarded and throughout the entire period of construction.

The County may make such investigations as deemed necessary to determine the ability of the Bidder to perform the work, and the Bidder shall furnish to the County all such information and data for this purpose as the County may request. The County reserves the right to reject any Bid if the evidence submitted by, or investigation of, such Bidder fails to satisfy the County that such Bidder is properly qualified to carry out the obligations of the Contract and to complete the work contemplated therein.

This contract is subject to state contract nondiscrimination and compliance requirements pursuant to Government Code, Section 12990.

The CONTRACT DOCUMENTS may be examined at the following location:

County of San Benito Resource Management Agency
Public Works Division
2301 Technology Parkway
Hollister, CA 95023
Telephone No. (831) 636-4170

The complete bid package, drawings, specifications, and addendum will be issued ELECTRONICALLY and are available for free by downloading the bidding documents on the County's Website, Quicklinks, BIDS & RFPs Link. Plan holders must register before they can view or download the bid package. The downloaded electronic files or the electronic CD can be used to print full or half-size drawings, specifications, geo-tech reports, and other documents at any printing company.

Potential bidders, sub-bidders, and suppliers are responsible for reviewing the complete bidding documents and for collecting all addenda prior to placing a bid. Addenda and revisions will not be forwarded automatically. All bidders shall register at the County's website as a plan holder to receive updates and addenda and to view the bidding documents and the plan holders list. Potential bidders are advised to check the County's website periodically and prior to submitting their bid.

Bidders are required to familiarize themselves with the site of the proposed project prior to submitting a bid. Each Bidder is responsible for inspecting the site and for reading and being thoroughly familiar with the CONTRACT DOCUMENTS. The failure or omission of any Bidder to do any of the foregoing shall in no way relieve any Bidder from any obligation in respect to its Bid. The CONTRACT DOCUMENTS contain the provisions required for the construction of the project. Information obtained from an officer, agent, or employee of the County or any other person shall not affect the risks or obligations assumed by the Contractor or relieve the Contractor from fulfilling any of the conditions of the contract.

State of California, Department of Transportation, *Standard Specifications* and *Standard Plans* are available through the Publications Unit, 1900 Royal Oaks Drive, Sacramento, CA 95815, Telephone No. (916) 445-3520.

Technical questions should be directed only to the County of San Benito Resource Management Agency, 2301 Technology Parkway, Hollister, CA 95023, Telephone No. (831) 636-4170.

Cross sections for this project are not available.

Upon the Contractor's request, the County of San Benito will make payment of funds withheld from progress payments pursuant to the requirements of Public Contract Code Section 22300 if the Contractor deposits in escrow with the County Treasurer or with a bank acceptable to the County of San Benito, securities eligible for the investment of State funds under Government Code Section 16430 or bank or savings and loan certificates of deposit, upon conditions specified in Contract documents.

Any addenda issued before the time in which to submit bids expires shall be part of the contract documents and shall be covered in the bid. Bidders shall acknowledge and confirm receipt of any and all addenda in their proposals.

The County of San Benito affirms that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation.

The successful bidder shall furnish a payment bond and a performance bond within 10 working days of notice of award.

Pursuant to Section 1773 of the Labor Code, the general prevailing wage rates in the county, or counties, in which the work is to be done have been determined by the Director of the California Department of Industrial Relations. These wages are set forth in the General Prevailing Wage Rates for this project, available at County of San Benito, 2301 Technology Parkway, Hollister, CA 95023 and available from the California Department of Industrial Relations' Internet web site at <http://www.dir.ca.gov/DLSR/PWD>. The Federal minimum wage rates for this project as predetermined by the United States Secretary of Labor are set forth in the bid documents and may be examined at the offices described above where project plans, special provisions, and bid forms may be seen. Addenda to modify the Federal minimum wage rates, if necessary, will be issued to holders of bid documents.

Future effective general prevailing wage rates, which have been predetermined and are on file with the California Department of Industrial Relations are referenced but not printed in the general prevailing wage rates.

If there is a difference between the minimum wage rates predetermined by the Secretary of Labor and the general prevailing wage rates determined by the Director of the California Department of Industrial Relations for similar classifications of labor, the Contractor and subcontractors shall pay not less than the higher wage rate. The Department will not accept lower State wage rates not specifically included in the Federal minimum wage determinations. This includes "helper" (or other classifications based on hours of experience) or any other classification not appearing in the Federal wage determinations. Where Federal wage determinations do not contain the State wage rate determination otherwise available for use by the Contractor and subcontractors, the Contractor and subcontractors shall pay not less than the Federal minimum wage rate, which most closely approximates the duties of the employees in question.

The U.S. Department of Transportation (DOT) provides a toll-free "hotline" service to report bid rigging activities. Bid rigging activities can be reported Mondays through Fridays, between 8:00 a.m. and 5:00 p.m., Eastern Time, Telephone No. 1-800-424-9071. Anyone with knowledge of possible bid rigging, bidder collusion, or other fraudulent activities should use the "hotline" to report these activities. The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

SPECIAL INSTRUCTIONS TO BIDDERS: "Bidders must satisfy themselves by personal examination of the location of the proposed work and by such other means as they prefer as to the actual conditions and requirements of the work, and shall not any time after the submission of the bid dispute, complain, or assert that there was any misunderstanding in regard to the nature or amount of work to be done".

DATE: JULY 23, 2019

BY: HARRY MAVROGENES, RMA DIRECTOR

BID SCHEDULES

SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS AT VARIOUS LOCATIONS FY 2018-2019 PWB - 1904

<p style="text-align: center;">BID SCHEDULE "A" SAN BENITO COUNTY SB 1 CIR-HMA-SC PROJECTS, FY 18-19 PWB-1904 FAIRVIEW ROAD</p>						
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL PRICE
1	999990	MOBILIZATION	LS	1		
2	120090	CONSTRUCTION AREA SIGNS	LS	1		
3	120100	TRAFFIC CONTROL SYSTEM	LS	1		
4	130200	PREPARE WATER POLLUTION PREVENTION PLAN	LS	1		
5	150722	REMOVAL REFLECTIVE PAVEMENT MARKERS	EA	110		
6	710214	CONFORM TO EXISTING PG&E VALVE COVER	EA	1		
7	397005	TACK COAT	TON	3		
8	370120	ASPHALT OVERLAY (0.20')	TON	1,566		
9	190185	SHOULDER BACKING	TON	242		
10	028705	COLD IN-PLACE RECYCLING (0.33')	SQFT	86,760		
11	398200	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	300		
12	152501	ADJUST GUARDRAIL HEIGHT	LF	120		
13	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 6)	LF	1,291		
14	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 22)	LF	924		
15	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 29)	LF	385		
16	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 27B)	LF	5,940		
17	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 38A)	LF	370		
18	840560	THERMOPLASTIC PAVEMENT MARKINGS (TYPE IV, LEFT ARROW)	SQFT	45		
19	840560	THERMOPLASTIC PAVEMENT MARKINGS ("ONLY")	SQFT	22		
FAIRVIEW ROAD BID SCHEDULE "A" SUBTOTAL:						

BID SCHEDULE "B"
SAN BENITO COUNTY
SB 1 CIR-HMA-SC PROJECTS, FY 18-19
PWB-1904
UNION ROAD

ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL PRICE
1	999990	MOBILIZATION	LS	1		
2	120090	CONSTRUCTION AREA SIGNS	LS	1		
3	120100	TRAFFIC CONTROL SYSTEM	LS	1		
4	128652	PORTABLE CHANGEABLE MESSAGE SIGNS	EA	2		
5	860807	VEHICLE DETECTOR	EA	2		
6	710214	ADJUST WATER VALVE	EA	2		
7	710214	CONFORM TO EXISTING DRAINAGE INLET	EA	2		
8	150722	REMOVAL REFLECTIVE PAVEMENT MARKERS	EA	105		
9	028705	COLD IN-PLACE RECYCLING (0.25')	SQFT	47,810		
10	190185	SHOULDER BACKING	TON	32		
11	397005	TACK COAT	TON	2		
12	370120	ASPHALT OVERLAY (0.20')	TON	1,024		
13	398200	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	1,054		
14	846035	THERMOPLASTIC PAVEMENT MARKINGS (TYPE IV, LT TURN)	SQFT	75		
15	846035	THERMOPLASTIC PAVEMENT MARKINGS ("SIGNAL" AND "AHEAD")	SQFT	63		
16	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS A24F - BASIC 18")	SQFT	144		
17	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS DETAIL 22)	LF	1,200		
18	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS DETAIL 29)	LF	400		
19	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS DETAIL 38)	LF	300		
20	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS DETAIL 27B)	LF	3,200		
UNION ROAD BID SCHEDULE "B" SUBTOTAL:						

BID SCHEDULE "C"
SAN BENITO COUNTY
SB 1 CIR-HMA-SC PROJECTS
FY 18-19
PWB-1904
SOUTHSIDE ROAD

ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL PRICE
1	999990	MOBILIZATION	LS	1		
2	120090	CONSTRUCTION AREA SIGNS	LS	1		
3	120100	TEMPORARY TRAFFIC CONTROL SYSTEM	LS	1		
4	130200	PREPARE WATER POLLUTION PREVENTION PLAN	LS	1		
5	150722	REMOVAL REFLECTIVE PAVEMENT MARKERS	EA	100		
6	710214	ADJUST MANHOLE ELEVATION	EA	3		
7	370120	ASPHALTIC EMULSION (CHIP SEAL)	TON	13		
8	375035	3/8" AGGREGATE GRADATION (CHIP SEAL)	TON	105		
9	377501	SLURRY SEAL (TYPE II AGGREGATE)	TON	69		
10	028705	COLD IN-PLACE RECYCLING (0.25') W/ IMPORT AB AS NECESSARY	SQFT	44,175		
11	846035	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 22)	LF	1,767		
12	846035	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 27B)	LF	3,534		
Southside Road Bid Schedule "C" Subtotal:						

BID SCHEDULE "D"
SAN BENITO COUNTY
SB 1 CIR-HMA-SC PROJECTS, FY 18-19
PWB-1904
F STREET

6/18/2019

ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL PRICE
1	999990	MOBILIZATION	LS	1		
2	120090	CONSTRUCTION AREA SIGNS	LS	1		
3	120100	TEMPORARY TRAFFIC CONTROL SYSTEM	LS	1		
4	710214	ADJUST WATER VALVE	EA	2		
5	710214	ADJUST MANHOLE ELEVATION	EA	2		
6	377501	SLURRY SEAL (TYPE II AGGREGATE)	TON	28		
7	370120	ASPHALTIC EMULSION (CHIP SEAL)	TON	5		
8	375035	3/8" AGGREGATE GRADATION (CHIP SEAL)	TON	40		
F STREET BID SCHEDULE "D" SUBTOTAL:						

SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS
AT VARIOUS LOCATIONS FY 2018-2019 PWB - 1904

BID SCHEDULES "A", "B", "C", AND "D" TOTAL: _____

CONTRACTOR: _____
(Please Type or Print Business Name)

BY: _____ **Date:** _____
(Signature)

NAME (Please Type or Print): _____

The quantities are approximate only, being given as a basis for the comparison of bids; and the Public Works Division does not, expressly or by implication, agree that the actual amounts of work will correspond therewith, but reserves the right to increase or decrease the amount of any class or portion of the work as may be deemed necessary or expedient by the Engineer. All bids are to be compared on the bid sheet of the quantities to be done.

HARRY MAVROGENES, RMA DIRECTOR
COUNTY OF SAN BENITO
STATE OF CALIFORNIA

GENERAL PROVISIONS: SAN BENITO COUNTY PUBLIC WORKS AND ROADS PROJECTS

- | | |
|---|--|
| 1. Definitions | 19. Payment to Contractor |
| 2. Additional Instructions & Detail Drawings | 20. Acceptance of Final Payment as Release |
| 3. Schedules, Reports & Records | 21. Insurance |
| 4. Plans & Specifications | 22. Contract Security |
| 5. Shop Drawings | 23. Assignments |
| 6. Material, Services & Facilities | 24. Indemnification |
| 7. Inspection & Testing | 25. Separate Contracts |
| 8. Substitutions | 26. Subcontracting |
| 9. Patents | 27. Architect/Engineer's Authority |
| 10. Surveys, Permits & Regulations | 28. Land and Rights-of-Way |
| 11. Protection of Work, Property, & Persons | 29. Guarantee |
| 12. Supervision by Contractor; Independent Contractor | 30. Resolution of Construction Claims |
| 13. Changes in the Work | 31. Taxes |
| 14. Changes in Contract Price | 32. Conflict of Interest |
| 15. Time for Completion; Liquidated Damages | 33. Project Sign |
| 16. Correction of Work | 34. Pre-construction Conference |
| 17. Subsurface Conditions | 35. Access to Contractor's Records |
| 18. Suspension of Work, Termination & Delay | 36. Environmental Requirements |
| | 37. Miscellaneous Provisions |

1. DEFINITIONS

- 1.1 Wherever used in the CONTRACT DOCUMENTS, the following terms shall have the meanings indicated and shall be applicable to both the singular and plural thereof:
- 1.2 ADDENDA - Written or graphic instruments issued prior to the execution of the Agreement that modify or interpret the contract documents, plans and specifications, by additions, deletions, clarifications, or corrections.
- 1.3 BID - The offer or proposal of the bidder submitted on the prescribed form setting forth the prices for the work to be performed.
- 1.4 BIDDER - Any person, firm or corporation submitting a bid for the work.
- 1.5 BONDS - Bid, Performance, and Payment bonds and other instruments of surety, furnished by the CONTRACTOR and the CONTRACTOR'S SURETY in accordance with the CONTRACT DOCUMENTS.
- 1.6 CHANGE ORDER - A written order to the CONTRACTOR authorizing an addition, deletion, or revision in the work within the general scope of the CONTRACT DOCUMENTS, or authorizing an adjustment in the contract price or contract time. No change order is effective unless approved in writing by an authorized COUNTY Representative.
- 1.7 CONTRACT DOCUMENTS - The CONTRACT, Invitation for Bids, Bid Proposal, bid bond, Notice of Award, payment bond, performance bond, Notice to Proceed, General Provisions,

Special Provisions, change orders, technical plans, specifications, drawings and addenda. All CONTRACT DOCUMENTS are intended to cooperate, so that any work called for in one and not mentioned in another is to be executed the same as if mentioned in all. However, should there be any conflict between the terms of the CONTRACT, Invitation for Bids, General Provisions, Special Provisions or technical plans, specifications or drawings and the CONTRACTOR'S bid or proposal,

then the CONTRACT, Invitation for Bids, General Provisions, Special Provisions and/or technical plans, specifications and drawings shall control. Where the specific terms and conditions in any of the referenced CONTRACT DOCUMENTS conflict with general terms and conditions in any referenced CONTRACT DOCUMENTS, the more specific terms and conditions shall be deemed to control. However, the general terms and conditions in any referenced CONTRACT DOCUMENTS shall remain in full force and effect, to the extent they do not conflict with the specific terms and conditions in any referenced CONTRACT DOCUMENTS.

- 1.8 CONTRACT PRICE - The total monies payable to the CONTRACTOR under the terms and conditions of the CONTRACT DOCUMENTS.
- 1.9 CONTRACT TIME - The number of calendar days stated in the CONTRACT DOCUMENTS for the completion of the WORK.
- 1.10 CONTRACTOR - The person, firm, or corporation with whom the COUNTY has executed the Agreement.
- 1.11 COUNTY – The County of San Benito, a political subdivision of the State of California, for whom the work is to be performed.
- 1.12 ENGINEER (ARCHITECT/ENGINEER) - The person, firm, or corporation named as such in the CONTRACT DOCUMENTS.
- 1.15 FIELD ORDER - A written order effecting a change in the work not involving an adjustment in the contract price or an extension of the contract time, issued by the ARCHITECT/ENGINEER to the CONTRACTOR during construction.
- 1.16 NOTICE OF AWARD - written notice of the acceptance of the bid from the COUNTY to the successful bidder.
- 1.17 NOTICE TO PROCEED - Written communication issued by the COUNTY to the CONTRACTOR authorizing him/her to proceed with the work and establishing the date for commencement of the work.
- 1.18 PLANS - The parts of the CONTRACT DOCUMENTS that show the characteristics and scope of the work to be performed and which have been prepared or approved by the ARCHITECT/ENGINEER.
- 1.19 PROJECT - The undertaking to be performed as provided in the CONTRACT DOCUMENTS.
- 1.20 RESIDENT PROJECT REPRESENTATIVE - The authorized representative of the COUNTY who is assigned to the project site or any part thereof.
- 1.21 SHOP DRAWINGS - All drawings, diagrams, illustrations, brochures, schedules and other data which are prepared by the CONTRACTOR, a subcontractor, manufacturer, supplier or distributor, which illustrate how specific portions of the work shall be fabricated or installed.

- 1.22 SPECIFICATIONS - A part of the CONTRACT DOCUMENTS consisting of written descriptions of a technical nature of materials, equipment, construction systems, standards and workmanship and including the General Provision and Special Provisions.
- 1.23 SUBCONTRACTOR - An individual, firm, or corporation having a direct contract with CONTRACTOR or with any other subcontractor for the performance of a part of the work at the site.
- 1.24 SUBSTANTIAL COMPLETION - That date certified by the ARCHITECT/ENGINEER when the construction of the project or a specified part thereof is sufficiently completed, in accordance with the CONTRACT DOCUMENTS, so that the project or specified part can be utilized for the purposes for which it is intended.
- 1.25 SPECIAL PROVISIONS - Additions and modifications to the General Provisions, as required by project-specific requirements and applicable laws. Should there be any conflict between the Special Provisions and/or technical plans, specifications and drawings and the General Provisions, then the Special Provisions and/or technical plans, specifications and drawings shall control.
- 1.26 SUPPLIER - Any person or organization who supplies materials or equipment for the work, including that fabricated to a special design, but who does not perform labor at the site.
- 1.27 WORK - All labor necessary to produce the construction required by the CONTRACT DOCUMENTS, and all materials and equipment incorporated or to be incorporated in the project.
- 1.28 WRITTEN NOTICE - Any notice to any party of the CONTRACT relative to any part of the CONTRACT. Written notice is considered delivered and the service thereof completed, when posted by certified or registered mail to the said party at their last given address, or delivered in person to said party or their authorized representative on the work.

2. ADDITIONAL INSTRUCTIONS AND DETAIL DRAWINGS

- 2.1 The CONTRACTOR may be furnished additional instructions and detail drawings, by the ARCHITECT/ENGINEER, as necessary to carry out the work required by the CONTRACT DOCUMENTS.
- 2.2 The additional drawings and instructions thus supplied will become a part of the CONTRACT DOCUMENTS. The CONTRACTOR shall carry out the work in accordance with the additional detail drawings and instructions.

3. SCHEDULES, REPORTS AND RECORDS

- 3.1 The CONTRACTOR shall submit to the COUNTY such schedule of quantities and costs, progress schedules, payrolls, reports, estimates, records and other data where applicable as are required by the CONTRACT DOCUMENTS for the WORK to be performed.
- 3.2 Prior to the first partial payment estimate, the CONTRACTOR shall submit construction progress schedules showing the order in which the CONTRACTOR proposes to carry on the WORK, including dates at which the various parts of the WORK will be started, estimated date of completion of each part and, as applicable:
 - 3.2.1 The dates at which special detail DRAWINGS will be required; and

- 3.2.2 Respective dates for submission of SHOP DRAWINGS, the beginning of manufacture, the testing and the installation of materials, supplies and equipment.
- 3.3 The CONTRACTOR shall also submit a schedule of payments that the CONTRACTOR anticipates will be earned during the course of the WORK.

4. PLANS AND SPECIFICATIONS

- 4.1 The intent of the plans and specifications is that the CONTRACTOR shall furnish all labor, materials, tools, equipment, and transportation necessary for the proper execution of the work in accordance with the CONTRACT DOCUMENTS and all incidental work necessary to complete the project in an acceptable manner, ready for use, occupancy or operation by the COUNTY.
- 4.2 In case of conflict between the plans and specifications, the specifications shall govern. Figure dimensions on plans shall govern over general plans and drawings.
- 4.3 Any discrepancies found between the plans and specifications and site conditions or any inconsistencies or ambiguities in the plans and specifications shall be immediately reported to the ARCHITECT/ENGINEER, in writing, who shall promptly correct such inconsistencies or ambiguities in writing. Work done by the CONTRACTOR after discovery of such discrepancies, inconsistencies or ambiguities shall be done at the CONTRACTOR'S risk.

5. SHOP DRAWINGS

- 5.1 The CONTRACTOR shall provide shop drawings as may be necessary for the prosecution of the work as required by the CONTRACT DOCUMENTS. The ARCHITECT/ENGINEER shall promptly review all shop drawings. The ARCHITECT/ENGINEER'S approval of any shop drawing shall not release the CONTRACTOR from responsibility for deviations from the CONTRACT DOCUMENTS. The approval of any shop drawing that substantially deviates from the requirement of the CONTRACT DOCUMENTS shall be evidenced by a change order.
- 5.2 When submitted for the ARCHITECT/ENGINEER'S review, shop drawings shall bear the CONTRACTOR'S certification that he has reviewed, checked and approved the shop drawings and that they are in conformance with the requirements of the CONTRACT DOCUMENTS.
- 5.3 Portions of the work requiring a shop drawing or sample submission shall not begin until the shop drawing or submission has been approved by the ARCHITECT/ENGINEER. A copy of each approved shop drawing and each approved sample shall be kept in good order by the CONTRACTOR at the site and shall be available to the ARCHITECT/ENGINEER.

6. MATERIALS, SERVICES AND FACILITIES

- 6.1 It is understood that, except as otherwise specifically stated in the CONTRACT DOCUMENTS, the CONTRACTOR shall provide and pay for all materials, labor, tools, equipment, water, light, power, transportation, supervision, temporary construction of any nature, and all other services and facilities of any nature whatsoever necessary to execute, complete, and deliver the work within the specified time.

- 6.2 Material and equipment shall be so stored as to insure the preservation of their quality and fitness for the work. Stored materials and equipment to be incorporated in the work shall be located so as to facilitate prompt inspection.
- 6.3 Manufactured articles, materials, and equipment shall be applied, installed, connected, erected, used, cleaned and conditioned as directed by the manufacturer.
- 6.4 Materials, supplies, and equipment shall be in accordance with samples submitted by the CONTRACTOR and approved by the ARCHITECT/ENGINEER.
- 6.5 Materials, supplies, and equipment to be incorporated into the work shall not be purchased by the CONTRACTOR or the subcontractor subject to a chattel mortgage or under a conditional sale contract or other agreement by which an interest is retained by the seller.

7. INSPECTIONS AND TESTING

- 7.1 All materials and equipment used in the construction of the project shall be subject to adequate inspection and testing in accordance with generally accepted standards, as required and defined in the CONTRACT DOCUMENTS.
- 7.2 The COUNTY shall provide all inspection and testing services unless specified to be provided by the CONTRACTOR.
- 7.3 The CONTRACTOR shall provide at the CONTRACTOR'S expense the testing and inspection services required by the CONTRACT DOCUMENTS.
- 7.4 If the CONTRACT DOCUMENTS, laws, ordinances, rules, regulations or orders of any public authority having jurisdiction require any work to specifically be inspected, tested, or approved by someone other than the CONTRACTOR, the CONTRACTOR will give the ARCHITECT/ENGINEER timely notice of readiness. The CONTRACTOR will then furnish the ARCHITECT/ENGINEER with the required certificates of inspection, testing or approval.
- 7.5 Inspections, tests, or approvals by the ARCHITECT/ENGINEER or others shall not relieve the CONTRACTOR from the obligations to perform the work in accordance with the requirements of the CONTRACT DOCUMENTS.
- 7.6 The ARCHITECT/ENGINEER and the ARCHITECT/ENGINEER'S representatives will at all times have access to the work. In addition, authorized representatives and agents of any participating Federal or State agency shall be permitted to inspect all work, materials, payrolls, records on personnel, invoices of materials, and other relevant data and records. The CONTRACTOR will provide proper facilities for such access and observation of the work and also for any inspection or testing thereof.
- 7.7 If any work is covered contrary to the written instructions of the ARCHITECT/ENGINEER it must, if requested by the ARCHITECT/ENGINEER, be uncovered for the ARCHITECT/ENGINEER'S observation and replaced at the CONTRACTOR'S expense.
- 7.8 If the ARCHITECT/ENGINEER considers it necessary or advisable that covered work be inspected or tested by others, the CONTRACTOR, at the ARCHITECT/ENGINEER'S request, will uncover, expose or otherwise make available for observation, inspection or testing as the ARCHITECT/ENGINEER may require, that portion of the work in question, furnishing all necessary labor, materials, tools, and equipment. If it is found

that such work is defective, the CONTRACTOR will bear all the expenses of such uncovering, exposure, observation, inspection and testing and of satisfactory reconstruction; if, however, such work is not found to be defective, the CONTRACTOR will be allowed an increase in the contract price or an extension of the contract time, or both, directly attributable to such uncovering, exposure, observation, inspection, testing and reconstruction and an appropriate change order shall be issued.

- 7.9 A pre-final inspection of the work will be made by the ARCHITECT/ENGINEER, project inspector, and a designated representative of the COUNTY. This inspection shall be made as soon as practical after the CONTRACTOR has notified the COUNTY in writing that the work is ready for this inspection. The pre-final inspection shall be made prior to acceptance of any portion of the work as being substantially complete and prior to filing of the Notice of Completion.
- 7.10 A final inspection of all the work will be made by the ARCHITECT/ENGINEER, CONTRACTOR, and a COUNTY representative prior to acceptance of the work.
- 7.11 Forty-eight hours prior to work being accomplished, the CONTRACTOR will notify the ARCHITECT/ENGINEER of the proposed working hours to accomplish the work for that day. Work may be accomplished on weekends or holidays only if the CONTRACTOR provides prior notification, ARCHITECT/ENGINEER approves the request, and the CONTRACTOR pays for the additional inspection costs for weekend, holiday or overtime inspection costs. The weekday assumes inspection hours between 7:00 AM and 5:00 PM are normal working hours.

8. SUBSTITUTIONS

- 8.1 Whenever a material, article, or piece of equipment is identified on the plans or specifications by reference to brand name or catalogue numbers, it shall be understood that this is referenced for the purpose of defining the performance or other salient requirements and that other products of equal capacities, quality and function shall be considered. The CONTRACTOR may recommend the substitution of a material, article, or piece of equipment of equal substance and function for those referred to in the CONTRACT DOCUMENTS by reference to brand name or catalogue number, and if, in the opinion of the ARCHITECT/ENGINEER, such material, article, or piece of equipment is of equal substance and function to that specified, the ARCHITECT/ENGINEER may approve its substitution and use by the CONTRACTOR. Any cost differential shall be deductible from the contract price and the contract documents shall be appropriately modified by the change order. The CONTRACTOR warrants that if substitutes are approved, no major changes in the function or general design of the project will result. Incidental changes or extra component parts required to accommodate the substitute will be made by the CONTRACTOR without a change in the contract price or contract time.

9. PATENTS

- 9.1 The CONTRACTOR shall pay all applicable royalties and license fees, and shall defend all suits or claims for infringement of any patent rights and save the COUNTY harmless from loss on account thereof, except that the COUNTY shall be responsible for any such loss when a particular process, design, or product of a particular manufacturer or manufacturers is specified; however, if the CONTRACTOR has reason to believe that the

design, process or product specified is an infringement of a patent, the CONTRACTOR shall be responsible for such loss unless the CONTRACTOR promptly gives such information to the ARCHITECT/ENGINEER.

10. SURVEYS, PERMITS, AND REGULATIONS

- 10.1 The COUNTY shall furnish all boundary surveys and establish all baselines for locating the principal component parts of the work together with a suitable number of benchmarks adjacent to the work as shown in the CONTRACT DOCUMENTS. From the information provided by the COUNTY, unless otherwise specified in the CONTRACT DOCUMENTS, the CONTRACTOR shall develop and make all detail surveys needed for construction such as slope stakes, finish grade stakes, bridge layout, stakes for pipe locations and other working points, lines, elevations and cut sheets.
- 10.2 The CONTRACTOR shall carefully preserve bench marks, reference points and stakes and, in case of willful or careless destruction, shall be charged with the resulting expense and shall be responsible for any mistake that may be caused by their unnecessary loss or disturbance.
- 10.3 Permits and licenses of a temporary nature necessary for the prosecution of the work shall be secured and paid for by the CONTRACTOR unless otherwise stated in the Special Provisions. Permits, licenses and easements for permanent structures or permanent changes in existing facilities shall be secured and paid for by the COUNTY, unless otherwise specified. The CONTRACTOR shall give all notices and comply with all laws, ordinances, rules and regulations bearing on the conduct of the work as drawn and specified. If the CONTRACTOR observes that the CONTRACT DOCUMENTS are at variance therewith, the CONTRACTOR shall promptly notify the ARCHITECT/ENGINEER in writing, and any necessary changes shall be adjusted as provided in Section 13, CHANGES IN THE WORK.

11. PROTECTION OF WORK, PROPERTY, AND PERSONS

- 11.1 The CONTRACTOR will be responsible for initiating, maintaining and supervising all safety precautions and programs in connection with the work. The CONTRACTOR will take all necessary precautions for the safety of, and will provide the necessary protection to prevent damage, injury or loss to all employees on the work and other persons who may be affected thereby, all the work and all materials or equipment to be incorporated therein, whether in storage on or off the site, and other property at the site or adjacent thereto, including trees, shrubs, lawns, walks, pavements, roadways, structures and utilities not designated for removal, relocation or replacement in the course of construction.
- 11.2 The CONTRACTOR will comply with all applicable laws, ordinances, rules, regulations and orders of any public body having jurisdiction. The CONTRACTOR will erect and maintain, as required by the conditions and progress of the work, all necessary safeguards for safety and protection. The CONTRACTOR will notify COUNTY of adjacent utilities when prosecution of the work may affect them. The CONTRACTOR will remedy all damage, injury or loss to any property caused, directly or indirectly, in whole or part, by the CONTRACTOR, any subcontractor or anyone directly or indirectly employed by any of them or anyone of whose acts of any of them will be liable, except damage or loss attributable to the fault of the CONTRACT DOCUMENTS or to the acts or omissions of

the COUNTY, of the ARCHITECT/ENGINEER or anyone employed by either of them or anyone for whose acts either of them may be liable, and not attributable, directly or indirectly, in whole or in part, to the fault or negligence of the CONTRACTOR.

- 11.3 In emergencies affecting the safety of persons or the work or property at the site or adjacent thereto, the CONTRACTOR, without special instructions or authorization from the ARCHITECT/ENGINEER or COUNTY, shall act to prevent threatened damage, injury or loss. The CONTRACTOR will give the ARCHITECT/ENGINEER prompt written notice of any significant changes in the work or deviations from the CONTRACT DOCUMENTS caused thereby, and a change order shall thereupon be issued covering the changes and deviations involved.
- a. For all excavations in excess of five (5) feet, the CONTRACTOR shall, pursuant to Labor Code Section 6865, submit in advance of any excavation hereunder a detailed plan showing the design of shoring, bracing, sloping, or other provisions to be made for worker protection from caving ground. No such excavation shall be made until said detailed plan is submitted by CONTRACTOR and accepted by the COUNTY or the duly authorized ARCHITECT/ENGINEER.

12. SUPERVISION BY CONTRACTOR; INDEPENDENT CONTRACTOR

- 12.1 The CONTRACTOR will supervise and direct the work. He will be solely responsible for the means, methods, techniques, sequences and procedures of construction. The CONTRACTOR will employ and maintain on the work a qualified supervisor or superintendent who shall have been designated in writing by the CONTRACTOR as the CONTRACTOR'S representative at the site. The supervisor shall have full authority to act on behalf of the CONTRACTOR and all communications given to the supervisor shall be as binding as if given to the CONTRACTOR. The supervisor shall be present on the site at all times as required to perform adequate supervision and coordination of the work.
- 12.2 CONTRACTOR and its officers and employees, in the performance of this CONTRACT, are independent contractors in relation to the COUNTY and not officers or employees of the COUNTY. Nothing in this contract shall create any of the rights, powers, privileges or immunities of any officer or employee of the COUNTY. The CONTRACTOR shall be solely liable for all applicable taxes or benefits, including, but not limited to, federal and state income taxes, Social Security taxes, or ERISA retirement benefits, which taxes or benefits arise out of the performance of this contract. The CONTRACTOR further represents to the COUNTY that the CONTRACTOR has no expectation of receiving any benefits incidental to employment.

13. CHANGES IN THE WORK

- 13.1 The COUNTY may, at any time, as the need arises, order changes within the scope of the work without invalidating the Agreement. If such changes increase or decrease the amount due under the CONTRACT DOCUMENTS, or in the time required for performance of the work, an equitable adjustment shall be authorized by a written change order.
- a. The ARCHITECT/ENGINEER also, may at any time, by issuing a written field order make changes in details of the work. The CONTRACTOR shall proceed with the performance of any changes in the work so ordered by the ARCHITECT/

ENGINEER “unless” the CONTRACTOR believes that such field order entitles the CONTRACTOR to a change in CONTRACT PRICE or time, or both, in which event the CONTRACTOR shall give the ARCHITECT/ENGINEER written notice thereof within three (3) business days after the receipt of the ordered change. The CONTRACTOR shall not execute such changes pending the receipt of an executed written change order from the COUNTY.

14. CHANGES IN CONTRACT PRICE

- 14.1 All changes, which affect the cost or time of the construction of the project, must be authorized by means of a written change order. The change order will include extra work, work for which quantities have been altered from those shown in the bidding schedule, as well as decreases or increases in the quantities of installed units which are different than those shown in the bidding schedule because of final measurements. All changes should be recorded on a change order as they occur. Each change order must contain complete and detailed justification for all items addressed by the change order. All change orders must be approved in writing by COUNTY prior to execution of the work by the CONTRACTOR.
- 14.2 The value of any work covered by a change order or of any claim for increase or decrease in the contract price shall be determined by one or more of the following methods in the order of precedence listed below:
- a. Unit prices previously approved.
 - b. A negotiated total price with all costs for materials and labor outlined by the CONTRACTOR plus a mark-up item for overhead and profit limited to a maximum 15 percent of the outlined costs for the CONTRACTOR doing the work, and a maximum of an additional 5 percent for the prime CONTRACTOR if the work is performed by any subcontractor.

15. TIME FOR COMPLETION; LIQUIDATED DAMAGES

- 15.1 The date of beginning and the time for completion of the work are essential conditions of the CONTRACT DOCUMENTS and the work embraced shall be commenced on the date specified in the Notice To Proceed.
- 15.2 The CONTRACTOR will proceed with the work at such rate of progress to insure full completion within the contract time. It is expressly understood and agreed, by and between the CONTRACTOR and the COUNTY, that the contract time for the completion of the work described herein is a reasonable time, taking into consideration the average climatic and economic conditions and other factors prevailing in the locality of the work.
- 15.3 If the CONTRACTOR shall fail to complete the work within the contract time, or extension of time granted by the COUNTY, then the CONTRACTOR will pay to the COUNTY the amount for liquidated damages as specified in the bid for each calendar day that the CONTRACTOR shall be in default after the time stipulated in the CONTRACT DOCUMENTS.
- 15.4 The CONTRACTOR shall not be charged with liquidated damages or any excess cost when the delay in completion of the work is due to the following and the CONTRACTOR has promptly given written notice of such delay to the COUNTY or ARCHITECT/ENGINEER.

- 15.4.1 To any preference, priority or allocation order duly issued by the COUNTY.
- 15.4.2 To unforeseeable causes beyond the control and without the fault or negligence of the CONTRACTOR, including but not restricted to, acts of God, or of the public enemy, acts of the COUNTY, acts of another CONTRACTOR in the performance of a contract with the COUNTY, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, and abnormal and unforeseeable weather; and
- 15.4.3 To any delays caused by the failure of the COUNTY or the owner of any utility to provide for removal or relocation of such utility facilities pursuant to Government Code section 4215.
- 15.4.4 To any delays of subcontractors occasioned by any of the causes specified in paragraphs 15.4.1, 15.4.2 and 15.4.3 of this article.

16. CORRECTION OF WORK

- 16.1 The CONTRACTOR shall promptly remove from the premises all work rejected by the ARCHITECT/ENGINEER or COUNTY for failure to comply with the CONTRACT DOCUMENTS, whether incorporated in the construction or not, and the CONTRACTOR shall promptly replace and re-execute the work in accordance with the CONTRACT DOCUMENTS and without expense to the COUNTY and shall bear the expense of making good all work of other CONTRACTORS destroyed or damaged by such removal or replacement.
- 16.2 All removal and replacement work shall be done at CONTRACTOR'S expense. If the CONTRACTOR does not take action to remove such rejected work within ten (10) days after receipt of written notice, the COUNTY may remove such work and store the materials at the expense of the CONTRACTOR.

17. SUBSURFACE CONDITIONS

- 17.1 The CONTRACTOR shall promptly, and before the following conditions are disturbed, notify the COUNTY by written notice of:
 - 17.1.1 Material that the CONTRACTOR believes may be material that is hazardous waste, as defined in Section 25117 of the Health and Safety Code, that is required to be removed to a Class I, Class II, or Class III disposal site in accordance with provisions of existing law.
 - 17.1.2 Subsurface or latent physical conditions at the site differing from those indicated.
 - 17.1.3 Unknown physical conditions at the site of an unusual nature, different materially from those ordinarily encountered and generally recognized as inherent in work of the character provided for in the CONTRACT.
- 17.2 Upon such notification, the COUNTY shall promptly investigate the conditions, and if it finds that the conditions do materially so differ, or do involve hazardous waste, and cause a decrease or increase in the CONTRACTOR'S cost of, or the time required for performance of any part of the work, shall issue a change order under the procedures described in the CONTRACT.
- 17.3 In the event that a dispute arises between the COUNTY and the CONTRACTOR whether the conditions do materially so differ, or involve hazardous waste, or cause a decrease or increase in the CONTRACTOR'S cost of, or time required for, performance of any part of the work, the CONTRACTOR shall not be excused from any scheduled completion

date provided for by the CONTRACT, but shall proceed with all work to be performed under the CONTRACT. The CONTRACTOR shall retain any and all rights provided either by CONTRACT or by law, which pertain to the resolution of disputes and protests between the contracting parties.

18. SUSPENSION OF WORK, TERMINATION, AND DELAY

- 18.1 The COUNTY may suspend the work or any portion thereof for a period of not more than ninety (90) days or such further time as agreed upon by the CONTRACTOR, by written notice to the CONTRACTOR and the ARCHITECT/ENGINEER, which shall fix the date on which work shall be resumed. The CONTRACTOR will resume that work on the dates so fixed. The CONTRACTOR will be allowed an increase in the contract price or an extension of the contract time, or both, directly attributing to any suspension.
- 18.2 If the CONTRACTOR is adjudged a bankrupt or insolvent, or makes a general assignment for the benefit of its creditors, or if a trustee or receiver is appointed for the CONTRACTOR or for any of its property, or if CONTRACTOR files a petition to take advantage of any debtor's act, or to reorganize under the bankruptcy or applicable laws, or repeatedly fails to supply sufficient skilled workmen or suitable material or equipment, or repeatedly fails to make prompt payments to subcontractors or for labor, materials or equipment or disregards laws, ordinances, rules, regulations or orders of any public body having jurisdiction of the work or disregards the authority of the ARCHITECT/ENGINEER, or otherwise violates any provision of the CONTRACT DOCUMENTS, then the COUNTY may, without prejudice to any other right or remedy and after giving the CONTRACTOR and its surety a minimum of ten (10) days from delivery of a written notice, terminate the services of the CONTRACTOR and take possession of the project and of all materials, equipment, tools, construction equipment and machinery thereon owned by the CONTRACTOR, and finish the work by whatever method the COUNTY may deem expedient. In such case the CONTRACTOR shall not be entitled to receive any further payment until the work is finished. If the unpaid balance of the contract price exceeds the direct and indirect costs of completing the project, including compensation for additional professional services, such excess shall be paid to the CONTRACTOR. If such costs exceed such unpaid balance, the CONTRACTOR will pay the difference to the COUNTY. Such costs incurred by the COUNTY will be determined by the ARCHITECT/ENGINEER and incorporated in a change order.
- 18.3 Where the CONTRACTOR'S services have been so terminated by the COUNTY, said termination shall not affect any right of the COUNTY against the CONTRACTOR then existing or which may thereafter accrue. Any retention or payment of monies by the COUNTY due to the CONTRACTOR will not release the CONTRACTOR from compliance with the CONTRACT DOCUMENTS.
- 18.4 After ten (10) days from delivery of a written notice to the CONTRACTOR and the ARCHITECT/ENGINEER, the COUNTY may, without cause and without prejudice to any other right or remedy, elect to abandon the project and terminate the CONTRACT. In such case the CONTRACTOR shall be paid for all work executed and any expense sustained plus reasonable profit.
- 18.5 If, through no act or fault of the CONTRACTOR, the work is suspended for a period of more than ninety (90) days by the COUNTY or under an order of court or other public

authority, or the ARCHITECT/ENGINEER fails to act on any request for payment within thirty (30) days after it is submitted, or the COUNTY fails to pay the CONTRACTOR substantially the sum approved by the ARCHITECT/ENGINEER or awarded by arbitrators within thirty (30) days after its approval and presentation, then the CONTRACTOR may, after ten (10) days from delivery of a written notice to the COUNTY and the ARCHITECT/ENGINEER terminate the CONTRACT and recover from the COUNTY payment for all work executed and all expenses sustained. In addition and in lieu of terminating the CONTRACT, if the ARCHITECT/ENGINEER has failed to act on a request for payment or if the COUNTY has failed without good cause to make any payment as aforesaid, the CONTRACTOR may upon ten (10) days written notice to the COUNTY and the ARCHITECT/ENGINEER stop the work until paid all amounts then due, in which event and upon resumption of the work, change orders shall be issued for adjusting the contract price or extending the contract time or both to compensate for the costs and delays attributable to the stoppage of the work.

- 18.6 If the performance of all or any portion of the work is suspended, delayed, or interrupted as a result of a failure of the COUNTY or ARCHITECT/ENGINEER to act within the time specified in the CONTRACT DOCUMENTS, or if no time is specified, within a reasonable time, an adjustment in the contract price or an extension of the contract time, or both, shall be made by change order to compensate the CONTRACTOR for the costs and delays necessarily caused by the failure of the COUNTY or ARCHITECT/ENGINEER.

19. PAYMENT TO CONTRACTOR

- 19.1 Approximately 30 days prior to submittal of a Partial Payment Estimate for a Progress Payment the CONTRACTOR shall submit an Estimate Of 30-day Needs to alert the COUNTY to the amount of funds the CONTRACTOR projects the CONTRACTOR will be requesting as a progress payment in the next Partial Payment Estimate. This is especially important where state or federal funds are involved, which the COUNTY must request from the state or federal source as an Advance through a Cash Request draw down.
- 19.2 At least ten (10) days before the end of the month as each progress payment falls due (but not more often than once a month), the CONTRACTOR will submit to the COUNTY Representative and/or the ARCHITECT/ENGINEER a Partial Payment Estimate filled out and signed by the CONTRACTOR covering the work performed during the period covered by the partial payment estimate and supported by such data as the COUNTY Representative and/or ARCHITECT/ENGINEER may reasonably require. If payment is requested on the basis of materials and equipment not incorporated in the work but delivered and suitably stored at or near the site, the Partial Payment Estimate shall also be accompanied by such supporting data, such as paid invoices, or other written evidence satisfactory to the COUNTY, as will establish the COUNTY'S title to the material and equipment and protect the COUNTY'S interest therein, including applicable insurance. The COUNTY Representative and/or ARCHITECT/ENGINEER will, within ten (10) days after receipt of each Partial Payment Estimate, either indicate in writing approval of the progress payment, and present the Partial Payment Estimate to the COUNTY, or return the Partial Payment Estimate to the CONTRACTOR indicating in writing the reasons for refusing to approve progress payment. In the latter case, the CONTRACTOR

may make the necessary corrections and resubmit the Partial Payment Estimate. The COUNTY will, within twenty (20) days of presentation of an approved Partial Payment Estimate, pay the CONTRACTOR a progress payment on the basis of the approved Partial Payment Estimate less the retainage. The retainage shall be an amount equal to 10% of said estimate. If at any time thereafter when the progress of the work is not satisfactory, additional amounts may be retained. Upon substantial completion of the work, any amount retained may be paid to the CONTRACTOR. When the work has been substantially completed except for work which cannot be completed because of weather conditions, lack of materials or other reasons which in the judgment of the COUNTY are valid reasons for non-completion, the COUNTY may make additional payments, retaining at all times an amount sufficient to cover the estimated cost of the work to be completed.

- 19.3 Payments will not be made that would deplete the retainage nor place in escrow any funds that are required for retainage nor invest the retainage for the benefit of the CONTRACTOR.
- 19.4 All CONTRACT progress payments and the final payment shall be approved in writing by the COUNTY.
- 19.5 Prior to substantial completion, the COUNTY, with the approval of the ARCHITECT/ENGINEER, and with the concurrence of the CONTRACTOR, may use any completed or substantially completed portions of the work. Such use shall not constitute an acceptance of such portions of the work.
- 19.6 The COUNTY shall have the right to enter the premises for the purpose of doing work not covered by the CONTRACT DOCUMENTS. This provision shall not be construed as relieving the CONTRACTOR of the sole responsibility for the care and protection of the work, or the restoration of any damaged work, except such as may be caused by agents or employees of the COUNTY.
- 19.7 Upon completion and acceptance of the work, the ARCHITECT/ENGINEER shall issue a certificate attached to the final payment request that the work has been accepted under the conditions of the CONTRACT DOCUMENTS. The entire balance found to be due the CONTRACTOR, including the retained percentages, but except such sums as may be lawfully retained by the COUNTY, shall be paid to the CONTRACTOR thirty (30) days after the timely recording of a Notice of Completion, or within ninety (90) days after completion and acceptance of the work, whichever is earlier.
- 19.8 The CONTRACTOR will indemnify and save the COUNTY or the COUNTY'S agents harmless from all claims growing out of the lawful demand of subcontractors, laborers, workmen, mechanics, materialmen, and furnishers of machinery and parts thereof, equipment, tools, and all supplies, incurred in the furtherance of the performance of the work. The CONTRACTOR shall, at the COUNTY'S request, furnish satisfactory evidence that all obligations of the nature designated above have been paid, discharged, or waived. If the CONTRACTOR fails to do so the COUNTY may, after having notified the CONTRACTOR, either pay unpaid bills or withhold from the CONTRACTOR'S unpaid compensation a sum of money deemed reasonably sufficient to pay any and all such lawful claims until satisfactory evidence is furnished that all liabilities have been fully discharged whereupon payment to the CONTRACTOR shall be resumed in accordance with the terms of the CONTRACT DOCUMENTS, but in no event shall the

provisions of this sentence be construed to impose any obligations upon the COUNTY to either the CONTRACTOR, the CONTRACTOR'S SURETY, or any third party. In paying any unpaid bills of the CONTRACTOR, any payment so made by the COUNTY shall be considered as a payment made under the CONTRACT DOCUMENTS by the COUNTY to the CONTRACTOR and the COUNTY shall not be liable to the CONTRACTOR for any such payments made in good faith.

- 19.9 If the COUNTY fails to make payment within the time specified in section 19.7, in addition to other remedies available to the CONTRACTOR, there shall be added to each such payment interest at the maximum legal rate commencing on the first day after said payment is due and continuing until the payment is received by the CONTRACTOR.
- 19.10 The ARCHITECT/ENGINEER may withhold or, on account of subsequently discovered evidence, nullify the whole or part of any approved partial payment estimate to such extent as may be necessary to protect the COUNTY from loss on account of:
- a. Defective work not remedied.
 - b. Claims filed or reasonable evidence indicating probable filing of claims.
 - c. Failure of CONTRACTOR to make payments properly to subcontractors or for material or labor.
 - d. A reasonable doubt that the work can be completed for the balance then unpaid.
 - e. Damage to another CONTRACTOR.
 - f. Performance of work in violation of the terms of the CONTRACT DOCUMENTS.
- 19.11 Where work on unit price items are substantially complete but lack clean-up and/or corrections ordered by the ARCHITECT/ENGINEER, amounts shall be deducted from unit prices in partial payment estimates to amply cover such clean-up and corrections.
- 19.12 In lieu of COUNTY retaining a portion of progress payments due CONTRACTOR, the CONTRACTOR may elect to deposit qualifying securities equivalent to the amount to be withheld. Upon such deposit under an escrow agreement substantially in the form specified in section 22300(e) of the Public Contracts Code, the funds shall be released.

20. ACCEPTANCE OF FINAL PAYMENT AS RELEASE

- 20.1 The acceptance by the CONTRACTOR of final payment shall be and shall operate as a release to the COUNTY of all claims and all liability to the CONTRACTOR other than claims in stated amounts as may be specifically excepted by the CONTRACTOR for all things done or furnished in connection with this work and for every act and neglect of the COUNTY and others relating to or arising out of this work. Any payment, however, final or otherwise, shall not release the CONTRACTOR or its sureties from any obligations under the CONTRACT DOCUMENTS or the performance and payment bonds.

21. INSURANCE

- 21.1 Without limiting the CONTRACTOR'S duty to indemnify the COUNTY, CONTRACTOR shall comply with the insurance coverage requirements set forth in the CONTRACT. Required insurance policies shall satisfy the following requirements:
- 21.1.1 The CONTRACTOR shall purchase and maintain such insurance as will protect it from claims set forth below which may arise out of, or result from the

CONTRACTOR'S execution of the work, whether such execution be by the CONTRACTOR, any subcontractor, or by anyone directly or indirectly employed by any of them, or by anyone for whose acts any of them may be liable:

- a. Claims under worker's compensation, disability benefit and other similar employee benefit acts;
- b. Claims for damages because of bodily injury, occupational sickness or disease, or death of employees;
- c. Claims for damages because of bodily injury, sickness or disease, or death of any person other than employees;
- d. Claims for damages insured by usual personal injury liability coverage which are sustained (1) by any person as a result of an offense directly or indirectly related to the employment of such person by the CONTRACTOR, or (2) by any other person; and
- e. Claims for damages because of injury to or destruction of tangible property, including loss of use resulting there from.

21.1.2 Each policy shall be issued by a company authorized by law to transact business in the State of California.

21.1.3 Each policy shall provide that COUNTY shall be given notice in writing at least thirty (30) days in advance of any change, cancellation, or non-renewal thereof.

21.1.4 The required coverage shall be maintained in effect throughout the term of this contract.

21.1.5 CONTRACTOR shall require all subcontractors performing work under this CONTRACT to obtain substantially the identical insurance coverage required of CONTRACTOR pursuant to this CONTRACT.

21.2 The CONTRACTOR shall procure and maintain in full force and effect, at the CONTRACTOR'S own expense, and in case any work is sublet, the CONTRACTOR shall require such subcontractor similarly to procure and maintain in full force and effect, at the CONTRACTOR'S or subcontractor's own expense, during the term of this CONTRACT, insurance policies as hereinafter specified, with policy limits of coverage specified in the CONTRACT or in the minimum coverage requirements set forth in this section, whichever amount is higher:

21.2.1 CONTRACTOR'S Comprehensive General and Excess Public Liability and Property Damage Insurance, including vehicle coverage, issued to the CONTRACTOR and protecting the CONTRACTOR from all claims for personal injury, including death, and all claims for destruction of or damage to property, arising out of or in connection with any operations under the CONTRACT DOCUMENTS, whether such operations be by the CONTRACTOR or by any subcontractor employed by the CONTRACTOR or anyone directly or indirectly employed by the CONTRACTOR or by a subcontractor employed by the CONTRACTOR, and shall provide an endorsement naming the COUNTY and its officers, agents and employees as additional insureds. The minimum coverage requirements are as follows:

- a. For personal injury claims, the insurance policy shall provide coverage in an amount not less than \$500,000 for all damages arising out of bodily injury,

including death at any time resulting there from, sustained by any one person in any one accident and a limit of liability of not less than \$1,000,000 aggregate for any such damages sustained by two or more persons in any one accident.

- b. For property damage claims, the insurance policy shall provide coverage with a limit of liability of not less than \$250,000 for all property damage sustained by any one person in any one accident and a limit of liability of not less than \$500,000 aggregate for any such damage sustained by two or more persons in any one accident.

21.2.2 The CONTRACTOR shall acquire and maintain Fire and Extended Coverage insurance upon the project to the full insurable value thereof for the benefit of the COUNTY, the CONTRACTOR, and subcontractors as their interest may appear. This provision shall in no way release the CONTRACTOR or CONTRACTOR'S surety from obligations under the CONTRACT DOCUMENTS to fully complete the project.

21.2.3 The CONTRACTOR shall secure "All Risk" type Builder's Risk Insurance for work to be performed. Unless specifically authorized by the COUNTY, the amount of such insurance shall not be less than the contract price totaled in the bid. The policy shall cover not less than the losses due to fire, explosion, vehicle damage, theft, flood, earthquake, civil commotion, hail, lightning, vandalism, malicious mischief, wind, collapse, riot, aircraft, and smoke during the contract time, and until the work is accepted by the COUNTY. The policy shall name as the insured the CONTRACTOR, and the COUNTY.

21.2.4 The CONTRACTOR shall acquire and maintain Environmental Impairment Pollution Liability Insurance upon the project to the full insurable value thereof for the benefit of the COUNTY, the CONTRACTOR, and subcontractors as their interest may appear. This provision shall in no way release the CONTRACTOR or CONTRACTOR'S surety from obligations under the CONTRACT DOCUMENTS to fully complete the project or to repair or remediate environmental damage or pollution.

21.3 Prior to commencement of work by the CONTRACTOR or any subcontractor and prior to any obligation by the COUNTY, the CONTRACTOR shall file Certificates of Insurance acceptable to the COUNTY, showing that the CONTRACTOR and all subcontractors have in effect the insurance required by this CONTRACT. The certificates shall contain a provision that coverage afforded under the policies will not be canceled unless at least 15 days prior written notice has been given to the COUNTY. The CONTRACTOR shall file a new or amended certificate promptly after any change is made in any insurance policy that would alter the information on the certificate then on file. In lieu of providing proof of insurance, the CONTRACTOR may provide proof of self-insurance meeting requirements equivalent to those imposed herein. The CONTRACTOR shall warrant that the CONTRACTOR'S or subcontractor's self-insurance provides substantially the same protection to the COUNTY as the insurance required herein. The CONTRACTOR further agrees to notify the COUNTY in the event any change in self-insurance occurs that would alter the obligations undertaken in this CONTRACT within 15 days of such change.

- 21.4 In accordance with section 3700 of the Labor Code, the CONTRACTOR shall procure and maintain, at the CONTRACTOR'S own expense, during the contract time, in accordance with the provisions of the laws of the state in which the work is performed, Worker's Compensation Insurance, including occupational disease provisions, for all of the CONTRACTOR'S employees at the site of the project and in case any work is sublet, the CONTRACTOR shall require such subcontractor similarly to provide Worker's Compensation Insurance, including occupational disease provisions for all of the latter's employees unless such employees are covered by the protection afforded by the CONTRACTOR. In case any class of employees engaged in hazardous work under this contract at the site of the project is not protected under Worker's Compensation statute, the CONTRACTOR shall provide, and shall cause each subcontractor to provide, adequate and suitable insurance for the protection of its employees not otherwise protected.

22. CONTRACT SECURITY

- 22.1 The CONTRACTOR shall within ten (10) working days after the receipt of the Notice Of Award furnish the COUNTY with a performance bond and a payment bond in penal sums equal to the amount of the contract price, conditioned upon the performance by the CONTRACTOR of all undertakings, covenants, terms, conditions and agreements of the CONTRACT DOCUMENTS, and upon the prompt payment by the CONTRACTOR to all persons supplying labor and materials in the prosecution of the work provided by the CONTRACT DOCUMENTS. Such bonds shall be executed by the CONTRACTOR and a corporate bonding company licensed to transact such business in the state in which the work is to be performed and named on the current list of "Surety Companies Acceptable on Federal Bonds" as published in the Treasury Department Circular Number 570. The expense of these bonds shall be borne by the CONTRACTOR. If at any time a SURETY on any such bond is declared a bankrupt or loses its right to do business in the state in which the work is to be performed or is removed from the list of surety companies accepted on Federal Bonds, CONTRACTOR shall within ten (10) days after notice from the COUNTY to do so, substitute an acceptable bond (or bonds) in such form and sum and signed by such other surety or sureties as may be satisfactory to the COUNTY. The premiums on such bond shall be paid by the CONTRACTOR. No further CONTRACT payment shall be deemed due nor shall be made until the new surety or sureties shall have furnished an acceptable bond to the COUNTY.
- 22.2 The performance bond and the payment bond to be furnished by the CONTRACTOR shall be executed on the forms provided by this document.

23. ASSIGNMENTS

- 23.1 Neither the CONTRACTOR nor the COUNTY shall sell, transfer, assign, or otherwise dispose of the CONTRACT or any portion thereof, or of any right, title or interest therein, or any obligations thereunder, without written consent of the other party.

24. INDEMNIFICATION

- 24.1 The CONTRACTOR will indemnify and hold harmless the COUNTY and the ARCHITECT/ENGINEER and their officers, agents and employees from and against any and all claims, damages, losses and expenses such as attorney's fees, court costs, investigation costs, and experts' fees, arising out of, resulting from or in any way related

to the performance of the work, including but not limited to, claims for property damage, personal injury, sickness, disease or death, or to injury to or destruction of tangible property, including the loss of use there from, caused in whole or in part by any negligent or willful act or omission of the CONTRACTOR, any subcontractor, anyone directly or indirectly employed by any of them or anyone for whose acts or emissions any of them may be liable. "Performance" includes a party's action or inaction and the action or inaction of its officers, agents, and employees.

- 24.2 In any and all claims against the COUNTY or the ARCHITECT/ENGINEER, or any of their officers, agents or employees, by any employee of the CONTRACTOR, or any subcontractor, by anyone directly or indirectly employed by any of them, or by anyone for whose acts any of them may be liable, the indemnification obligation shall not be limited in any way by any limitation on the amount or type of damages, compensation or benefits payable by or for the CONTRACTOR or any subcontractor under worker's compensation acts, disability benefit acts or other employee benefit acts.
- 24.3 The obligation of the CONTRACTOR under this paragraph shall not extend to the liability of the ARCHITECT/ENGINEER, its agents or employees arising out of the preparation or approval of maps, plans, opinions, reports, surveys, change orders, designs or specifications.

25. SEPARATE CONTRACTS

- 25.1 The COUNTY reserves the right to let other contracts in connection with this project. The CONTRACTOR shall afford other contractors reasonable opportunity for the introduction and storage of their materials and the execution of their work, and shall properly connect and coordinate the work with theirs. If the proper execution or results of any part of the CONTRACTOR'S work depends upon the work of any other contractors, the CONTRACTOR shall inspect and promptly report to the ARCHITECT/ENGINEER any defects in such work that render it unsuitable for such proper execution and results.
- 25.2 The COUNTY may perform additional work related to the project or the COUNTY may let other contracts containing provisions similar to these. The CONTRACTOR will afford the other contractors who are parties to such contracts (or the COUNTY, if the COUNTY is performing the additional work) reasonable opportunity for the introduction and storage of materials and equipment and the execution of work, and shall properly connect and coordinate the work with theirs.
- 25.3 If the performance of additional work by other contractors or the COUNTY is not noted in the CONTRACT DOCUMENTS prior to the execution of the CONTRACT, written notice thereof shall be given to the CONTRACTOR prior to starting any such additional work. If the CONTRACTOR believes that the performance of such additional work by the COUNTY or others involves it in additional expense or entitles it to an extension of the contract time, the CONTRACTOR may make a claim thereof as provided in Sections 14 and 15.

26. SUBCONTRACTING

- 26.1 The CONTRACTOR may utilize the services of specialty subcontracts on those parts of the work which, under normal contracting practices, are performed by specialty subcontractors.

- 26.2 The CONTRACTOR shall not award work to subcontractor(s), in excess of fifty (50%) percent of the contract price, without prior written approval of the COUNTY.
- 26.3 The CONTRACTOR shall be fully responsible to the COUNTY for the acts and omissions of its subcontractors, and of persons either directly or indirectly employed by them, as the CONTRACTOR is for the acts and omissions of persons directly employed by the CONTRACTOR.
- 26.4 The CONTRACTOR shall cause appropriate provisions to be inserted in all subcontracts relative to the work to bind subcontractors to the CONTRACTOR by the terms of the CONTRACT DOCUMENTS insofar as applicable to the work of subcontractors and give the CONTRACTOR the same power as regards terminating any subcontract that the COUNTY may exercise over the CONTRACTOR under any provision of the CONTRACT DOCUMENTS.
- 26.5 Nothing contained in this CONTRACT shall create any contractual relation between any subcontractor and the COUNTY.

27. ARCHITECT/ENGINEER'S AUTHORITY

- 27.1 The ARCHITECT/ENGINEER shall act as the COUNTY'S representative during the construction period shall decide questions which may arise as to quality and acceptability of materials furnished and work performed, and shall interpret the intent of the CONTRACT DOCUMENTS in a fair and unbiased manner. The ARCHITECT/ENGINEER will make visits to the site and determine if the work is proceeding in accordance with the CONTRACT DOCUMENTS.
- 27.2 The CONTRACTOR will be held strictly to the intent of the CONTRACT DOCUMENTS in regard to the quality of materials, workmanship, and execution of the work. Inspections may be at the factory or fabrication plant of the source of material supply.
- 27.3 The ARCHITECT/ENGINEER will not be responsible for the construction means, controls, techniques, sequences, procedures, or construction safety.
- 27.4 The ARCHITECT/ENGINEER shall promptly make decisions relative to interpretation of the CONTRACT DOCUMENTS.

28. LAND AND RIGHTS-OF-WAY

- 28.1 Prior to issuance of Notice To Proceed, the COUNTY shall obtain all land and rights-of-way necessary for carrying out and for the completion of the work to be performed pursuant to the CONTRACT DOCUMENTS, unless otherwise mutually agreed.
- 28.2 The COUNTY shall provide to the CONTRACTOR information, which delineates and describes the lands owned and rights-of-way acquired.
- 28.3 The CONTRACTOR shall provide at its own expense and without liability to the COUNTY any additional land and access thereto that the CONTRACTOR may desire for temporary construction facilities, or for storage of materials.

29. GUARANTEE

- 29.1 The CONTRACTOR shall guarantee all materials and equipment furnished and work performed for a period of one (1) year from the date of substantial completion. The CONTRACTOR warrants and guarantees for a period of one (1) year from the date of

substantial completion of the system that the completed system is free from all defects due to faulty materials or workmanship and the CONTRACTOR shall promptly make such corrections as may be necessary by reason of such defects including the repairs of the damage of other parts of the system resulting from such defects. The COUNTY will give notice of observed defects with reasonable promptness. In the event that the CONTRACTOR should fail to make such repairs, adjustments, or other work that may be made necessary by such defects, the COUNTY may do so and charge the CONTRACTOR the cost thereby incurred. The Performance BOND shall remain in full force and effect through the guarantee period.

30. RESOLUTION OF CONSTRUCTION CLAIMS

30.1 Claim means a separate demand by the CONTRACTOR for (a) a time extension, (b) payment of money or damages arising from work done by, or on behalf of the contractor, pursuant to this CONTRACT, payment not otherwise expressly provided the CONTRACT, or (c) any separate demand by the CONTRACTOR, the amount of which is disputed by the COUNTY. If this is a "Public Works Contract" as defined in 22200 of the California Public Contract Code, claims shall be resolved pursuant to Sections 20104 et seq. of the California Public Contract Code. These sections are summarized as follows:

30.1.1 For claims less than \$50,000, the COUNTY shall respond in writing to all written claims within forty-five (45) days of receipt of the claim, or may request in writing, within thirty (30) days of receipt of the claim, any additional documentation supporting the claim or relating to any defenses the COUNTY may have against such claim. The COUNTY'S written response to the claim, as further documented, will be submitted to the CONTRACTOR within fifteen (15) days from receipt of the further documentation, or within a period of time no greater than that taken by the CONTRACTOR in producing the additional documentation, whichever is greater.

30.1.2 For claims over \$50,000 and less than or equal to \$375,000, the COUNTY shall respond in writing to all written claims within sixty (60) days of receipt of the claim, or may request in writing, within thirty (30) days of receipt of the claim, any additional documentation supporting the claim or relating to any defenses the COUNTY may have against such claim. The COUNTY'S written response to the claim, as further documented, will be submitted to the CONTRACTOR within thirty (30) days from receipt of the further documentation, or within a period of time no greater than that taken by the CONTRACTOR in producing the additional documentation, whichever is greater.

30.1.3 If the CONTRACTOR disputes the COUNTY'S written response, or the COUNTY fails to respond within the time specified, the CONTRACTOR may notify the COUNTY in writing within either fifteen (15) days of receipt of the COUNTY'S response, or within fifteen (15) days of the COUNTY'S failure to respond within the statutorily prescribed time, and demand an informal conference to meet and confer for settlement of the issues in dispute. Upon demand, the COUNTY shall schedule a meeting and confer conference within thirty (30) days for settlement of the dispute.

30.1.4 Following the meet and confer conference, if the claim or any portion remains in dispute, the CONTRACTOR may file a claim pursuant to Government Code Sections

900, et seq. The period of time within to file such a claim shall be defined in Public Contract Code Section 20104.2(e).

- 30.2 All claims, disputes, and other matters in question arising out of, or relating to, the CONTRACT DOCUMENTS or the breach thereof, except for claims that have been waived by the making and acceptance of final payment, as provided by Section 20, may be decided by arbitration if the parties mutually agree. Any agreement to arbitrate shall be specifically enforceable under the prevailing arbitration law. The arbitration will be conducted pursuant to 10240 - 10240.13 of the California Public Contract Code. The award rendered by the arbitrators shall be final, the judgment may be entered upon it in any court having jurisdiction thereof.
- 30.2.1 Notice of the request for arbitration shall be filed in writing with the other party to the CONTRACT DOCUMENTS and a copy shall be filed with the ARCHITECT/ENGINEER. Request for arbitration shall in no event be made on any claim, dispute, or other matter in question which would be barred by the applicable statute of limitations.
- 30.2.2 The CONTRACTOR will carry on the work, and maintain the progress schedule during any arbitration proceedings, unless otherwise mutually agreed in writing.
- 30.2.3 Arbitration awards must be presented in writing and include the following elements:
- a. Legal "findings of fact" established by the arbiter.
 - b. Specific breakdown of the dollar amounts allocated for each issue under arbitration.
 - c. The arbiter's "conclusions of law".
 - d. A summary of the evidence.
 - e. Reasons underlying the arbiter's award.

31. TAXES

- 31.1 The CONTRACTOR will pay all sales, consumer, use, and other similar taxes required by the laws of the place where the work is performed.

32. CONFLICT OF INTEREST

- 32.1 No member of or delegate to Congress, or Resident Commissioner, shall be admitted to any share or part of this CONTRACT or to any benefit that may arise there from, but this provision shall not be constructed to extend to this CONTRACT if made with a corporation for its general benefit.
- 32.2 No official of the COUNTY who is authorized in such capacity and on behalf of the COUNTY to negotiate, make, accept or approve, or to take part in negotiating, making, accepting, or approving any architectural, engineering, inspection, construction or material supply CONTRACT or any subcontract in connection with the construction of the project, shall become directly or indirectly interested personally in this CONTRACT or in any part thereof. No officer, employee, architect, attorney, engineer or inspector of or for the COUNTY who is authorized in such capacity and on behalf of the COUNTY who is in any legislative, executive, supervisory, or other similar functions in connections with the construction of the project, shall become directly or indirectly interested

personally in this CONTRACT or in any part thereof, any material supply contract, subcontract, insurance contract, or any other contract pertaining to the project.

- 32.3 The CONTRACTOR covenants that it presently has no interest and shall not acquire any interest, direct or indirect, financial or otherwise, which would conflict in any manner or degree with the performance of the services hereunder. The CONTRACTOR further covenants that, in the performance of this contract, no subcontractor or person having such an interest shall be used or employed. The CONTRACTOR certifies that no one who has or will have any financial interest under this contract is an officer or employee of the COUNTY.

33. PROJECT SIGN

- 33.1 The CONTRACTOR will place a project sign at a location if designated by the ARCHITECT/ENGINEER or COUNTY. If required, a sign measuring 4' x 8', will be made of 3/4" exterior grade plywood and adhere to the format and details as given on the sheet at the end of this section. If the project sign is to be combined with another agency's required project sign, then COUNTY approval must be obtained through the ARCHITECT/ENGINEER. If a sign is required the sign will be prepared by a professional sign painter.

34. PRE-CONSTRUCTION CONFERENCE

- 34.1 Prior to the start of construction, the COUNTY will schedule a pre-construction conference. At the conference, the ARCHITECT/ENGINEER and/or COUNTY, and if Davis-Bacon or State Prevailing wages are involved, a Labor Specialist will review the project work and related requirements and procedures with the CONTRACTOR, CONTRACTOR'S Payroll Representative, CONTRACTOR'S subcontractors, and other interested parties.

35. ACCESS TO CONTRACTOR'S RECORDS

- 35.1 CONTRACTOR shall keep and maintain accurate records of all costs incurred and all time expended for work under this CONTRACT for a minimum of three (3) years from the close of the fiscal year in which final payment is made under this CONTRACT. CONTRACTOR shall contractually require that all subcontractors performing work called for under this CONTRACT also keep and maintain such records. All such records, whether kept by CONTRACTOR or any subcontractor, shall be made available to COUNTY or its authorized representative, or officials of the State of California for review or audit during normal business hours, upon reasonable advance notice given by COUNTY, its authorized representative, or officials of the State of California.
- 35.2 CONTRACTOR shall maintain and preserve all records related to this CONTRACT and shall also assure the maintenance of such records in the possession of any subcontractor or any third party performing work related to this CONTRACT, for a period of three years from the close of the fiscal year in which final payment under this contract is made. Such records shall be retained beyond the three-year period if any audit involving such records is then pending, until the audit findings are resolved.
- 35.3 For each negotiated (non-bid) CONTRACT in excess of \$2,500, the COUNTY, the comptroller General of the United States, or any of their duly authorized representatives, shall have access to any books, documents, papers, and records of the CONTRACTOR

which are directly pertinent to a specific Federal grant or loan program for the purpose of making audits, examinations, excerpts, and transcriptions.

36. ENVIRONMENTAL REQUIREMENTS:

The CONTRACTOR, when constructing a project involving trenching and/or other related earth excavation, shall comply with the following environmental constraints:

- 36.1 The CONTRACTOR shall comply with the intent of Executive Order 11990, which necessitates the preservation of wetlands. The CONTRACTOR, when disposing excess spoil or other construction materials on public or private property, WILL NOT FILL IN or convert such wetlands.
- 36.2 The CONTRACTOR shall comply with the intent of Executive Order 11988, which necessitates the preservation of floodplains. The CONTRACTOR when disposing excess spoil or other construction materials on public or private property WILL NOT FILL IN or convert the 100-year Floodplain areas classified as Zone A on the latest FEMA Floodplain Maps.
- 36.3 The CONTRACTOR shall comply with the intent of the Protection of Historical Properties 36 CFR Part 800. Any excavation by the CONTRACTOR that yields historical or archaeological artifacts shall be immediately reported to the project ARCHITECT/ENGINEER and a representative of the COUNTY. Construction shall be temporarily halted pending the notification process and further directions issued by the State Historical Preservation Officer (SHPO).
- 36.4 The CONTRACTOR shall comply with the requirements of the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq.) regarding the protection of threatened and endangered species and their critical habitat. Should any evidence of the presence of endangered and/or threatened species or their critical habitat be brought to the attention of the CONTRACTOR, the CONTRACTOR will immediately so advise the project ARCHITECT/ENGINEER and a representative of the COUNTY. Such activity shall be temporarily halted pending consultation with and advice from the U. S. Fish and Wildlife Service

37. MISCELLANEOUS PROVISIONS

- 37.1 Compliance With Applicable Laws: The CONTRACTOR shall comply with all applicable federal, state and local laws now, or hereafter, in force, and with any applicable regulations, in performing the work and providing the services specified in this contract. This obligation includes, without limitation, the acquisition, and maintenance of any permits, licenses, or other entitlements necessary to perform the duties imposed expressly or impliedly under this contract.
- 37.2 Nondiscrimination: The CONTRACTOR shall not discriminate in the employment of persons necessary to perform this contract on any legally impermissible basis, including on the basis of the race, color, national origin, ancestry, religion, age, sex, or disability of such person.
- 37.3 Bankruptcy: The CONTRACTOR shall immediately notify the COUNTY in the event that the CONTRACTOR ceases conducting business in the normal manner, becomes insolvent, makes a general assignment for the benefit of creditors, suffers or permits the appointment of a receiver for its business or assets, or avails itself of, or becomes subject

to, any proceeding under the Federal Bankruptcy Act or any other statute of any state relating to insolvency or protection of the rights of creditors.

- 37.4 Prohibition Against Assignment and Delegation of Duties: Except as specifically authorized herein, no rights under this CONTRACT may be assigned and no duties under this CONTRACT may be delegated by the CONTRACTOR without the prior written consent of the COUNTY, and any attempted assignment or delegation without such consent shall be void.
- 37.5 Negotiated Contract: This CONTRACT has been arrived at through negotiation between the parties. Neither party is to be deemed the party which prepared this CONTRACT within the meaning of California Civil Code Section 1654.
- 37.6 Severability: Should any provision herein be found or deemed to be invalid, this CONTRACT shall be construed as not containing such provision and all other provisions which are otherwise lawful shall remain in full force and effect. To this end, the provisions of this CONTRACT are declared to be severable.
- 37.7 Entire Contract: This CONTRACT is the entire agreement of the parties. There are no understandings or agreements pertaining to this CONTRACT except as are expressly stated in writing in this contract or in any document attached hereto or incorporated herein by reference.
- 37.8 Time is of the Essence: Time is of the essence in the performance of this CONTRACT.
- 37.9 Notices: Notices to the parties in connection with the administration of this CONTRACT shall be given to the parties' contract administrator personally, by regular mail, or by facsimile transmission as more particularly specified in this paragraph. Notices will be deemed given on:
- (a) The day the notice is personally delivered to the contract administrator or the office of the party's contract administrator; or
 - (b) Five days after the date the notice is deposited in the United States mail, addressed to a party's contract administrator as indicated in this contract, with first-class postage fully prepaid; or
 - (c) On the day that the notice is transmitted by facsimile to a party's facsimile number specified in paragraph 8 of this contract, provided that an original of such notice is deposited in the United States mail, addressed to a party's contract administrator as indicated in this contract, on the same day as the facsimile transmission is made.
- 37.10 Responsibility of Contract Administrators: All matters concerning this CONTRACT which are within the responsibility of the parties shall be under the direction of, or shall be submitted to, the respective CONTRACT administrators or to the party's employee specified, in writing, by the contract administrator. A party may, in its sole discretion, change its designation of its contract administrator and shall promptly give written notice to the other party of any such change.
- 37.11 Materiality: The parties consider each and every term, covenant, and provision of this CONTRACT to be material and reasonable.
- 37.12 Waiver: Waiver by either party of a breach of any covenant of this CONTRACT will not be construed to be a continuing waiver of any subsequent breach. The COUNTY'S receipt of consideration with knowledge of the CONTRACTOR'S violation of a

covenant does not waive its right to enforce any covenant of this CONTRACT. The parties shall not waive any provisions of this CONTRACT unless the waiver is in writing and signed by all parties.

- 37.13 Authority and Capacity: The CONTRACTOR and the CONTRACTOR'S signatory each warrant and represent that each has full authority and capacity to enter into this CONTRACT.
- 37.14 Binding on Successors: All of the conditions, covenants and terms herein contained shall apply to, and bind, the heirs, successors, executors, administrators and assigns of the CONTRACTOR. The CONTRACTOR and all of the CONTRACTOR'S heirs, successors, executors, administrators, and assigns shall be jointly and severally liable under this CONTRACT.
- 37.15 Cumulation of Remedies: All of the various rights, options, elections, powers and remedies of the parties shall be construed as cumulative, and no one of them exclusive of any other or of any other legal or equitable remedy which a party might otherwise have in the event of a breach or default of any condition, covenant or term by the other party. The exercise of any single right, option, election, power or remedy shall not, in any way, impair any other right, option, election, power or remedy until all duties and obligations imposed shall have been fully performed.
- 37.16 Independent Advice: Each party hereby represents and warrants that in executing this CONTRACT it does so with full knowledge of the rights and duties it may have with respect to the other. Each party also represents and warrants that it has received independent legal advice from its attorney with respect to the matters set forth in this CONTRACT and the rights and duties arising out of this CONTRACT, or that such party willingly foregoes any such consultation.
- 37.17 No Reliance on Representations: Each party hereby represents and warrants that it is not relying, and has not relied, upon any representation or statement made by the other party with respect to the facts involved or its rights or duties. Each party understands and agrees that the facts relevant, or believed to be relevant to this CONTRACT may hereafter turn out to be other than, or different from the facts now known to such party as true, or believed by such party to be true. The parties expressly assume the risk of the facts turning out to be different and agree that this CONTRACT shall be effective in all respects and shall not be subject to rescission by reason of any such difference in facts.
- 37.18 Reduction of Consideration: The CONTRACTOR agrees that the COUNTY shall have the right to deduct from any payments to the CONTRACTOR under this CONTRACT any amount owed to the COUNTY by the CONTRACTOR as a result of any obligation arising prior to the execution of this CONTRACT. For purposes of this paragraph, obligations arising prior to the execution of this CONTRACT may include, without limitation, any property tax, secured or unsecured, which tax is in arrears. If the COUNTY exercises the right to reduce any payment to the CONTRACTOR, the COUNTY shall give the CONTRACTOR notice of the amount of any off-set and the reason for the deduction.
- 37.19 Counterparts: This CONTRACT may be executed in any number of counterparts, each of which so executed shall be deemed to be an original. The counterparts shall together constitute one CONTRACT.

**SPECIAL PROVISIONS
BOARD OF SUPERVISORS
COUNTY OF SAN BENITO
STATE OF CALIFORNIA**

CONTRACT NO. **PWB-1904**

**SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS
AT VARIOUS LOCATIONS FY 2018-2019**

SECTION 1. SPECIFICATIONS AND PLANS

The work embraced herein shall be done in accordance with the Standard Specifications dated 2015, the latest Revision dated 04-20-2018, and the Standard Plans dated 2015, of the State of California, Department of Transportation, insofar as the same may apply and in accordance with the following special provisions.

In case of conflict between the Standard Specifications and these special provisions, the special provisions shall take precedence over and be used in lieu of such conflicting portions.

1-1.01 INTERPRETATION OF STANDARD SPECIFICATIONS

For the purpose of this Contract, certain terms or pronouns in place of them used throughout the Standard Specifications, shall be interpreted as follows: Attention is directed to Section 1, "Definition and Terms," of the Standard Specifications and these special provisions:

1-1.01A DEFINITIONS

The following terms defined in Section 1, "Definitions and Terms," of the Standard Specifications shall be interpreted to have the following meaning and intent:

State	County of San Benito
Department	The San Benito County Public Works Division
Director	Chair of the Board of Supervisors
Engineer	Resource Management Agency Director of San Benito County, acting either directly or through properly authorized agents, such agents acting within the scope of the particular duties entrusted to them
Laboratory	Any established laboratory designated by the Engineer to test materials and work involved in the Contract
Attorney General	County Counsel of San Benito County

1-1.01B DEFINITIONS

Whenever in the special provisions and other contract documents, the following terms, or pronouns in place of them are used, the intent and meaning shall be interpreted as follows:

Clerk of the Board	The Clerk to the San Benito County Board of Supervisors
Construction Manager	The consultant firm hired and paid by the County, to administer the construction contract
County	County of San Benito
Highway	Roadway

Design Engineer	The consultant firm hired and paid by the County that prepared the Plans and Special Provisions for the construction contract
Public Works Director	San Benito County Engineer
State	County of San Benito

AMENDMENTS TO 2015 STANDARD SPECIFICATIONS

DESCRIPTION

All roadway work covered by these special provisions shall conform to the provisions in the State of California Department of Transportation (Caltrans) Standard Plans and Standard Specifications dated 2015, the latest Revision dated 04-20-2018 and these special provisions. From this point forward, the Caltrans Standard Plans and Caltrans Standard Specifications will simply be referred to as the Standard Plans and Standard Specifications. Any and all references made to "Section" throughout this SPECIAL PROVISIONS shall be interpreted to mean the corresponding Caltrans Standard Plans and Standard Specification section.

Road work shall be performed at the following locations:

1. Fairview Road, Union Road, Southside Road, and F Street.

In addition to the above, the work includes but is not limited to, all work shown on the plans, specified herein or in the Standard Plans and Standard Specifications, or required to complete the roadway improvements and/or modifications as determined by the San Benito County Engineer.

DIVISION I GENERAL PROVISIONS

SECTION 7 LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC

7-1.01 GENERAL

The Contractor shall keep fully informed of all existing and future State and Federal laws and county and municipal ordinances and regulations which in any manner affect those engaged or employed in the work, or the materials used in the work, or which in any way affect the conduct of the work, and of all orders and decrees of bodies or tribunals having any jurisdiction or authority over the same. The Contractor shall at all times observe and comply with, and shall cause all the Contractor's agents and employees to observe and comply with all existing and future laws, ordinances, regulations, orders and decrees of bodies or tribunals having any jurisdiction or authority over the work; and shall protect and indemnify the County of San Benito, and all officers and employees thereof connected with the work, including but not limited to the Director and the Engineer, against any claim or liability arising from or based on the violation of any law, ordinance, regulation, order or decree, whether by the Contractor or the Contractor's employees. If any discrepancy or inconsistency is discovered in the plans, drawings, specifications or contract for the work in relation to any law, ordinance, regulation, order or decree, the Contractor shall forthwith report the same to the Engineer in writing.

7-1.02K(3) Certified Payroll Records (Labor Code § 1776)

3. Submit certified payroll records upon request by and to the Construction Manager.

SECTION 9 PAYMENT; 9.1.16D MOBILIZATION; 9-1.16D(1) GENERAL

Full compensation for conforming in this section shall be considered as included in the lump sum price for mobilization.

DIVISION II GENERAL CONSTRUCTION

SECTION 12 TEMPORARY TRAFFIC CONTROL;

CALTRANS ENCROACHMENT PERMIT TO BE OBTAINED BY SAN BENITO COUNTY PUBLIC WORKS ENGINEERING. CONTRACTOR WILL BE RESPONSIBLE FOR OBTAINING DOUBLE PERMIT FROM CALTRANS AND PAYING ANY NECESSARY FEES REQUIRED BY CALTRANS PRIOR TO CONSTRUCTION.

12-1.04 PAYMENT

Full compensation for furnishing, erecting, maintaining and removing any additional temporary traffic control construction area signs the Contractor may deem necessary will be considered as included in the lump sum price paid for TRAFFIC CONTROL SYSTEMS and no additional compensation will be allowed therefor.

12-3.11 CONSTRUCTION AREA SIGNS

12-3.11B(5) General Information Signs Add:

CONSTRUCTION PROJECT FUNDING SIGNS

Construction project funding sign panels shall be furnished by the County. Install construction funding signs at the locations designated by the Engineer. Install signs at least 7 days before starting work activities visible to the public . When authorized, remove construction project funding signs 21 days after completion of construction activities. Sign panels shall be returned to the County. Payment for construction project funding signs is included in the payment for construction area signs.

12-3.11 CONSTRUCTION AREA SIGNS;

12-3.11D Payment

Full compensation for erecting, maintaining and removing construction project funding signs as included in the lump sum price paid for construction area signs and no additional compensation will be allowed therefor.

12-3.32 PORTABLE CHANGEABLE MESSAGE SIGNS; 12-3.32D Payment

Full compensation for conforming in this section shall be considered as included in the each (EA) price for Portable Changeable Message Signs.

*12-4 MAINTAINING TRAFFIC; 12-4.02 TRAFFIC CONTROL SYSTEMS;
12-4.02C(3) Closure Requirements and Charts*

Replace *Reserved* in section 12-4.02C(3)(m) with:

Comply with the requirements for a lane closure shown in the following chart:

Chart No. 1																									
Location: Union Road at HWY 25										Direction: N/A															
Closure limits: Project limits																									
Hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon– Thu										C	C	C	C	C	C	C									
Fri										C	C	C	C	C	C	C									
Sat																									
Sun																									
Legend:																									
1	Provide at least 1 city street lane open in the direction of travel.																								
C	Street may be closed.																								
	No work is allowed.																								
R	Provide at least 1 through traffic lane not less than 10 feet in width for use by both directions of travel. (Reversing Control)																								
REMARKS: Detour shall be in place. CALTRANS ENCROACHMENT PERMIT TO BE OBTAINED BY SAN BENITO COUNTY PUBLIC WORKS ENGINEERING. CONTRACTOR WILL BE RESPONSIBLE FOR OBTAINING DOUBLE PERMIT FROM CALTRANS AND PAYING ANY NECESSARY FEES REQUIRED BY CALTRANS PRIOR TO CONSTRUCTION.																									

For a one-way reversing traffic-control lane closure, traffic may be stopped in 1 direction for periods not to exceed 15 minutes. After each stoppage, all accumulated traffic for that direction must pass through the work zone before another stoppage is made.

For lane closure or road closure, post a special advance notice publicity sign at least 7 days before closure.

Chart No. 2																											
Location: Fairview Road, Southside Road, F Street														Direction: N/A													
Closure limits: Project limits.																											
Hour	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Mon– Thu										R	R	R	R	R	R	R	R										
Fri										R	R	R	R	R	R	R	R										
Sat																											
Sun																											
Legend:																											
1		Provide at least 1 city street lane open in the direction of travel.																									
C		Street may be closed.																									
		No work is allowed.																									
R		Provide at least 1 through traffic lane not less than 10 feet in width for use by both directions of travel. (Reversing Control)																									
REMARKS:																											

For a one-way reversing traffic-control lane closure, traffic may be stopped in 1 direction for periods not to exceed 15 minutes. After each stoppage, all accumulated traffic for that direction must pass through the work zone before another stoppage is made.

For lane closure or road closure, post a special advance notice publicity sign at least 7 days before closure.

12-4.02D Payment

Full compensation for conforming in this section shall be considered as included in the lump sum price for Traffic Control Systems.

SECTION 13 WATER POLLUTION CONTROL

SECTION 13-2 WATER POLLUTION CONTROL PROGRAM; 13-2.04 PAYMENT

Full compensation for conforming in this section shall be considered as included in the lump sum (LS) price for Water Pollution Control Program.

DIVISION III EARTHWORK AND LANDSCAPE

SECTION 19 EARTHWORK

19-9 Shoulder Backing

19-9.04 Payment; Full compensation for conforming in this section shall be considered as included in the TON price for Shoulder Backing.

DIVISION IV SUBBASES AND BASES

Replace section 30-6 with:

30-6 Cold In-Place Recycling Using Foamed Asphalt

SUGGESTED RECOMMENDATIONS FOR CITIES AND COUNTIES

30-6.01 General

30-6.01A Summary

Section 30-6 includes specifications for constructing the pavement using cold in-place recycling (CIR) using foamed asphalt.

CIR consists of:

1. Cold planing the existing asphalt concrete pavement to the depth shown
2. Mixing the cold-planed material with foamed asphalt, cement and water
3. Spreading and compacting the mixture
4. Applying asphaltic emulsion and sand cover

30-6.01B Definitions action limit: Test results at which corrective actions must be made while production continues. **lot:** 2,640 feet or fraction thereof of CIR pavement constructed in the same day.

sub-lot: 528 feet **suspension limit:** Test results at which production must be suspended while corrections are made.

30-6.01C Submittals

30-6.01C(1) General

At least 20 days before starting CIR work, submit the following:

1. QC Plan
2. Mix Design
3. Contingency Plan

30-6.01C(2) Quality Control Plan

The Engineer reviews the QC plan within 5 business days from the submittal. Do not start CIR production until the Engineer authorizes the QC plan.

If QC procedures, personnel, tester qualifications, or lab accreditation status change, submit a QC plan supplement at least 3 business days before implementing proposed changes.

If a change is needed in your QC plan, do not implement the change without authorization.

30-6.01C(3) Mix Design

Submit separate mix designs based on RAP material qualities for each location shown on the following table:

Mix Design		
Mix Design No.	Street/Road Name	Post Mile to Post mile
1		
2		
3		
4		
5		

For each CIR mix design, submit:

1. Mix design documentation on the Contractor Cold in Place Recycling Mix Design form, including all raw test data and calculations. The mix design submittal must be signed and sealed by an Engineer who is registered as a civil engineer in the State of California.
2. JMF on the Contractor Cold in Place Recycling Job Mix Formula form
3. SDS for:
 - 3.1. Asphalt
 - 3.2. Cement
4. Process for incorporating cement to be used into the CIR mixture.
5. **The compacted mixture shall include the addition of the following materials:**

Oil Content	2.5 Percent Minimum
Cement Content	1.0 Percent Minimum

The ratio of Oil-to-Cement shall not be less than 2.0. Contractor shall submit written record at the end of each day of the volume of oil and cement installed and the total square footage of Cold In-Place Recycling completed. Contractor shall also furnish copies of all Certified Weight Tickets.

30-6.01C(5) Contingency Plan

Contingency plan must include actions you will take to ensure the roadway will be open to traffic at the end of each work shift. The contingency plan must include provisions for constructing a temporary structural section and reopening the roadway to traffic.

30-6.01C(6) Quality Control Reporting

For each lot, submit a report daily that includes the following items:

1. General Information:
 - 1.1. Lot number
 - 1.2. Location description
 - 1.3. Beginning and ending station
 - 1.4. Lane number and offset from centerline
 - 1.5. Temperature:
 - 1.5.1. Ambient air temperature before beginning daily CIR activities including time of temperature reading
 - 1.5.2. Road surface temperatures before beginning daily CIR activities including time of temperature reading
2. For asphalt:
 - 2.1. Weight in tons
 - 2.2. Percentage by weight of dry RAP
3. For cement:
 - 3.1. Application rate by lb/sqyd, if you spread cement directly to the existing pavement, take surface area measurements to calculate applied spread rate and submit with the quantity of cement used, area covered, and certified weight tickets.
 - 3.2. Total weight in tons
 - 3.3. Percentage by weight of dry RAP
4. Water application rate by theoretical percent dry weight of CIR:
 - 4.1. Used for foaming asphalt
 - 4.2. Added during mixing for compaction
5. For CIR processing:
 - 5.1. Length, width, depth of cut at each end of the cold planing drum at least every 300 feet along the cut length
 - 5.2. Average forward speed
 - 5.3. Calculated weight in tons of material processed
 - 5.4. Maximum wet density using California Test 216
6. Straightedge measurement locations and the following:
 - 6.1. Variance measured from the lower edge of a 12-foot straightedge placed parallel with the centerline
 - 6.2. Variance measured from the lower edge of a 12-foot straightedge placed transverse
7. CIR quality control test results for:
 - 7.1. Wet field gradation for material passing the 1.25-inch, 1-inch, 3/4-inch, and No. 4 sieves
 - 7.2. Moisture content under California Test 226

- 7.3. In-place wet density under California Test 231
- 7.4. Relative compaction under California Test 216
- 7.5. Indirect tensile strength of three dry briquettes, three soaked briquettes and the tensile strength ratio under modified California Test 371 section J. Fabricate specimens under AASHTO T 245.
- 8. For asphaltic emulsion used on finished CIR surface:
 - 8.1. Emulsion type
 - 8.2. Emulsion application rate in gal/sqyd
 - 8.3. Emulsion dilution as the weight ratio of added water to asphaltic emulsion
- 9. Rate of sand cover application
- 10. Note on the daily report postmile or station limits of any:
 - 10.1. Changes to foamed asphalt application rate, including application rate change and reasons for change
 - 10.2. Changes to water application rate, including application rate change and reasons for change for:
 - 10.2.1. Water for foaming
 - 10.2.2. Water added for compaction
 - 10.3. Unsuitable materials locations and when the Engineer was notified

Update each day's submitted report within 24 hours of obtaining test results. Consolidate all of the lots completed in a day into one report with each lot reported separately.

During CIR activities, submit the following items daily

- 1. Square yards recycled.
- 2. Tons of asphalt used.
- 3. Tons of asphalt to be carried over to next production day.
- 4. Tons cement utilized and spread rate.
- 5. Tons cement to be carried over to next production day.

30-6.01C(7) Certificates

Submit certificates of compliance for the cement, asphalt and asphaltic emulsion with each delivery.

Submit a certified copy of each delivery's weight for cement, asphalt, asphaltic emulsion, and sand.

30-6.01C(9) Cold In-Place Recycling

Submit quality control test results for the quality characteristics within the reporting times allowance after sampling shown in the following tables:

CIR Quality Control Test Result Reporting

Quality Characteristic	Maximum reporting time allowance
Water sulfates (ppm, max)	Before work starts
Water chlorides (ppm, max)	
Asphalt expansion (volume, min)	24 hours
Asphalt half-life (seconds, min)	
Moisture Content (%)	24 hours
Wet gradation (% passing) Sieve Size 1.50 inch	24 hours
Wet field gradation (% passing) Sieve size 1. 50-inch 1.25- inch 1-inch 3/4-inch No. 4	5 business days
In-place wet density (lb/cu ft)	24 hours
Relative compaction California Test 231 (% , min)	24 hours
Thickness (inch) Each Core Average thickness of cores Relative compaction California Test 275 (% , min)	24 hours 5 business days
Thickness (inch) Each Core Average thickness of cores	24 hours

30-6.01D Quality Assurance

30-6.01D(1) General Not used

30-6.01D(2) Quality Control

30-6.01D(2)(a) General

The laboratory for preparing the mix design and JMF must be accredited under AASHTO re:source program and the Department's Independent Assurance Program.

Quality control laboratories and personnel performing sampling and testing must be in compliance with the Department Independent Assurance Program. For asphalt binder, the quality control laboratory must be accredited under AASHTO re:source program. For asphaltic emulsion, the quality control laboratory must participate in the AASHTO re:source proficiency samples program.

If you adjust the application rate of CIR components, record the adjustments and document the reasons for the adjustments in your daily report submittal to the Engineer.

30-6.01D(2)(b) Quality Control Plan

The QC plan must describe the organization, responsible parties, and procedures you will use to perform the following:

1. Control the production process
2. Determine whether a change to the production process is needed
3. Obtain samples, including determining sampling locations
4. Control quality, including sampling, testing and reporting
5. Determine action limits when corrective actions are needed
6. Implement corrective actions
7. Ensure CIR cold planing, mixing, spreading, compacting and finishing activities are coordinated

The QC plan must include action and suspension limits and the details of the corrective action to be taken if any process is outside of those limits. The suspension limits must not exceed the specified acceptance criteria.

The QC plan must address the elements affecting CIR quality including:

1. RAP
2. Asphalt
3. Cement
4. Production
5. Paving
6. Compaction

The QC plan must contain copies of the forms that will be used to provide the required inspection records and sampling and testing results.

The QC plan must include the name of your authorized laboratory.

30-6.01D(2)(c) Prepaving Conference

At least 10 days before starting CIR activities, meet with the Engineer at a prepaving conference at a mutually agreed time and place. Discuss the QC plan and the methods of performing production and placement.

The following personnel must attend the prepaving conference:

1. Project manager
2. Project superintendent
3. QC manager
4. Workers and your subcontractor's workers, including:
 - 4.1. Foremen
 - 4.2. Ground supervisors
 - 4.3. Representative from quality control testing lab

30-6.01D(2)(d) Quality Control

30-6.01D(2)(d)(i) General

Take samples under California Test 125.

During CIR activities, take two quart samples of asphalt from each load delivered to the job site in the presence of the Engineer. Use 1 sample for QC testing and submit 1 sample to the Engineer.

30-6.01D(2)(d)(ii) Test Strip

On the 1st day of CIR activities and within the pavement area to receive CIR, construct a test strip. The test strip must be a single lane width and at least 1,056 feet (2 sub-lots) in length. Contractor may continue with production through the first day. The test strip must show:

1. How the equipment, materials, and processes proposed can produce and place the CIR mixture
2. How varying the forward speed and drum rotation rate of the cold planing machine affect the consistency of the mixture
3. Application rates for asphalt, cement, and optimum water content
4. Compaction needed to reach 98 percent relative compaction per CT216
5. Application rates of asphaltic emulsion and sand cover

Rework and recompact or remove and replace test strip if it does not comply with the specifications. Proceed with CIR activities at your own risk or until the Engineer notifies you that the test strip is authorized.

30-6.01D(2)(d)(iii) Quality Control Testing

30-6.01D(2)(d)(iii)(a) General

For any lot including the test strip, stop CIR activities and immediately notify the Engineer whenever any test result does not comply with the quality characteristic requirements or your quality control plan suspension limits. If CIR activities are stopped for noncompliance, before resuming activities:

1. Notify the Engineer of the adjustments you will make
2. Reprocess, remedy, or replace the noncompliant lot

30-6.01D(2)(d)(iii)(b) Asphalt Binder

Certificate of Compliance needs to be submitted to the engineer for each load delivered.

30-6.01D(2)(d)(iii)(c) Asphaltic Emulsion

Certificate of Compliance needs to be submitted to the engineer for each load delivered.

30-6.01D(2)(c)(iii)(d) Cold In-Place Recycling

Perform sampling and testing at the specified frequency and location for the following quality characteristics:

CIR Quality Testing Frequencies

Quality Characteristic	Test method	Minimum sampling and testing frequency	Location of sampling
Water sulfates ^a (ppm, max)	California Test 417	1 per source	Source
Water chlorides ^a (ppm, max)	California Test 422	1 per source	Source
Asphalt expansion (volume, min)	California Test 213	Each Tanker Truck	Recycling Equipment
Asphalt half-life (seconds, min)	California Test 213	Each Tanker Truck	Recycling Equipment
Moisture Content (%)	California Test 226	Test strip and 1 per lot	Recycled mat
Wet gradation (% passing) Sieve Size 1.50-inch	California Test 202	Test strip and 1 per lot	
Wet gradation ^{b,c} (% passing) Sieve size 1.50 - inch 1.25-inch 1-inch 3/4-inch No. 4	California Test 202	Test strip and every 3 rd lot	
Indirect dry tensile strength ^d (psi)	California Test 371 Section J	1 per lot	
Indirect wet tensile strength ^d (psi, min)	California Test 371 Section J	1 per lot	Recycled mat
Tensile strength ratio (%)	California Test 371	1 per lot	

^a Only required for non-potable water sources. ^b

Test results are report only. ^c

Split with the moisture content sample and weigh immediately. Use the moisture content to calculate the dry mass for testing under California Test 202. ^d Fabricate 6 indirect tensile strength specimens under AASHTO T 245. Fabrication of indirect tensile strength specimens must be completed within 2 hours after materials have been mixed. Cure the specimens at 100 +/-5 degrees F for 72 hours and allow the specimens to cool to room temperature. Test 3 specimens for dry tensile strength under California 371. Test 3 specimens for wet tensile strength under California test 371 after moisture conditioning.

30-6.01D(2)(c)(iii)(e) Density

For density, perform sampling and testing at the specified frequency and location for the following quality characteristics:

Density Quality Testing Frequencies

Quality Characteristic	Test method	Minimum sampling and testing frequency	Location of sampling
In-place wet density (lb/cu ft)	California Test 216	Test strip and 1 per lot	Recycled mat
Relative compaction ^a (% , min)	California Test 231	Test strip and 1 per lot	Compacted mix

^a Average of lot test locations 98 percent with no individual test less than 95 percent. ^b Take and split a sample of the loose CIR mixture daily at a location determined by the Engineer. Split the CIR samples into 2 parts and label the containers with location and station. Submit 1 split part and use 1 part for your testing.

30-6.01D(3) Department Acceptance

The Engineer samples materials for testing under California Test 125

Asphalt acceptance is based on the Department's sampling and testing for compliance with the requirements for the quality characteristic requirements in Section 92 table "PG Asphalt Binder" for the performance grade of asphalt used.

Asphaltic emulsion acceptance is based on the Department's sampling and testing for compliance with the requirements for the quality characteristic requirements in Section 94 table "Slow-Setting Anionic Asphaltic Emulsion Requirements" or "Slow-Setting Cationic Asphaltic Emulsion Requirements" for grade of asphaltic emulsion used.

CIR acceptance is based on:

1. Visual inspection for the following:
 - 1.1. Segregation, raveling, rutting, humps, depressions, roller marks, and loose material.
 - 1.2. Uniform surface texture throughout the work limits.
2. Compliance with quality characteristic requirements in the following table:

CIR Quality

Quality Characteristic	Test method	Requirement
Wet gradation (% passing) Sieve Size 1.50-inch	California Test 202	100
Indirect tensile strength wet ^{a,b} (psi, min)	California Test 371 Section J	35
Relative compaction (% , min) ^c	California Test 231	98

Thickness (inch) ^d Each Core Average thickness of cores	Core measurements	±0.75 inch of the thickness shown ≥ thickness shown
--	-------------------	--

^aFabricate 3 indirect tensile strength specimens under AASHTO T 245. Fabrication of indirect tensile strength specimens must be completed within 2 hours after materials have been mixed. ^b Cure the specimens at 100+/-5 degrees F for 72 hours and allow the specimens to cool to room temperature. Test 3 specimens for wet tensile strength under California Test 371 after moisture conditioning.

^c Average density per lot with no individual test below 95 percent. ^d Take 4- or 6-inch core from three random locations per lot as determined by the Engineer. Coring at more than 3 locations per lot is change order work. Perform coring and measure core depth in the presence of the Engineer.

If the Engineer orders you to stop CIR activities for noncompliance, before resuming activities:

1. Notify the Engineer of the adjustments you will make
2. Reprocess, remedy, or replace the noncompliant lot
4. Obtain the Engineer's authorization

30-6.01D(4) Dispute Resolution

You and the Engineer must work together to avoid potential conflicts and to resolve disputes regarding test result and visual inspection discrepancies. Notify the Engineer within 5 business days of receiving a test result if you dispute the test result.

If you or the Engineer dispute each other's test results, submit quality control test results and copies of paperwork including worksheets used to determine the disputed test results. An independent third party

(ITP) performs referee testing. Before the ITP participates in a dispute resolution, the ITP must be accredited under AASHTO resource program, and the Department's Independent Assurance Program. The ITP must be independent of the project. By mutual agreement, the ITP for referee testing is chosen from:

1. A Department laboratory
2. A Department laboratory in a district or region not in the district or region the project is located
3. The Transportation Laboratory
4. A laboratory not currently employed by you or your CIR producer

If split QC or acceptance samples are not available, the ITP uses any available material representing the disputed CIR for evaluation.

If you or the Engineer dispute each other's visual inspection findings, submit copies of your visual inspection findings. An independent third party (ITP) consisting of a Department expert and a CIR industry or Academia expert will perform a joint visual inspection. The ITP must be independent of the project. The ITP is chosen by mutual agreement.

30-6.02 Materials

30-6.02A General

A summary of existing material investigations is available in the *Information Handout* as supplemental project information.

30-6.02B Water

If a water source other than potable water is used, test water for sulfates and chlorides.

Water Requirements

Quality Characteristic	Test method	Requirement
Water sulfates ^a (ppm, max)	California Test 417	1,300
Water chlorides ^a (ppm, max)	California Test 422	650

^a Only required for non-potable water sources.

30-6.02C Cement

Cement must comply with section 90-1.02B(2).

30-6.02D Reclaimed Asphalt Pavement

Cold plane existing asphalt pavement and process to produce RAP. RAP must be processed by mechanical means to pass the 1. 50-inch sieve.

Reclaimed asphalt pavement must meet the following requirements:

CIR Requirements

Quality Characteristic	Test method	Requirement
Indirect dry tensile strength ^a (psi)	California Test 371 Section J	Report only
Indirect wet tensile strength ^a (psi).	California Test 371 Section J	35
Tensile strength ratio (%)	California Test 371	Report only

^a Fabricate 6 indirect tensile strength specimens under AASHTO T 245. Fabrication of indirect tensile strength specimens must be completed within 2 hours after materials have been mixed. Cure the specimens at 100 +/-5 degrees F for 72 hours and allow the specimens to cool to room temperature. Test 3 specimens for dry tensile strength under California 371. Test 3 specimens for wet tensile strength under California test 371 after moisture conditioning

30-6.02E Asphalt

Use PG ____ for foamed asphalt.

30-6.02F CIR Mix Design

The mix design must include RAP from the job site, asphalt, cement, and water.

The mix design must comply with Lab Procedure LP-8-FA and the requirements shown in the following table:

Mix Design Requirements

Quality Characteristic	Test Method	Requirement
Indirect dry tensile strength ^d (psi)	California Test 371 Section J	Report only
Indirect wet tensile strength ^d (psi)	California Test 371 Section J	35
Tensile strength ratio (%)	California Test 371	Report only
Maximum density (lb/cu ft)	California Test 216	Report only

^a 4-inch diameter mold compaction based on gyratory compactor at 30 gyrations. ^b Test specimens after 105 degrees F curing to constant weight between 16 hours and 48 hours. ^c Fabricate 6 indirect tensile strength specimens under AASHTO T 245. Fabrication of indirect tensile strength specimens must be completed within 30 minutes after materials have been mixed. Cure the specimens at 100 +/-5 degrees F for 72 hours and allow the specimens to cool to room temperature. Test 3 specimens for dry tensile strength under California Test 371. Test 3 specimens for wet tensile strength under California Test 371 after moisture conditioning.

Cement must be at least 0.25 but not more than 1.5 percent of the dry weight of RAP.

If additional mix designs are required, this work is change order work.

30-6.02G Temporary Structural Section

Use minor HMA or commercial quality bituminous material to construct a temporary structural section.

The minor HMA for the temporary structural section must include:

1. 1/2-inch HMA Type A aggregate gradation
2. Asphalt binder grade PG 64-10, PG 64-16, or the binder grade specified for the HMA layer on the CIR surface

The commercial quality bituminous material for the temporary structural section must contain aggregate that complies with 1/2-inch HMA Type A aggregate gradation.

30-6.02H Asphaltic Emulsion

Asphaltic emulsion must be Grade SS1h or Grade CSS1h.

30-6.02I Sand Cover

Sand used for sand cover must comply with the material specifications for fine aggregate in section 901.02C. Sand must not contain more than 2 percent moisture by dry weight of sand.

30-6.03 Construction

30-6.03A General

Do not disturb or damage the underlying materials during pavement cold planing activities. Do not use a heating device to soften the pavement.

Use the same equipment, materials, rolling pattern and construction methods that were used for the authorized test strip for the remainder of the CIR work. Any adjustments must be authorized.

If the equipment or process fail to meet the specifications, stop CIR activities and notify the Engineer.

30-6.03B Surface Preparation

Before starting CIR activities, prepare the existing roadway by:

1. Removing loose material from the roadway width including:
 - 1.1. Dirt
 - 1.2. Vegetation
 - 1.3. Standing water
 - 1.4. Combustible materials
 - 1.5. Oils
 - 1.6. Pavement markers and underlying adhesive
2. Accurately referencing the existing pavement's profile and cross slope.
3. Accurately marking the proposed longitudinal cut lines on the existing roadway surface.

30-6.03C Cold In-Place Recycling Equipment

30-6.03C(1) General

The equipment for CIR must consist of:

1. Cold planing
2. Mixing and proportioning
3. Water storage and supply
4. Cement storage and supply
5. Cement mixing and spreading
6. CIR mixture spreading
7. Compacting
8. Applying asphaltic emulsion to the surface
9. Spreading sand cover

Use equipment that:

1. Cold planes, pulverizes, crushes, and sizes the existing asphalt pavement

2. Mixes the RAP with the foamed asphalt and cement into a homogeneous mixture
3. Places the CIR mixture to the lines, grades, and specifications

30-6.03C(2) Cold-Planing Equipment

The cold-planing machine must:

1. Be self-propelled
2. Have a 12-foot minimum wide cutter that can remove the existing pavement to the specified depths
3. Be equipped with automatic depth and cross slope controls capable of maintaining the cutting depth to within 0.25 inch of the shown depth.

A cold-planing machine with a cutter narrower than 12 feet wide may be used for shoulders and miscellaneous areas.

30-6.03C(3) Mixing Chamber or Pugmill

Provide a continuous mixing chamber or pugmill mixing machine as part of the recycle train with either a belt scale or an integrated microprocessor control system to control:

1. RAP delivered to the mixing chamber or pugmill
2. Amount of foamed asphalt being delivered

The mixing chamber or pugmill must be arranged to mix the RAP, foamed asphalt, and cement to produce the specified CIR mixture. The mixing chamber may be equipped with paddles or other suitable mixing devices. If paddles or other suitable mixing devices are used the RAP must be fed from the pulverizing, crushing, or sizing equipment to the mixer at a uniform and controlled rate.

The CIR machine must rear load directly into the paver's receiving hopper or the paver's loading equipment must pick up the CIR mixture and deposit it in the paving machine without waste. If the paving screed is directly attached to the CIR equipment, feed the CIR mixture directly to the paving screed.

30-6.03C(4) Mixing and Proportioning Equipment

30-6.03C(4)(a) General

Use a mass flow, Coriolis Effect type meter with a visible readout display and printing capabilities.

30-6.03C(4)(b) Cement Continuous Mixing Equipment

For continuous mixing of cement slurry, the proportioning device must be capable of determining the exact ratio of water to dry cement at each production rate.

Rate-of-flow indicators and totalizers for similar materials must be accurate within 0.5 percent of each other.

The cement continuous mixing equipment must include:

1. Belt scale for weighing cement. The belt scale must operate between 30 to 100 percent of production capacity. The average difference between the indicated and actual material

weight must not exceed 0.5 percent of the actual material weight for 3 individual runs. For each run, the indicated weight must not vary from the actual material weight by more than 1 percent of the actual weight. Test for belt scale accuracy must be for at least 0.5 tons of cement. Actual material weight must be verified on a certified scale.

2. Water meter for measuring water used in cement slurry. The meter must operate between 50 to 100 percent of production capacity. The average difference between the indicated and actual water weight must not exceed 1 percent of the actual weight for 3 individual runs. Test for water meter accuracy must be for at least 300 gallons of water.

Meters and scales must be equipped with:

1. Rate-of-flow indicators that show the delivery rates of cement and water
2. Resettable totalizers that indicate the total amount of cement and water introduced into the slurry storage tank

Feeds for water and cement must be equipped with no-flow devices that stop slurry production when the individual ingredients are not being delivered to the cement slurry storage tank.

30-6.03C(4)(c) Cement Batch Mixing Equipment

For batch-type mixing of cement slurry, the proportioning equipment must include:

1. Certified weight scale.
2. Water meter equipped with a resettable totalizer. Test for water meter accuracy must be for at least 300 gallons of water.

If an automatic controller is used to batch the cement, the controller must also control the water proportioning.

If an automatic controller is used to proportion the water, the indicated draft of the water must be within 1 percent of its total draft weight.

The meter must operate between 50 to 100 percent of production capacity. The average difference between the indicated and actual water weight must not exceed 1 percent of the actual weight for 3 individual runs.

30-6.03C(5) Water Storage and Supply Equipment

As part of the recycle train, provide an independent supplemental water source separate from the water added to the mill to cool the teeth. Interlock the supplemental water with the RAP weighing device or microprocessor to properly disperse the foamed asphalt.

30-6.03C(6) Cement Storage and Supply Equipment

Provide cement slurry storage and supply equipment with agitators or similar equipment to keep the cement slurry in suspension while held in the slurry feed tank.

If cement is spread dry to the existing pavement, use a spreader capable of spreading the cement at the required weight per unit area. The spreader must have working scales and distance measuring devices to control the spread rate.

30-6. 03C(7) Spreading Equipment

Spreading equipment must comply with section 39-2.01C(2).

Spreading equipment must be equipped with ski devices for longitudinal profile. The ski devices may be a conventional contact ski or noncontact laser or sonar device.

30-6.03C(8) Compacting Equipment

Compacting equipment must comply with sections 39-2.01C(2). Provide a minimum of 1 pneumatic-tired roller weighing at least 25 tons and 1 double drum vibratory steel-wheeled roller weighing at least 10 tons. Rollers must be at least 5.5 foot wide. Each roller must have a working water spray system.

30-6.03D Cold In-Place Recycling

30-6.03D(1) General

Do not perform CIR activities under the following conditions:

1. Pavement surface is wet due to rain.
2. Rain is forecasted within 24 hours of the scheduled work.

Use the existing pavement profile and cross slope to establish the CIR finished profile and cross slope. You may adjust the recycling depth by ± 0.75 inch from the depth shown to achieve uniform pavement profile, cross slope, and surface smoothness. The average recycled depth determined by cores must be equal to or greater than the depth shown.

30-6.03D(2) Cold Planing

Do not leave gaps of unrecycled material between successive cuts along the same longitudinal cut line.

Do not leave untreated wedges created by the entry of the milling drum into the existing pavement. Longitudinal joints between successive cuts must overlap by 4 inches minimum.

30-6.03D(3) Unsuitable Conditions

If you encounter unsuitable subgrade material:

1. Notify and meet with the Engineer immediately.
2. Clearly define the unsuitable material areas and depth.
3. Excavate and dispose of any unsuitable subgrade material encountered.
4. Unless otherwise ordered, backfill the excavated area with Class 2 AB as specified in section 26.
5. Submit within 24 hours of defining unsuitable material the following:
 - 5.1. Unsuitable areas including station or postmile, length, width, depth and centerline offset.
 - 5.2. Remediation taken, including quantities of materials used.

Top the Class 2 AB with HMA Type A or a premixed bituminous material equivalent in thickness to the existing asphalt concrete layer adjacent to the excavation. If premixed bituminous material is used, remove and replace it with HMA Type A prior to placing final surfacing. Place HMA in layers and compact until the level of the CIR surface is reached.

Excavating and disposing of unsuitable material and replacing with AB and surfacing material is change order work.

30-6.03D(4) Asphalt Binder

Test asphalt foaming half-life and expansion ratio for each tanker load of asphalt. Verify the half-life and expansion ratio, if the supplied asphalt changes more than 10 degrees F from the temperature at which the tests were conducted.

30-6.03D(5) Cement

Add the cement into the recycling process by one of the following methods:

1. Spread on the existing pavement surface ahead of the recycling train in a dry form
2. Add at the mill head as a slurry
3. Add directly in the pugmill or mixing chamber as a slurry

If you spread the cement directly to the existing pavement, do not spread more than 100 feet ahead of the recycling train. Do not spread under windy conditions and employ dust control measures to minimize fugitive dust.

Do not allow spread cement to remain exposed at the end of the work shift. Do not allow traffic other than the recycling equipment to pass over the spread cement.

30-6.03D(6) Water

Determine percentage of water for foaming based on expansion and half-life testing for each truck load of asphalt. For additional water added for compaction, water should be added by the recycling unit so that material being placed is within ± 2 percent of the optimum moisture content determined under California Test 216.

30-6.03D(7) Proportioning

Using the mass flow, Coriolis Effect type meter, measure the cement slurry and foamed asphalt before adding them into the RAP. The amount of cement slurry and foamed asphalt must match the amount reported in the JMF or the amount as adjusted and authorized.

Keep cement slurry in suspension during transport using agitator equipment. Keep dry cement in dry cement spreader trucks, pneumatic trailers, or silos.

30-6.03D(8) Spreading and Compacting

When placing the initial mat of CIR, the end of the screed nearest the centerline must be controlled by a sensor activated by a ski device not less than 20 feet long. The end of the screed farthest from centerline must be controlled by:

1. A sensor activated by a similar ski device if adjacent to a lane or paved shoulder.
2. An automatic transverse slope device set to reproduce the existing pavement cross slope if adjacent to an unpaved shoulder or no shoulder.

When paving contiguously with previously placed CIR, the end of the screed adjacent to the previously placed CIR must be controlled by a sensor that responds to the grade of the previously placed CIR surface and will reproduce the grade in the new CIR within a 0.01-foot tolerance. The end of the screed farthest from centerline must be controlled by:

1. A sensor activated by a ski device if adjacent to a lane or paved shoulder.
2. An automatic transverse slope device set to reproduce the existing pavement cross slope if adjacent to an unpaved shoulder or no shoulder

You may vary the depth of the CIR to achieve uniform CIR pavement profile, cross slope, and surface smoothness.

Do not allow segregation, tearing, or scarring of the compacted surface.

Compact the CIR mixture by implementing the same compaction rolling pattern established in the authorized test strip. For a lot, compact the CIR mixture to achieve a minimum average of 98 percent relative compaction of the density determined under California Test 216.

Establish a new rolling pattern if any of the following occur:

1. Relative compaction of any of the 10 individual locations is less than 95 percent of the density determined under California Test 216
2. Average relative compaction of the lot is less than 98 percent of the density determined under California Test 216
3. Changes in RAP or proportions
4. Changes in equipment or procedures
5. Change in temperature or weather conditions affecting mixing and compaction temperatures of the placed mixture
6. Visible displacement or cracking occurs

Perform final rolling with a double-drum vibratory steel-wheel roller operating in static or vibratory mode.

The compacted CIR surface must be free from raveling, segregation, rutting, humps, depressions, roller marks, or irregularities. Rework, recompact, or remove and replace CIR that shows raveling, segregation, rutting, humps, depressions, roller marks, or irregularities.

30-6.03E Asphaltic Emulsion and Sand Cover

After initial compaction and before opening the CIR surface to traffic, apply a coat of asphaltic emulsion followed by sand cover to the CIR surface. Apply asphaltic emulsion and sand cover under section 372.04.

Remove excess sand from the pavement surface by sweeping before opening to traffic.

30-6.03F Temporary Structural Section

Place a temporary structural section to the level of the CIR surface if:

1. You are unable to complete the CIR before opening to roadway to traffic
2. CIR fails during the maintaining period by raveling or rutting

For minor HMA or commercial quality bituminous material, place in layers and compact until the level of the CIR surface is reached. Compact the minor HMA or commercial quality bituminous material using method compaction process as specified in section 39-2.01D(5).

If commercial quality bituminous material or minor HMA is used, remove and replace it with HMA Type A under an authorized JMF meeting all of the requirements for HMA Type A before placing overlay.

30-6.03G Maintain, Cure and Protect Surface

Do not place the HMA layer over CIR surface until either of the following conditions is met:

1. 3 days and moisture measured at mid-depth of the CIR pavement is 2.0 percent or less
2. 10 days without rainfall

HMA layer must be placed within 15 days of completion of the CIR layer.

Immediately repair any damage or defects by:

1. Reworking and re-compacting the CIR surface
2. Replacing any damaged area with the same depth of cold bituminous surfacing material or HMA

30-6.04 Payment

The Department does not adjust the unit price for an increase or decrease in the quantity for:

1. Cement (cold in-place recycling)
2. Asphalt (cold in-place recycling)
3. Asphaltic emulsion (cold in-place recycling)
4. Sand cover (cold in-place recycling)

Test strips are paid for as CIR. Full compensation for conforming in this section shall be considered as included in the SQFT price for Cold In-Place Recycling.

DIVISION V SURFACINGS AND PAVEMENTS

SECTION 37 BITUMINOUS SEALS

37-2 CHIP SEALS

37-2.01 GENERAL

37-2.01B(3) Aggregate

37-2.01B(3)(a) General

37-2.01D Payment

Full compensation for conforming in this section shall be considered as included in the TON price for 3/8" Aggregate Gradation..

37-2.02 ASPHALTIC EMULSION CHIP SEALS

37-2.02A General

37-2.02A(1) Summary

Section 37-2.02 includes specifications for applying asphaltic emulsion chip seals. An asphaltic emulsion chip seal includes applying an asphaltic emulsion, followed by aggregate, and then a flush coat. Comply with this application.

*37-2.02A(4)(B)(ii) Asphaltic Emulsions - Grade **PMCRS-2h**.*

37-2.02B(3) Aggregate

Asphaltic Emulsion Chip Seal Aggregate Graduation must comply with the 3/8" Aggregate Gradation Requirement.

37-2.02D PAYMENT

Full compensation for conforming in this section shall be considered as included in the TON price for Asphaltic Emulsion Chip Seals.

37-3.02 SLURRY SEALS

37-3.02A General

37-3.02A(1) Summary

Section 37-3.02 includes specifications for applying slurry seals.

Applying a slurry seal consists of spreading a mixture of asphaltic emulsion, aggregate, additives, and water on a surface or pavement.

37-3.02B Materials

37-3.02B(2) Asphaltic Emulsions

*An asphaltic emulsion must comply with the requirements in Section 94. The asphaltic emulsion must be Grade **PMCRS-2h**.*

37-3.02B(4) Aggregate

Aggregate must comply with the quality characteristic requirements shown in the following table: Aggregate Requirements - Type II

37-3.02D PAYMENT

The payment quantity for slurry seal is the weight determined by combining the weights of the aggregate and asphaltic emulsion. The payment quantity for slurry seal does not include the weights of the added water and set-control additives.

Full compensation for conforming in this section shall be considered as included in the TON price for Slurry Seal with Asphaltic Emulsion – Aggregate Type II

SECTION 39 ASPHALT CONCRETE

39-2.01B(10) Tack Coat

Tack Coat must comply with the specifications for asphaltic emulsion CSS1/CSS1h..

39-2.01C(3)(f) Tack Coat

Tack Coat Application Rates for HMA for CSS1/CSS1h, Minimum residual rates (gal/sq yd).

39-2.01D Payment

Full compensation for conforming in this section shall be considered as included in the TON price for Tack Coat.

39-2.02 TYPE A HOT MIX ASPHALT

39-2.02D Payment

Full compensation for conforming in this section shall be considered as included in the TON price for Type A Hot Mix Asphalt.

39-2.0B(3) Asphalt Binder

The grade of asphalt binder for Type A HMA must be PG 64-16.

39-2.02C Construction

Aggregate Gradation Requirements for Type A HMA lift Thickness, 0.20 to less than 0.25, 3/4 inch.

39-3.04 COLD PLANING ASPHALT CONCRETE PAVEMENT

39-3.04D Payment

Full compensation for conforming in this section shall be considered as included in the square yard (SY) price for Cold Planing Asphalt Concrete Pavement.

DIVISION VIII MISCELLANEOUS CONSTRUCTION

Section 77 LOCAL INFRASTRUCTURE

PAYMENT

The payment quantity for Conform To Existing PG&E Valve Cover, Adjust Water Valve, Conform To Existing Drainage Inlet, and Adjust Manhole Elevation, to grade is each per the bid schedules

DIVISION IX TRAFFIC CONTROL DEVICES

SECTION 84 MARKINGS

84-2 TRAFFIC STRIPES AND PAVEMENT MARKINGS

84-2.03C(2) Thermoplastic Traffic Stripes and Pavement Markings

84-2.03C(2)(c) Sprayable Thermoplastic Traffic Stripes and Pavement Markings

84-2.04 PAYMENT

The payment quantity for a traffic stripe is length measured along the line of the traffic stripe without deductions for gaps in the broken traffic stripe.

The payment quantity for a pavement marking is the square foot area covered, linear foot, and each per the bid schedules line item.

The payment quantity for removal reflective pavement marking is the square foot area covered, linear foot, and each per the bid schedules line item.

ADD STANDARD SPECIFICATIONS DATED 2010 BY THE STATE OF CALIFORNIA DIVISION IX TRAFFIC CONTROL FACILITIES

Section 86 ELECTRICAL SYSTEMS

86-5 DETECTORS

86-5.01 VEHICLE DETECTORS

86-8.01 PAYMENT

Full compensation for conforming in this section shall be considered as included in the EACH price for Vehicle Detectors.

END OF AMENDMENTS

SECTION 2. PROPOSAL REQUIREMENTS AND CONDITIONS

2-1.01 GENERAL

The bidder's attention is directed to the provisions in Section 2, "Bidding," of the Standard Specifications and these special provisions for the requirements and conditions which the bidder must observe in the preparation of and the submission of the bid.

The bidder's bond shall conform to the bond form in the bid documents for the project and shall be properly filled out and executed. The bidder's bond form included in the bid documents may be used.

In conformance with Public Contract Code Section 7106, a Noncollusion Affidavit is included in the bid documents. Signing the bid documents shall also constitute signature of the Noncollusion Affidavit.

The contractor, sub recipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of Title 49 CFR (Code of Federal Regulations) part 26 in the award and administration of US DOT assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy, as the recipient deems appropriate. Each subcontract signed by the bidder must include this assurance.

Failure of the bidder to fulfill the requirements of the Special Provisions for submittals required to be furnished after bid opening, including but not limited to escrowed bid documents, where applicable, may subject the bidder to a determination of the bidder's responsibility in the event it is the apparent low bidder on a future public works contracts.

This contract will require a [Class "A" General Engineering Contractor or "C-12" Earthwork and Paving Contractor](#) license.

2-1.01A DESIGN ENGINEER MAY NOT BID ON CONSTRUCTION CONTRACT

No engineering or architectural firm that has provided design services for a project shall be eligible to bid on the contract to construct the project. The firms ineligible to bid include the prime Contractor for design, subcontractors of portions of the design, and affiliates of either. An affiliate is a firm that is subject to the control of the same persons, through joint ownership or otherwise.

2-1.02 REQUIRED LISTING OF PROPOSED SUBCONTRACTORS

Each bid shall have listed therein the name and address of each subcontractor to whom the bidder proposes to subcontract portions of the work in an amount in excess of one-half of one percent of his total bid or \$10,000, whichever is greater, in accordance with the Subletting and Subcontracting Fair Practices Act, commencing with Section 4100 of the Public Contract Code.

The bidder's attention is directed to other provisions of said Act related to the imposition of penalties for a failure to observe its provisions by using unauthorized Subcontractors or by making unauthorized substitutions.

A sheet for listing the subcontractors, as required herein by Law, is included in the Bid.

SECTION 3. CONTRACT AWARD AND EXECUTION

3-1.01 GENERAL

The bidder's attention is directed to the provisions in Section 3, "Contract Award and Execution," of the Standard Specifications and these special provisions for the requirements and conditions concerning award and execution of contract.

Bid protests are to be delivered to the following address: 2301 Technology Parkway, Hollister, CA 95023.

The award of the contract, if it be awarded, will be to the lowest responsible bidder whose bid complies with all the requirements prescribed.

The contract shall be executed by the successful bidder and shall be returned, together with the contract bonds, to the Agency so that it is received within 10 working days, after the bidder has received the contract for execution. Failure to do so shall be just cause for forfeiture of the proposal guaranty. The executed contract documents shall be delivered to the following address: Public Works Division, 2301 Technology Parkway, Hollister, CA 95023

3-1.02 AWARD OF CONTRACT

Section 3-1.04, "Contract Award," of the Standard Specifications is amended to read:

Award of Contract. The right is reserved to reject any and all bids and/or waive any irregularities or informalities in the bids.

The award of the contract, if it be awarded, will be to the lowest responsible bidder whose bid complies with all the requirements prescribed. Such award, if made, will be made within 45 days after the opening of the bids. This period will be subject to extension for such further period as may be agreed upon in writing between the Department and the bidder concerned.

All bids will be compared on the basis of the Engineer's Estimate of the quantities of work to be done.

3-1.03 CONTRACT BONDS

Each of the two bonds shall be in a sum equal to at least 100% the contract price.

SECTION 4. PROSECUTION AND PROGRESS

The bidder's attention is directed to Section 8, "Prosecution and Progress," of the Standard Specifications and these special provisions.

Particular attention is directed to the provisions in Sections 8-1.04, "Start of Job Activities," 8-1.05, "Time," and 8-1.10, "Liquidated Damages," of the Standard Specifications and these special provisions. The Contractor will be held liable for all damages, fines and assessments incurred in these agreements.

4-1.01 PRE-CONSTRUCTION CONFERENCE

Prior to the issuance of the Notice to Proceed, a pre-construction conference will be held at the office of the San Benito County Public Works Division, 2301 Technology Parkway, Hollister, California 95023, for the purpose of discussing with the Contractor the scope of work, contract drawings, specifications, existing conditions, materials to be ordered, equipment to be used, and all essential matters pertaining to the prosecution of and the satisfactory completion of the project as required. The Contractor's representatives at this conference shall include all major superintendents for the work and may include major sub-contractors.

4-1.02 BEGINNING OF WORK

In accordance with Section 8-1.05, "Time," of the Standard Specifications and these special provisions, the Contractor shall begin work within 15 calendar days after contractor is given written Notice to Proceed. The Notice to Proceed will indicate the first working day for purposes of Time of Completion.

4-1.03 TIME OF COMPLETION

The work shall be diligently prosecuted to completion of the contract as provided in Section 8-1.05, "Time," of the Standard Specifications and these special provisions before the expiration of **60 WORKING DAYS**.

4-1.04 LIQUIDATED DAMAGES

As provided in Section 8-1.10, "Liquidated Damages," of the Standard Specifications and these special provisions, the Contractor shall pay the County of San Benito the sum of **three thousand dollars (\$3,000)** per day for each and every calendar days delay in finishing the work in excess of the number of working days prescribed above.

DOUBLE SHIFT CLAUSE

The time limit specified for the completion of the work contemplated herein is considered sufficient to permit completion of the work by the Contractor working a normal number of hours per day or week on a single shift basis. Should the Contractor fail to maintain the progress of the work in conformance with "Progress Schedule (Critical Path Method)" of these special provisions, additional shifts will be required to the extent necessary to ensure that the progress conforms to the above mentioned schedule and that the work will be completed within the time limit specified.

Full compensation for any additional costs occasioned by compliance with the provisions in this section shall be considered as included in the prices paid for the various contract items of work and no additional compensation will be allowed therefore.

SECTION 5. GENERAL

SECTION 5-1. MISCELLANEOUS

5-1.01 LABOR NONDISCRIMINATION

Attention is directed to the following Notice that is required by Chapter 5 of Division 4 of Title 2, California Code of Regulations.

NOTICE OF REQUIREMENT FOR NONDISCRIMINATION PROGRAM

(GOV. CODE, SECTION 12990)

Your attention is called to the "Nondiscrimination Clause", set forth in Section 7 1.021(2), "Nondiscrimination," of the Standard Specifications, which is applicable to all nonexempt state contracts and subcontracts, and to the "Standard California Nondiscrimination Construction Contract Specifications" set forth therein. The Specifications are applicable to all nonexempt state construction contracts and subcontracts of \$5,000 or more.

Required for ALL contracts administered under the Caltrans Standard Specifications. The contractor typically must pay the higher of either the State general prevailing wage rates or Federal minimum wage rates.

5-1.02 GENERAL PREVAILING WAGE

Attention is directed to Section 7-1.02K, "Labor Code," of the Standard Specifications.

The general prevailing wage rates determined by the Director of Industrial Relations, for the county or counties in which the work is to be done, are available at the County of San Benito, Public Works Division, 2301 Technology Parkway, Hollister, CA 95023 address. These wage rates are not included in the Bid book for the project. Changes, if any, to the general prevailing wage rates will be available at the same location.

Required for ALL projects on the State highway system.

5-1.03 PUBLIC SAFETY

The Contractor shall provide for the safety of traffic and the public in accordance with the provisions in Section 7-1.04, "Public Safety," of the Standard Specifications and these special provisions.

The Contractor shall install temporary railing (Type K) between any lanes carrying public traffic and any excavation, obstacle, or storage area when the following conditions exist:

(1) Excavations. - Any excavation, the near edge of which is 12 feet or less from the edge of the lane, except:

- (a) Excavations covered with sheet steel or concrete covers of adequate thickness to prevent accidental entry by traffic or the public.
- (b) Excavations less than one foot deep.
- (c) Trenches less than one foot wide for irrigation pipe or electrical conduit, or excavations less than one foot in diameter.
- (d) Excavations parallel to the lane for the purpose of pavement widening or reconstruction.
- (e) Excavations in side slopes, where the slope is steeper than 4:1.
- (f) Excavations protected by existing barrier or railing.

(2) Temporarily Unprotected Permanent Obstacles. - Whenever the work includes the installation of a fixed obstacle together with a protective system, such as a sign structure together with protective railing, and the Contractor elects to install the obstacle prior to installing the protective system; or whenever the Contractor, for his convenience and with permission of the Engineer, removes a portion of an existing protective railing at an obstacle and does not replace such railing complete in place during the same day.

(3) Storage Areas. - Whenever material or equipment is stored within 12 feet of the lane and such storage is not otherwise prohibited by the specifications.

The approach end of temporary railing (Type K), installed in accordance with the requirements in this section "Public Safety" and in Section 7-1.04, "Public Safety," of the Standard Specifications shall be offset a minimum of 15 feet from the edge of the traffic lane open to public traffic. The temporary railing shall be installed on a skew toward the edge of the traffic lane of not more than one foot transversely to 10 feet longitudinally with respect to the edge of the traffic lane. If the 15-foot minimum offset cannot be achieved, the temporary railing shall be installed on the 10 to 1 skew to obtain the maximum available offset between the approach end of the railing and the edge of the traffic lane, and an array of temporary crash cushion modules shall be installed at the approach end of the temporary railing.

Temporary railing (Type K) shall conform to the provisions in Section 12-3.20, "Type K Temporary Railing," of the Standard Specifications. Temporary railing (Type K), conforming to the details shown on 2015 Standard Plan T3A or T3B may be used.

The fourteenth paragraph of Section 12-3.20, "Type K Temporary Railing," of the Standard Specifications is amended to read:

Each rail unit placed within 10 feet of a traffic lane shall have a reflector installed on top of the rail as directed by the Engineer. A Type P marker panel shall also be installed at each end of railing installed adjacent to a two-lane, two-way highway and at the end facing traffic of railing installed adjacent to a one-way roadbed. If the railing is placed on a skew, the marker shall be installed at the end of the skew nearest the traveled way. Type P marker panels shall conform to the provisions in Section 82, "Signs and Markers," except that the Contractor shall furnish the marker panels.

Reflectors on temporary railing (Type K) shall conform to the provisions in "Pre-qualified and Tested Signing and Delineation Materials," of these special provisions.

Temporary crash cushion modules shall conform to the provisions in "Temporary Crash Cushion Module" elsewhere in these special provisions.

Except for installing, maintaining and removing traffic control devices, whenever work is performed or equipment is operated in the following work areas the Contractor shall close the adjacent traffic lane unless otherwise provided in the specifications:

Approach speed of public traffic (Posted Limit) (Miles Per Hour)	Work Areas
Over 45	Within 6 feet of a traffic lane but not on a traffic lane.
35 to 45	Within 3 feet of a traffic lane but not on a traffic lane.

The lane closure provisions of this section shall not apply if the work area is protected by permanent or temporary railing or barrier.

When traffic cones or delineators are used to delineate a temporary edge of traffic lane, the line of cones or delineators shall be considered to be the edge of traffic lane, however, the Contractor shall not reduce the width of an existing lane to less than 10 feet without written approval from the Engineer.

When work is not in progress on a trench or other excavation that required closure of an adjacent lane, the traffic cones or portable delineators used for the lane closure shall be placed off of and adjacent to the edge of the traveled way. The spacing of the cones or delineators shall be not more than the spacing used for the lane closure.

Suspended loads or equipment shall not be moved nor positioned over public traffic or pedestrians.

Full compensation for conforming to the requirements in this section "Public Safety," including furnishing and installing temporary railing (Type K) and temporary crash cushion modules, shall be considered as included in the contract prices paid for the various items of work involved and no additional compensation will be allowed therefore.

5-1.04 REMOVAL OF ASBESTOS AND HAZARDOUS SUBSTANCES

When the presence of asbestos or hazardous substances are not shown on the plans or indicated in the specifications, and the Contractor encounters materials which the Contractor reasonably believes to be asbestos or a hazardous substance as defined in Section 25914.1 of the Health and Safety Code, and the asbestos or hazardous substance has not been rendered harmless, the Contractor may continue work in unaffected areas reasonably believed to be safe, and shall immediately cease work in the affected area and report the condition to the Engineer in writing.

In accordance with Section 25914.1 of the Health and Safety Code, all such removal of asbestos or hazardous substances including any exploratory work to identify and determine the extent of such asbestos or hazardous substance will be performed by separate contract.

If delay of work in the area delays the current controlling operation, the delay will be considered a right of way delay and the Contractor will be compensated for such delay as provided in Section 8-1.07, "Delays," of the Standard Specifications.

5-1.05 SUBCONTRACTING

No subcontract releases the Contractor from the contract or relieves the Contractor of their responsibility for a subcontractor's work.

If the Contractor violates Pub Cont Code § 4100 et seq., the County of San Benito may exercise the

remedies provided under Pub Cont Code § 4110. The County of San Benito may refer the violation to the Contractors State License Board as provided under Pub Cont Code § 4111. The Contractor shall perform work equaling at least 30 percent of the value of the original total bid

with the Contractor's own employees and equipment, owned or rented, with or without operators.

Each subcontract must comply with the contract.

Each subcontractor must have an active and valid State contractor's license with a classification

appropriate for the work to be performed (Bus & Prof Code, § 7000 et seq.).

Submit copies of subcontracts upon request by the Engineer.

Before subcontracted work starts, submit a Subcontracting Request form.

Do not use a debarred contractor; a current list of debarred contractors is available at the Department

of Industrial Relations' Web site.

Upon request by the Engineer, immediately remove and not again use a subcontractor who fails to

prosecute the work satisfactorily.

Each subcontract and any lower tier subcontract that may in turn be made shall include the

"Required Contract Provisions Federal-Aid Construction Contracts" in Section 14 of these special provisions.

Noncompliance shall be corrected.

Payment for subcontracted work involved will be withheld from progress payments due, or to become due, until correction is made. Failure to comply may result in termination of the contract.

5-1.06 PROMPT PROGRESS PAYMENT TO SUBCONTRACTORS

A prime contractor or subcontractor shall pay any subcontractor not later than 10 days of receipt of each progress payment in accordance with the provision in Section 7108.5 of the California Business and Professions Code concerning prompt payment to subcontractors. The 10 days is applicable unless a longer period is agreed to in writing. Any delay or postponement of payment over 30 days may take place only for good cause and with the agency's prior written approval. Any violation of Section 7108.5 shall subject the violating contractor or subcontractor to the penalties, sanction and other remedies of that section. This requirement shall not be construed to limit or impair any contractual, administrative, or judicial remedies otherwise available to the contractor or subcontractor in the event of a dispute involving late payment or nonpayment by the prime contractor, deficient subcontract performance, or noncompliance by a subcontractor.

5-1.07 PROMPT PAYMENT OF FUNDS WITHHELD TO SUBCONTRACTORS

The County shall hold retainage from the prime contractor and shall make prompt and regular incremental acceptances of portions, as determined by the County, of the contract work, and pay retainage to the prime contractor based on these acceptances. The prime contractor, or subcontractor, shall return all monies withheld in retention from a subcontractor within 30 days after receiving payment for work satisfactorily completed and accepted including incremental acceptances of portions of the contract work by the County. Federal law (49CFR26.29) requires that any delay or postponement of payment over 30 days may take place only for good cause and with the County's prior written approval. Any violation of this provision shall subject the violating prime contractor or subcontractor to the penalties, sanctions and other remedies specified in Section 7108.5 of the Business and Professions Code. These requirements shall not be construed to limit or impair any contractual, administrative, or judicial remedies otherwise available to the prime contractor or subcontractor in the event of a dispute involving late payment or nonpayment by the prime contractor, deficient subcontract performance, or noncompliance by a subcontractor.

5-1.08 PARTNERING

The County of San Benito County will promote the formation of a "Partnering" relationship with the Contractor in order to effectively complete the contract to the benefit of both parties. The purpose of this relationship will be to maintain cooperative communication and mutually resolve conflicts at the lowest possible management level.

The Contractor may request the formation of such a "Partnering" relationship by submitting a request in writing to the Engineer after approval of the contract. If the Contractor's request for "Partnering" is approved by the Engineer, scheduling of a "Partnering" workshop, selecting the "Partnering" facilitator and workshop site, and other administrative details shall be as agreed to by both parties.

The costs involved in providing a facilitator and a workshop site will be borne equally by the County of San Benito County and the Contractor. The Contractor shall pay all compensation for the wages and expenses of the facilitator, and of the expenses for obtaining the workshop site. The State's share of such costs will be reimbursed to the Contractor in a change order written by the Engineer. Markups will not be added. All other costs associated with the "Partnering" relationship will be borne separately by the party incurring the costs.

The establishment of a "Partnering" relationship will not change or modify the terms and conditions of the contract and will not relieve either party of the legal requirements of the contract.

5-1.09 ENCROACHMENT PERMIT - BLANK

5-1.10 LABOR CODE REQUIREMENTS

Section 7-1.02K(5), "Working Hours," of the Standard Specifications is amended to read:

Eight hours labor constitutes a legal day's work. The Contractor or any subcontractor under the Contractor shall forfeit, as a penalty to the State of California, \$25 for each worker employed in the execution of the contract by the respective Contractor or subcontractor for each calendar day during which that worker is required or permitted to work more than 8 hours in any one calendar day and 40 hours in any one calendar week in violation of the provisions of the Labor Code, and in particular, Section 1810 to Section 1815, thereof, inclusive, except that work performed by employees of Contractors in excess of 8 hours per day, and 40 hours during any one week, shall be permitted upon compensation for all hours worked in excess of 8 hours per day at not less than one and one-half times the basic rate of pay, as provided in Section 1815 thereof.

Section 7-1.02K(2), "Wages," of the Standard Specifications is amended to read:

The Contractor and any subcontractor under the Contractor shall comply with Labor Code Sections 1774 and 1775. Pursuant to Section 1775, the Contractor and any subcontractor under the Contractor shall forfeit to the State or political subdivision on whose behalf the contract is made or awarded a penalty of not more than fifty dollars (\$50) for each calendar day, or portion thereof, for each worker paid less than the prevailing rates as determined by the Director of Industrial Relations for the work or craft in which the worker is employed for any public work done under the contract by the Contractor or by any subcontractor under the Contractor in violation of the provisions of the Labor Code and in particular, Labor Code Sections 1770 to 1780, inclusive. The amount of this forfeiture shall be determined by the Labor Commissioner and shall be based on consideration of the mistake, inadvertence, or neglect of the Contractor or subcontractor in failing to pay the correct rate of prevailing wages, or the previous record of the Contractor or subcontractor in meeting their respective prevailing wage obligations, or the willful failure by the Contractor or subcontractor to pay the correct rates of prevailing wages. A mistake, inadvertence, or neglect in failing to pay the correct rate of prevailing wages is not excusable if the Contractor or subcontractor had knowledge of the obligations under the Labor Code. In addition to the penalty and pursuant to Labor Code Section 1775, the difference between the prevailing wage rates and the amount paid to each worker for each calendar day or portion thereof for which each worker was paid less than the prevailing wage rate shall be paid to each worker by the Contractor or subcontractor. If a worker employed by a subcontractor on a public works project is not paid the general prevailing per diem wages by the subcontractor, the

prime contractor of the project is not liable for the penalties described above unless the prime contractor had knowledge of that failure of the subcontractor to pay the specified prevailing rate of wages to those workers or unless the prime contractor fails to comply with all of the following requirements:

1. The contract executed between the contractor and the subcontractor for the performance of work on the public works project shall include a copy of the provisions of Sections 1771, 1775, 1776, 1777.5, 1813, and 1815 of the Labor Code.
2. The contractor shall monitor the payment of the specified general prevailing rate of per diem wages by the subcontractor to the employees, by periodic review of the certified payroll records of the subcontractor.
3. Upon becoming aware of the subcontractor's failure to pay the specified prevailing rate of wages to the subcontractor's workers, the contractor shall diligently take corrective action to halt or rectify the failure, including, but not limited to, retaining sufficient funds due the subcontractor for work performed on the public works project.
4. Prior to making final payment to the subcontractor for work performed on the public works project, the contractor shall obtain an affidavit signed under penalty of perjury from the subcontractor that the subcontractor has paid the specified general prevailing rate of per diem wages to the subcontractor's employees on the public works project and any amounts due pursuant to Section 1813 of the Labor Code.

Pursuant to Section 1775 of the Labor Code, the Division of Labor Standards Enforcement shall notify the Contractor on a public works project within 15 days of the receipt by the Division of Labor Standards Enforcement of a complaint of the failure of a subcontractor on that public works project to pay workers the general prevailing rate of per diem wages. If the Division of Labor Standards Enforcement determines that employees of a subcontractor were not paid the general prevailing rate of per diem wages and if the Department did not retain sufficient money under the contract to pay those employees the balance of wages owed under the general prevailing rate of per diem wages, the contractor shall withhold an amount of moneys due the subcontractor sufficient to pay those employees the general prevailing rate of per diem wages if requested by the Division of Labor Standards Enforcement. The Contractor shall pay any money retained from and owed to a subcontractor upon receipt of notification by the Division of Labor Standards Enforcement that the wage complaint has been resolved. If notice of the resolution of the wage complaint has not been received by the Contractor within 180 days of the filing of a valid notice of completion or acceptance of the public works project, whichever occurs later, the Contractor shall pay all moneys retained from the subcontractor to the Department. These moneys shall be retained by the Department pending the final decision of an enforcement action.

Pursuant to the provisions of Section 1773 of the Labor Code, the Department has obtained the general prevailing rate of wages (which rate includes employer payments for health and welfare, pension, vacation, travel time, and subsistence pay as provided for in Section 1773.8 of the Labor Code, apprenticeship or other training programs authorized by Section 3093 of the Labor Code, and similar purposes) applicable to the work to be done, for straight time, overtime, Saturday, Sunday and holiday work. The holiday wage rate listed shall be applicable to all holidays recognized in the collective bargaining agreement of the particular craft, classification or type of workmen concerned. The general prevailing wage

rates and any applicable changes to these wage rates are available at the Labor Compliance Office at the offices of the District Director of Transportation for the district in which the work is situated. For work situated in District 9, the wage rates are available at the Labor Compliance Office at the offices of the District Director of Transportation for District 6, located at Fresno. General prevailing wage rates are also available from the California Department of Industrial Relations' Internet Web Site at: <http://www.dir.ca.gov>.

The wage rates determined by the Director of Industrial Relations for the project refer to expiration dates. Prevailing wage determinations with a single asterisk after the expiration date are in effect on the date of advertisement for bids and are good for the life of the contract. Prevailing wage determinations with double asterisks after the expiration date indicate that the wage rate to be paid for work performed after this date has been determined. If work is to extend past this date, the new rate shall be paid and incorporated in the contract. The Contractor shall contact the Department of Industrial Relations as indicated in the wage rate determinations to obtain predetermined wage changes.

Pursuant to Section 1773.2 of the Labor Code, general prevailing wage rates shall be posted by the Contractor at a prominent place at the site of the work.

Changes in general prevailing wage determinations, which conform to Labor Code Section 1773.6 and Title 8 California Code of Regulations Section 16204 shall apply to the project when issued by the Director of Industrial Relations at least 10 days prior to the date of the Notice to Contractors for the project.

The State will not recognize any claim for additional compensation because of the payment by the Contractor of any wage rate in excess of the prevailing wage rate set forth in the contract. The possibility of wage increases is one of the elements to be considered by the Contractor in determining the bid, and will not under any circumstances be considered as the basis of a claim against the State on the contract.

7-1.01K(3) WAGES - Attention is directed to the requirements of Section 1773.8 of the Labor Code. The Contractor shall make travel and subsistence payments to each workman, needed to execute the work, in accordance with the requirements in Labor Code Section 1773.8.

The first and second paragraphs of Section 7-1.02K(3), "Certified Payroll Records," of the Standard Specifications are amended to read:

7-1.02K(3) Certified Payroll Records - Attention is directed to the provisions of Labor Code Section 1776, a portion of which is quoted below. Regulations implementing Labor Code Section 1776 are located in Sections 16016 through 16019 and Sections 16207.10 through 16207.19 of Title 8, California Code of Regulations.

"1776.(a) Each contractor and subcontractor shall keep accurate payroll records, showing the name, address, social security number, work classification, straight time and overtime hours worked each day and week, and the actual per diem wages paid to each journeyman, apprentice, worker, or other employee employed by him or her in connection with the public work. Each payroll record shall contain or be verified by a written declaration that it is made under penalty of perjury, stating both of the following:

- (1) The information contained in the payroll record is true and correct.
- (2) The employer has complied with the requirements of Sections 1771, 1811, and 1815 for any work performed by his or her employees on the public works project.

"(b) The payroll records enumerated under subdivision (a) shall be certified and shall be available for inspection at all reasonable hours at the principal office of the contractor on the following basis:

(1) A certified copy of an employee's payroll record shall be made available for inspection or furnished to the employee or his or her authorized representative on request.

(2) A certified copy of all payroll records enumerated in subdivision (a) shall be made available for inspection or furnished upon request to a representative of the body awarding the contract, the Division of Labor Standards Enforcement, and the Division of Apprenticeship Standards of the Department of Industrial Relations.

(3) A certified copy of all payroll records enumerated in subdivision (a) shall be made available upon request by the public for inspection or for copies thereof. However, a request by the public shall be made through either the body awarding the contract, the Division of Apprenticeship Standards, or the Division of Labor Standards Enforcement. If the requested payroll records have not been provided pursuant to paragraph (2), the requesting party shall, prior to being provided the records, reimburse the costs of preparation by the contractor, subcontractors, and the entity through which the request was made. The public shall not be given access to the records at the principal office of the contractor.

"(c) The certified payroll records shall be on forms provided by the Division of Labor Standards Enforcement or shall contain the same information as the forms provided by the division.

"(d) A contractor or subcontractor shall file a certified copy of the records enumerated in subdivision (a) with the entity that requested the records within 10 days after receipt of a written request.

"(e) Any copy of records made available for inspection as copies and furnished upon request to the public or any public agency by the awarding body, the Division of Apprenticeship Standards, or the Division of Labor Standards Enforcement shall be marked or obliterated in a manner so as to prevent disclosure of an individual's name, address, and social security number. The name and address of the contractor awarded the contract or the subcontractor performing the contract shall not be marked or obliterated.

"(f) The contractor shall inform the body awarding the contract of the location of the records enumerated under subdivision (a), including the street address, city and county, and shall, within five working days, provide a notice of a change of location and address.

"(g) The contractor or subcontractor shall have 10 days in which to comply subsequent to receipt of a written notice requesting the records enumerated in subdivision (a). In the event that the contractor or subcontractor fails to comply within the 10-day period, he or she shall, as a penalty to the state or political subdivision on whose behalf the contract is made or awarded, forfeit twenty-five dollars (\$25) for each calendar day, or portion thereof, for each worker, until strict compliance is effectuated. Upon the request of the Division of Apprenticeship Standards or the Division of Labor Standards Enforcement, these penalties shall be withheld from progress payments then due. A contractor is not subject to a penalty assessment pursuant to this section due to the failure of a subcontractor to comply with this section."

The penalties specified in subdivision (g) of Labor Code Section 1776 for noncompliance with the provisions of Section 1776 may be deducted from any moneys due or which may become due to the Contractor.

5-1.11 WORKERS' COMPENSATION

The first paragraph of Section 7-1.06C, "Workers' Compensation and Employees Liability," of the Standard Specifications is amended to read:

7-1.01A(6) Workers' Compensation - Pursuant to the requirements of Section 1860 of the Labor Code, the Contractor will be required to secure the payment of workers' compensation to the Contractor's employees in accordance with the provisions of Section 3700 of the Labor Code. Such Workers' Compensation coverage shall include a waiver of subrogation naming the County of San Benito, Design Engineer, Construction Manager, their respective consultants, and each of their directors, officers, agents, and employees.

5-1.12 CONTRACTOR'S LICENSING LAWS

The third paragraph of Section 2-1.03, "Contractor Registration," of the Standard Specifications is amended to read:

Attention is also directed to the provisions of Public Contract Code Section 10164. In all projects where Federal funds are involved, the Contractor shall be properly licensed at the time the contract is awarded.

5-1.13 AIR POLLUTION CONTROL

Air pollution control shall conform to the provisions in Section 14.9.02, "Air Pollution Control," of the Standard Specifications and these special provisions.

Material to be disposed of shall not be burned unless the Contractor has obtained a permit to burn combustible material resulting from clearing and grubbing operations from an air pollution control officer of the local or regional authority. A copy of the permit shall be filed with the Engineer before beginning any burning. All such burning shall be conducted in strict conformance with the provisions stipulated in said permit and at such times and in such manner as to prevent the fire from spreading to areas adjoining the right of way.

In case the burning precedes construction operations, the piles may be placed in the center of the right of way; otherwise, the piles shall be placed in the most convenient location at the side of the right of way and beyond slope lines where they may be burned without damage to the surrounding forest cover or adjacent property.

Full compensation for conforming to the provisions in this section shall be considered as included in the prices paid for the various contract items of work and no additional compensation will be allowed therefore.

5-1.14 SOUND CONTROL REQUIREMENTS

Sound control shall conform to the provisions in Section 14-8, "Noise and Vibration," of the Standard Specifications and these special provisions.

In accordance with local and County noise ordinances relating to construction, work shall occur only between the hours of 7:00 a.m. and 7:00 p.m. Monday through Saturday. No construction shall occur on Sundays or federally observed holidays.

Said noise level requirement shall apply to all equipment on the job or related to the job, including but not limited to trucks, transit mixers or transient equipment that may or may not be

owned by the Contractor. The use of loud sound signals shall be avoided in favor of light warnings except those required by safety laws for the protection of personnel.

Full compensation for conforming to the requirements of this section shall be considered as included in the prices paid for the various contract items of work involved and no additional compensation will be allowed therefore.

5-1.15 RESPONSIBILITY FOR DAMAGE

Section 7-1.05, "Indemification," of the Standard Specifications is amended to read:

The State of California, County of San Benito, Design Engineer, Construction Manager, their respective consultants and each of their directors, officers, agents, and employees thereof connected with the work, including but not limited to the Director and the Engineer, shall not be answerable or accountable in any manner: for any loss or damage that may happen to the work or any part thereof; for any loss or damage to any of the materials or other things used or employed in performing the work; for injury to or death of any person, either workers or the public; or for damage to property from any cause which might have been prevented by the Contractor, or the Contractor's workers, or anyone employed by the Contractor.

The Contractor shall be responsible for any liability imposed by law and for injuries to or death of any person including but not limited to workers and the public, or damage to property resulting from defects or obstructions or from any cause whatsoever during the progress of the work or at any time before its completion and final acceptance.

The Contractor shall indemnify and save harmless the State of California, County of San Benito, Design Engineer, Construction Manager, their respective consultants and each of their directors, officers, agents, and employees thereof connected with the work, including but not limited to the Director and the Engineer, from all claims, suits or actions of every name, kind and description, brought forth, or on account of, injuries to or death of any person including but not limited to workers and the public, or damage to property resulting from the performance of this contract, except as otherwise provided by statute. The duty of the Contractor to indemnify and save harmless includes the duties to defend as set forth in Section 2778 of the Civil Code.

With respect to third party claims against the Contractor, the Contractor waives any and all rights to any type of express or implied indemnity against the State of California, County of San Benito, Design Engineer, Construction Manager, their respective consultants and each of their directors, officers, agents, and employees.

It is the intent of the parties that the Contractor will indemnify and hold harmless the State of California, County of San Benito, Design Engineer, Construction Manager, their respective consultants and each of their directors, officers, agents, and employees from any and all claims, suits or actions as set forth above regardless of the existence or degree of fault or negligence on the part of the State of California, County of San Benito, Design Engineer, Construction Manager, the Contractor, the subcontractor or employee of any of these, other than the sole active negligence of the State of California, County of San Benito, Design Engineer, Construction Manager, their respective consultants and each of their directors, officers, agents, and employees.

The following insurance requirements shall apply:

A. The Contractor shall maintain in effect at all times during performance of the work described in the Agreement at least the coverages and limits of insurance with insurers satisfactory to the County of San Benito set forth herein. Certificates of all such insurance and evidence of policy endorsement for additional insured and waiver of subrogation requirements, executed by the insurer in form satisfactory to the County of San Benito, shall be furnished to the County of San Benito, Design Engineer, and Construction Manager immediately upon execution of the Agreement and prior to the Contractor commencing work:

(1) Contractual Liability Insurance for liability assumed by the Contractor under agreement with the County of San Benito. Such insurance as is afforded by the policy to the Contractor for Contractual Property Damage Liability insurance shall include coverage for property damage caused by blasting, collapse, structural injuries or damage to underground utilities. The policy shall not contain the so-called “x” “c” “u” exclusions. The minimum limits of liability for this insurance shall be as follows:

Type of Coverage

Limits

Worker's Compensation and Employer Liability,
Including coverage under the United States
Longshoremen's and Harbor Workers Act,
Where applicable

Statutory

Comprehensive general liability which shall
Include, or be endorsed to include:
1. Cross Liability Coverage
2. Blanket Contractual Liability Coverage
3. Contractor's Protective Liability Coverage
4. Product and Completed Operations Coverage
5. Broad Form Property Damage Coverage
6. Explosion, Collapse and Underground
Property Damage Liability Coverage

\$5,000,000 combined single limit
bodily injury and property damage,
per occurrence

Automobile Liability Insurance covering all
Automobiles, trucks, motorcycles, tractors,
Trailers, or other automotive equipment,
Whether owned or rented by the Contractor, or
Owned by employees of the Contractor

\$5,000,000 combined single limit
bodily injury and property damage,
per occurrence

(2) An Additional Insured Endorsement to the Contractor's Liability insurance policy naming the State of California, County of San Benito, Design Engineer, Construction Manager, their respective consultants and each of their directors, officers, agents, and employees as additional insureds in the form approved by the County of San Benito shall also be furnished. A copy of the approved endorsement form may be obtained from the County of San Benito at the address to obtain bid

packages as shown in the Notice to Contractors. The insurance afforded to the additional insureds is primary insurance and if the additional insureds have other insurance, which might be applicable to any loss, the amount of this insurance shall not be reduced or prorated due to the existence of such other insurance.

(3) A waiver of subrogation endorsement to the Contractor's Workers' Compensation policy naming the State of California, County of San Benito, Design Engineer, Construction Manager, their respective consultants and each of their directors, officers, agents, and employees shall also be furnished.

B. Evidence of insurance (Contractual Liability insurance and Additional Insured Endorsement) in compliance with the requirements of Paragraph A herein shall be furnished to the County of San Benito, Design Engineer, and Construction Manager by the Contractor with the Certificate of Insurance in the form as approved by the County of San Benito. A copy of the approved certificate form may be obtained from the County of San Benito at the address to obtain bid packages as shown in the Notice to Contractors. Certificates of insurance shall, without any qualification thereto, contain the following statement:

"Should any of the described policies be canceled, modified, or reduced in limits before the expiration date thereof, the issuing company will mail 30 days' advance written notice to the named certificate holders."

C. The insurance shall be issued by a company or companies authorized to transact business in the State of California and shall have a rating of at least B VIII in accordance with the current Best's rating.

D. Insurance coverage in the minimum amounts set forth herein shall not be construed to relieve the Contractor for liability in excess of such coverage, nor shall it preclude the State of California, County of San Benito, Design Engineer, or Construction Manager from taking such other actions as is available to them under any other provision of this contract (except retainage of money due the Contractor) or otherwise in law.

The Contractor shall be responsible for any liability imposed by law and for injuries to or death of any person including but not limited to workers and the public, or damage to property and shall indemnify and save harmless any county, city or district, its officers and employees connected with the work, within the limits of which county, city or district the work is being performed hereunder, all in the same manner and to the same extent as provided above for the protection of the State of California and all officers and employees thereof connected with the work, except that no retention of money due the Contractor under and by virtue of the contract will be made by the State of California, County of San Benito, Design Engineer, or Construction Manager, pending disposition of suits or claims for damages brought against the county, city or district.

Nothing in the contract is intended to create the public or any member thereof a third party beneficiary hereunder, nor is any term and condition or other provision of the contract intended to establish a standard of care owed to the public or any member thereof.

5-1.16 AREAS FOR CONTRACTOR'S USE

Attention is directed to the requirements specified in Section 5-1.01, "General," of the Standard Specifications and these special provisions.

The highway right of way shall be used only for purposes that are necessary to perform the required work. The Contractor shall not occupy the right of way, or allow others to occupy the right of way, for purposes, which are not necessary to perform the required work.

There are no State-owned parcels adjacent to the right of way for the exclusive use of the Contractor within the contract limits. The Contractor shall secure at his own expense any area required for plant sites, storage of equipment or materials, or for other purposes.

Use of the Contractor's work areas and other State-owned property shall be at the Contractor's own risk, and the State shall not be held liable for any damage to or loss of materials or equipment located within such areas.

The Contractor shall obtain encroachment permits prior to occupying State-owned parcels outside the contract limits. The required encroachment permits may be obtained from the San Benito County Department of Public Works, 2301 Technology Parkway, Hollister, California 95023.

Residence trailers will not be allowed within the highway right of way, except that one trailer will be allowed for yard security purposes.

The Contractor shall remove all equipment, materials, and rubbish from the work areas and other State-owned property, which he occupies and shall leave the areas in a presentable condition, in accordance with the provisions in Section 4-13, "Cleanup," of the Standard Specifications.

The Contractor shall secure at his own expense any area required for plant sites, storage of equipment or materials, or for other purposes if sufficient area is not available to him within the contract limits, or at the sites designated on the plans outside the contract limits.

5-1.17 FINAL PAY QUANTITIES

Section 9-1.02C, "Final Pay Item Quantities," of the Standard Specifications is amended to read:

When an item of work is designated as (F) or (S-F) in the Engineer's Estimate, the estimated quantity for that item of work shall be the final pay quantity, unless the dimensions of any portion of that item are revised by the Engineer, or the item or any portion of the item is eliminated. If the dimensions of any portion of the item are revised, and the revisions result in an increase or decrease in the estimated quantity of that item of work, the final pay quantity for the item will be revised in the amount represented by the changes in the dimensions, except as otherwise provided for minor structures in Section 51-7.010, "Payment." If a final pay item is eliminated, the estimated quantity for the item will be eliminated. If a portion of a final pay item is eliminated, the final pay quantity will be revised in the amount represented by the eliminated portion of the item of work.

The estimated quantity for each item of work designated as (F) or (S-F) in the Engineer's Estimate shall be considered as approximate only, and no guarantee is made that the quantity which can be determined by computations, based on the details and dimensions shown on the plans, will equal the estimated quantity. No allowance will be made in the event that the quantity based on computations does not equal the estimated quantity.

In case of discrepancy between the quantity shown in the Engineer's Estimate for a final pay item and the quantity or summation of quantities for the same item shown on the plans, payment will be based on the quantity shown in the Engineer's Estimate.

5-1.18 NOTICE OF POTENTIAL CLAIM

Section 5-1.43 "Potential Claims and Dispute Resolution" of the Standard Specifications is amended to read:

The Contractor shall not be entitled to the payment of any additional compensation for any act, or failure to act, by the Engineer, including failure or refusal to issue a change order, or for the happening of any event, thing, occurrence, or other cause, unless he shall have given the Engineer due written notice of potential claim as hereinafter specified. Compliance with this Section 8-1.02D(8) shall not be a prerequisite as to matters within the scope of the protest provisions in Section 8-1.02D(8)(c) "Ordered Changes" or Section 8.1.07B "Time Adjustments" or the notice provisions in Section 8-1.07A General or Section 8-1.10, "Liquidated Damages," nor to any claim which is based on differences in measurements or errors of computation as to contract quantities.

The written notice of potential claim shall be submitted to the Engineer prior to the time that the Contractor performs the work giving rise to the potential claim for additional compensation, if based on an act or failure to act by the Engineer, or in all other cases within 15 days after the happening of the event, thing, occurrence, or other cause, giving rise to the potential claim.

The written notice of potential claim shall be submitted on Form CEM-6201 furnished by the Department and shall be certified with reference to the California False Claims Act, Government Code Sections 12650 - 12655. The notice shall set forth the reasons for which the Contractor believes additional compensation will or may be due and the nature of the costs involved. Unless the amount of the potential claim has been stated in the written notice, the Contractor shall, within 15 days of submitting said notice, furnish an estimate of the cost of the affected work and impacts, if any, on project completion. Said estimate of costs may be changed or updated by the Contractor when conditions have changed. When the affected work is completed, the Contractor shall submit substantiation of his actual costs. Failure to do so shall be sufficient cause for denial of any claim subsequently filed on the basis of said notice of potential claim.

It is the intention of this Section 8-1.07 "DELAYS" that differences between the parties arising under and by virtue of the contract be brought to the attention of the Engineer at the earliest possible time in order that such matters may be settled, if possible, or other appropriate action promptly taken. The Contractor hereby agrees that he shall have no right to additional compensation for any claim that may be based on any such act, failure to act, event, thing or occurrence for which no written notice of potential claim as herein required was filed.

Should the Contractor, in connection with or subsequent to the assertion of a potential claim, request inspection and copying of documents or records in the possession of the Department that pertain to the potential claim, Contractor shall make its records of the project, as deemed by the Department to be pertinent to the potential claim, available to the Department for inspection and copying.

5-1.19 PAYMENTS

Attention is directed to Section 8-1.02D(10), "Payment," and 9-1.17, "Payment After Contract Acceptance," of the Standard Specifications and these special provisions.

For the purpose of making partial payments pursuant to Section 8-1.02D(10), "Payments," of the Standard Specifications, the amount set forth for the contract items of work hereinafter listed shall be deemed to be the maximum value of said contract item of work, which will be recognized for progress payment purposes.

Prepare Water Pollution Control Program	Not Applicable
Implement Water Pollution Control Program	Not Applicable
Construction Area Signs	Not Applicable
Clearing and Grubbing	Not Applicable
Develop Water Supply	Not Applicable

After acceptance of the contract pursuant to Section 3-1.18, "Contract Execution," of the Standard Specifications, the amount, if any, payable for a contract item of work in excess of the maximum value for progress payment purposes herein above-listed for said item, will be included for payment in the first estimate made after acceptance of the contract.

In determining the partial payments to be made to the Contractor, only the following listed materials will be considered for inclusion in said payment as materials furnished but not incorporated in the work:

5-1.20 PARTIAL PAYMENTS

Attention is directed to the requirements specified in Section 8-1.02D(10), "Payment," of the Standard Specifications and these special provisions.

Attention is directed to the prohibitions and penalties pertaining to unlicensed contractors as provided in Business and Professions Code Sections 7028.15(a) and 7031.

5-1.21 FINAL PAYMENT AND CLAIMS

Section 9-1.17D, "Final Payment and Claims," of the Standard Specifications is amended to read:

9-1.17D Final Payment and Claims - After acceptance by the Director, the Engineer will make a proposed final estimate in writing of the total amount payable to the Contractor, including therein an itemization of said amount, segregated as to contract item quantities, extra work and any other basis for payment, and shall also show therein all deductions made or to be made for prior payments and amounts to be kept or retained under the provisions of the contract. All prior estimates and payments shall be subject to correction in the proposed final estimate. The Contractor shall submit written approval of the proposed final estimate or a written statement of all claims arising under or by virtue of the contract so that the Engineer receives such written approval or statement of claims no later than close of business of the thirtieth day after receiving the proposed final estimate. If the thirtieth day falls on a Saturday, Sunday or legal holiday, then receipt of such written approval or statement of claims by the Engineer shall not be later than close of business of the next business day. No claim will be considered that was not included in the written statement of claims, nor will any claim be allowed as to which a notice or protest is required under the provisions in Sections 5-1.43 "Potential Claims and Dispute Resolution," 8-1.02D(8)(c), "Ordered Changes," 8-1.07B, "Time Adjustments," 8-1.10, "Liquidated Damages," or the notice provisions in Section 8-1.07A unless the Contractor has complied with the notice or protest requirements in said sections.

On the Contractor's approval, or if he files no claim within said period of 30 days, the Engineer will issue a final estimate in writing in accordance with the proposed final estimate submitted to the Contractor and within 30 days thereafter the State will pay the entire sum so found to be due. Such final estimate and payment thereon shall be conclusive and binding against both parties to the contract on all questions relating to the amount of work done and the compensation payable therefore, except as otherwise provided in Section 9-1.21, "Clerical Errors."

If the Contractor within said period of 30 days files claims, the Engineer will issue a semifinal estimate in accordance with the proposed final estimate submitted to the Contractor and within 30 days thereafter the State will pay the sum so found to be due. Such semifinal estimate and payment thereon shall be conclusive and binding against both parties to the contract on all questions relating to the amount of work done and the compensation payable therefore, except insofar as affected by the claims filed within the time and in the manner required hereunder and except as otherwise provided in Section 9-1.21, "Clerical Errors."

Claims filed by the Contractor shall be in sufficient detail to enable the Engineer to ascertain the basis and amount of said claims. If additional information or details are required by the Engineer to determine the basis and amount of said claims, the Contractor shall furnish such further information or details so that the information or details are received by the Engineer no later than the fifteenth day after receipt of the written request from the Engineer. If the fifteenth day falls on a Saturday, Sunday or legal holiday, then receipt of such information or details by the Engineer shall not be later than close of business of the next business day. Failure to submit such information and details to the Engineer within the time specified will be sufficient cause for denying the claim.

The Contractor shall keep full and complete records of the costs and additional time incurred for any work for which a claim for additional compensation is made. The Engineer or any designated claim investigator or auditor shall have access to those records and any other records as may be required by the Engineer to determine the facts or contentions involved in the claims. Failure to permit access to such records shall be sufficient cause for denying the claims.

Claims submitted by the Contractor shall be accompanied by a notarized certificate containing the following language:

Under the penalty of law for perjury or falsification and with specific reference to the California False Claims Act, Government Code Section 12650 et. seq., the undersigned,

_____,
(Name)

_____, of
(Title)

_____,
(Company)

hereby certifies that the claim for the additional compensation and time, if any, made herein for the work on this contract is a true statement of the actual costs incurred and time sought, and is fully documented and supported under the contract between parties.

Dated _____
/s/ _____
Subscribed and sworn before me this _____ day of _____

Notary Public
My Commission Expires _____

Failure to submit the notarized certificate will be sufficient cause for denying the claim.

Any claim for overhead type expenses or costs, in addition to being certified as stated above, shall be supported by an audit report of an independent Certified Public Accountant. Any such overhead claim shall also be subject to audit by the State at its discretion.

Any costs or expenses incurred by the State in reviewing or auditing any claims that are not supported by the Contractor's cost accounting or other records shall be deemed to be damages incurred by the State within the meaning of the California False Claims Act.

The District Director of the District, which administers the contract, will make the final determination of any claims, which remain in dispute after completion of claim review by the Engineer. A board or person designated by said District Director will review such claims and make a written recommendation thereon to the District Director. The Contractor may meet with the review board or person to make a presentation in support of such claims.

Upon final determination of the claims, the Engineer will then make and issue his final estimate in writing and within 30 days thereafter the State will pay the entire sum, if any, found due thereon. Such final estimate shall be conclusive and binding against both parties to the contract on all questions relating to the amount of work done and the compensation payable therefore, except as otherwise provided in Sections 9-1.03C, "Records," and 9-1.09, "Clerical Errors."

5-1.22 MEASUREMENT AND PAYMENT

Attention is directed to Section 9, "Payment," of the Standard Specifications and these special provisions.

Section 9-1.03 "Payment Scope" Arbitration as defined in the Standard Specifications, is deleted from this contract. In lieu of arbitration, the following shall apply (from the Public Contract Code):

- A. Application of article; inclusion of article in plans and specifications: (Public Contracts Codes 20104)
 - 1.a. This article applies to all public works claims of three hundred seventy-five thousand dollars (\$375,000) or less which arise between a Contractor and the County of San Benito.
 - 1.b. This article shall not apply to any claims resulting from a contract between the Contractor and the County of San Benito when the public agency has elected to resolve any disputes pursuant to Article 7.1 (commencing with Section 10240) of Chapter 1 of Part 2, of the Public Contract Code.)

- 2.a. "Public Works" has the same meaning as in Sections 3100 and 3106 of the Civil Code.
- 2.b. "Claim" means a separate demand by the Contractor for (A) a time extension, (B) payment of money or damages arising from work done by or on behalf of the Contractor pursuant to the contract for a public work and payment of which is not otherwise expressly provided for or the claimant is not otherwise entitled to, or (C) an amount the payment of which is disputed by the local agency.
3. The provisions of this article or a summary thereof shall be set forth in the plans or specifications for any work which may give rise to a claim under this article.
4. This article applies only to contracts entered into on or after January 1, 1991.

B. Claims; requirements: (Public Contracts Codes 20104.2).

For any claim subject to this article, the following requirements apply:

1. The claim shall be in writing and include the documents necessary to substantiate the claim. Claims must be filed on or before the date of final payment. Nothing in this subdivision is intended to extend the time limit or supersede notice requirements otherwise provided by contract for the filing of claims.
- 2.a. For Claims of less than fifty thousand dollars (\$50,000), the local agency shall respond in writing to any written claim within 45 days of receipt of the claim, or may request, in writing, within 30 days of receipt of the claim, any additional documentation supporting the claim or relating to defenses or claims the local agency may have against the claimant.
- 2.b. If additional information is thereafter required, it shall be requested and provided pursuant to this subdivision, upon mutual agreement of the local agency and the claimant.
- 2.c. The local agency's written response to the claim, as further documented, shall be submitted to the claimant within 15 days after receipt of the further documentation or within a period of time no greater than that taken by the claimant in producing the additional information, whichever is greater.
- 3.a. For claims of over fifty thousand dollars (\$50,000) and less than or equal to three hundred seventy-five thousand dollars (\$375,000), the local agency shall respond in writing to all written claims within 60 days of receipt of the claim, or may request, in writing, within 30 days of receipt of the claim, any additional documentation supporting the claim or relating to defenses or claims the local agency may have against the claimant.
- 3.b. If additional information is thereafter required, it shall be requested and provided pursuant to this subdivision, upon mutual agreement of the local agency and the claimant.
- 3.c. The local agency's written response to the claim, as further documented, shall be submitted to the claimant within 30 days after receipt of the further documentation, or within a period of time no greater than that taken by the claimant in producing the additional information or requested documentation, whichever is greater.
4. If the claimant disputes the local agency's written response, or the local agency fails to respond within the time prescribed, the claimant may so notify the local agency, in

writing, either within 15 days of receipt of the local agency's response or within 15 days of the local agency's failure to respond within the time prescribed, respectively, and demand an informal conference to meet and confer for settlement of the issues in dispute. Upon a demand, the local agency shall schedule a meet and confer conference within 30 days for settlement of the dispute.

5. If following the meet and confer conference the claim or any portion remains in dispute, the claimant may file a claim pursuant to Chapter 1 (commencing with Section 900) and Chapter 2 (commencing with Section 910) of Part 3 of Division 3.6 of Title 1 of the Government Code. For purposes of those provisions, the running of the period of time within which a claim must be filed shall be tolled from the time the claimant submits his or her written claim pursuant to subdivision (a) until the time the claim is denied, including any period of time utilized by the meet and confer conference.

C. Procedures for civil actions filed to resolve claims: (Public Contracts Codes 20104.4)

The following procedures are established for all civil actions filed to resolve claims subject to this article:

1. Within 60 days, but no earlier than 30 days, following the filing or responsive pleadings, the court shall submit the matter to nonbinding mediation unless waived by mutual stipulation of both parties. The mediation process shall provide for the selection within 15 days by both parties of a disinterested third person as mediator, shall be commenced within 30 days of the submittal, and shall be concluded within 15 days from the commencement of the mediation unless a time requirement is extended upon a good cause showing to the court.
- 2.a. If the matter remains in dispute, the case shall be submitted to judicial arbitration pursuant to Chapter 2.5 (commencing with Section 1141.10) Title 3 of Part 3 of the Code of Civil Procedure, notwithstanding Section 1141.11 of that code. The Civil Discovery Act of 1986 Article 3 (commencing with Section 2016) of Chapter 3 of Title 3 of Part 4 of the Code of Civil Procedure) shall apply to any proceeding brought under this subdivision consistent with the rules pertaining to judicial arbitration.
- 2.b. In addition to Chapter 2.5 (commencing with Section 1141.10) of Title 3 of Part 3 of the Code of Civil Procedure, (A) arbitrators shall, when possible, be experienced in construction law, and (B) any party appealing an arbitration award who does not obtain a more favorable judgment shall, in addition to payment of costs and fees under that chapter, also pay the attorney's fees on appeal of the other party.

D. Payment by local agency of undisputed portion of claim; interest on arbitration award or judgment: (Public Contracts Codes 2104.6)

1. The County of San Benito shall not fail to pay money as to any portion of a claim, which is undisputed except as otherwise provided in the contract.
2. In any suit filed under Section 20104.4, County of San Benito shall pay interest at the legal rate on any arbitration award or judgment. The interest shall begin to accrue the date the suit is filed in a court of law.

5-1.23 PROJECT APPEARANCE

The Contractor shall maintain a neat appearance to the work.

In any area visible to the public, the following shall apply:

When practicable, broken concrete and debris developed during clearing and grubbing shall be disposed of concurrently with its removal. If stockpiling is necessary, the material shall be removed or disposed of weekly.

The Contractor shall furnish trash bins for all debris from structure construction. All debris shall be placed in trash bins daily. Forms or false work that is to be re-used shall be stacked neatly concurrently with their removal. Forms and false work that are not to be re-used shall be disposed of concurrently with their removal.

Full compensation for conforming to the provisions in this section, not otherwise provided for, shall be considered as included in prices paid for the various contract items of work involved and no additional compensation will be allowed therefore.

5-1.24 MATERIAL SITES

Local material sites used by the Contractor shall be graded so that, at the time of final inspection of the contract, they will drain and will blend in with the surrounding terrain.

Full compensation for conforming to the provisions in this section shall be considered as included in the prices paid for the various contract items of work and no additional compensation will be allowed therefore.

SECTION 10. CONSTRUCTION DETAILS

10-1.01 ORDER OF WORK

Order of work shall conform to the provisions in Section 10-1.02, "Work Sequencing," of the Standard Specifications and these special provisions.

Temporary railing (Type K) and temporary crash cushions shall be secured in place prior to commencing work for which the temporary railing and crash cushions are required.

Attention is directed to "Maintaining Traffic" and "Temporary Pavement Delineation" of these special provisions and to the stage construction sheets of the plans.

The work shall be performed in conformance with the stages of construction shown on the plans. Non-conflicting work in subsequent stages may proceed concurrently with work in preceding stages, provided satisfactory progress is maintained in the preceding stages of construction.

In each stage, after completion of the preceding stage, the first order of work shall be the removal of existing pavement delineation as directed by the Engineer. Pavement delineation removal shall be coordinated with new delineation so that lane lines are provided at all times on traveled ways open to public traffic.

Before obliterating any pavement delineation (traffic stripes, pavement markings, and pavement markers) that is to be replaced on the same alignment and location, as determined by the Engineer, the pavement delineation shall be referenced by the Contractor, with a sufficient number of control points to reestablish the alignment and location of the new pavement delineation. The references shall include the limits or changes in striping pattern, including one- and 2-way barrier lines, limit lines, crosswalks and other pavement markings. Full compensation

for referencing existing pavement delineation shall be considered as included in the contract prices paid for new pavement delineation and no additional compensation will be allowed therefore.

At those locations exposed to public traffic where guard railings or barriers are to be constructed, reconstructed, or removed and replaced, the Contractor shall schedule operations so that at the end of each working day there shall be no post holes open nor shall there be any railing or barrier posts installed without the blocks and rail elements assembled and mounted thereon.

10-1.02 WATER POLLUTION CONTROL

10-1.03 PRESERVATION OF PROPERTY

Attention is directed to Section 5-1.36 "Property and Facility Preservation," Section 5-1.39, "Damage Repair and Restoration," of the Standard Specifications and these special provisions.

Existing trees, shrubs and other plants, that are not to be removed as shown on the plans or specified in these special provisions, and are injured or damaged by reason of the Contractor's operations, shall be replaced by the Contractor. The minimum size of tree replacement shall be 24 inch box. Replacement planting shall conform to the requirements in Section 5-1.36B "Landscape" and Section 5-1.39C, "Landscape Damage," of the Standard Specifications. The Contractor shall water replacement plants in conformance with the provisions in Section 20-1.02B, "Water," of the Standard Specifications.

Damaged or injured plants shall be removed and disposed of outside the highway right of way in conformance with the provisions in Section 5-1.36B "Landscape" and Section 5-1.39C, "Landscape Damage" of the Standard Specifications. At the option of the Contractor, removed trees and shrubs may be reduced to chips. The chipped material shall be spread within the highway right of way at locations designated by the Engineer.

Replacement planting of injured or damaged trees, shrubs and other plants shall be completed not less than 20 working days prior to acceptance of the contract. Replacement plants shall be watered as necessary to maintain the plants in a healthy condition.

10-1.04 OBSTRUCTIONS

Attention is directed to Section 5-1.36 "Property and Facility Preservation" the Standard Specifications and these special provisions.

The Contractor shall notify the Engineer and the appropriate regional notification center for operators of subsurface installations at least 2 working days, but not more than 14 calendar days, prior to performing any excavation or other work close to any underground pipeline, conduit, duct, wire or other structure. Regional notification centers include, but are not limited to, the following:

Notification Center	Telephone Number
Underground Service Alert- Northern California (USA)	1-800-642-2444 1-800-227-2600
Underground Service Alert- Southern California (USA)	1-800-422-4133 1-800-227-2600

10-1.05 CONSTRUCTION AREA TRAFFIC CONTROL DEVICES

Flagging, signs, and all other traffic control devices furnished, installed, maintained, and removed when no longer required shall conform to the provisions in Section 12, "Temporary Traffic Control," of the Standard Specifications and these special provisions.

Category 1 traffic control devices are defined as those devices that are small and lightweight (less than 45 kg {100 pounds}), and have been in common use for many years. The devices shall be known to be crashworthy by crash testing, crash testing of similar devices, or years of demonstrable safe performance. Category 1 traffic control devices include traffic cones, plastic drums, portable delineators, and channelizers.

If requested by the Engineer, the Contractor shall provide written self-certification for crashworthiness of Category 1 traffic control devices. Self-certification shall be provided by the manufacturer or Contractor and shall include the following: date, Federal Aid number (if applicable), expenditure authorization, district, county, route and kilometer post {post mile} of project limits; company name of certifying vendor, street address, city, state and zip code; printed name, signature and title of certifying person; and an indication of which Category 1 traffic control devices will be used on the project. The Contractor may obtain a standard form for self-certification from the Engineer.

Category 2 traffic control devices are defined as those items that are small and lightweight (less than 45 kg {100 pounds}), that are not expected to produce significant vehicular velocity change, but may otherwise be potentially hazardous. Category 2 traffic control devices include: barricades and portable sign supports.

Category 2 traffic control devices purchased on or after October 1, 2000 shall be on the Federal Highway Administration (FHWA) Acceptable Crashworthy Category 2 Hardware for Work Zones list. This list is maintained by FHWA and can be located at the following internet address: <http://safety.fhwa.dot.gov/fourthlevel/hardware/listing.cfm?code=workzone>. The Department maintains a secondary list at the following internet address: <http://www.dot.ca.gov/hq/traffops/signtech/signdel/pdf.htm>.

Category 2 traffic control devices that have not received FHWA acceptance, and were purchased before October 1, 2000, may continue to be used until they complete their useful service life or until January 1, 2003, whichever comes first. Category 2 devices in use that have received FHWA acceptance shall be labeled with the FHWA acceptance letter number and the name of the manufacturer by the start of the project. The label shall be readable. After January 1, 2003, all Category 2 devices without a label shall not be used on the project.

If requested by the Engineer, the Contractor shall provide a written list of Category 2 devices to be used on the project at least 5 days prior to beginning any work using the devices. For each type of device, the list shall indicate the FHWA acceptance letter number and the name of the manufacturer.

Full compensation for providing self-certification for crashworthiness of Category 1 traffic control devices and for providing a list of Category 2 devices used on the project and labeling Category 2 devices as specified shall be considered as included in the prices paid for the various contract items of work requiring the use of the Category 1 or Category 2 traffic control devices and no additional compensation will be allowed therefore.

10-1.06 CONSTRUCTION AREA SIGNS

Construction area signs shall be furnished, installed, maintained, and removed when no longer required in conformance with the provisions in Section 12, "Temporary Traffic Control," of the Standard Specifications and these special provisions.

Attention is directed to the provisions in "Prequalified and Tested Signing and Delineation Materials" of these special provisions. Type II retroreflective sheeting shall not be used on construction area sign panels.

Attention is directed to "Construction Project Information Signs" of these special provisions regarding the number and type of construction project information signs to be furnished, erected, maintained, and removed and disposed of.

The Contractor shall notify the appropriate regional notification center for operators of subsurface installations at least 2 working days, but not more than 14 calendar days, prior to commencing excavation for construction area sign posts. The regional notification centers include, but are not limited to, the following:

Notification Center	Telephone Number
Underground Service Alert- Northern California (USA)	1-800-642-2444 1-800-227-2600
Underground Service Alert- Southern California (USA)	1-800-422-4133 1-800-227-2600

Excavations required to install construction area signs shall be performed by hand methods without the use of power equipment, except that power equipment may be used if it is determined there are no utility facilities in the area of the proposed post holes.

Sign substrates for stationary mounted construction area signs may be fabricated from fiberglass reinforced plastic as specified under "Prequalified and Tested Signing and Delineation Materials" of these special provisions.

The Contractor may be required to cover certain signs during the progress of the work. Signs that are no longer required or that convey inaccurate information to the public shall be immediately covered or removed or the information shall be corrected. Covers for construction area signs shall be of sufficient size and density to completely block out the complete face of the signs. The retroreflective face of the covered signs shall not be visible either during the day or at night. Covers shall be fastened securely so that the signs remain covered during inclement weather. Covers shall be replaced when they no longer cover the signs properly.

10-1.07 MAINTAINING TRAFFIC

Attention is directed to Sections 7-1.03, "Public Convenience," 7-1.04, "Public Safety," and Section 12, "Temporary Traffic Control," of the Standard Specifications and to the provisions in "Public Safety" of these special provisions and these special provisions. Nothing in these special provisions shall be construed as relieving the Contractor from the responsibilities specified in Section 7 Legal Relations and Responsibility to the Public.

Lane closures shall conform to the provisions in section "Traffic Control System for Lane Closure" of these special provisions.

Personal vehicles of the Contractor's employees shall not be parked on the traveled way including any section closed to public traffic..

The Contractor shall notify local authorities of the Contractor's intent to begin work at least 5 days before work is begun. The Contractor shall cooperate with local authorities relative to handling traffic through the area and shall make arrangements relative to keeping the working area clear of parked vehicles.

Whenever vehicles or equipment are parked on the shoulder within 1.8 m {6 feet} of a traffic lane, the shoulder area shall be closed with fluorescent traffic cones or portable delineators placed on a taper in advance of the parked vehicles or equipment and along the edge of the pavement at 7.5 m {25-foot} intervals to a point not less than 7.5 m {25 feet} past the last vehicle or piece of equipment. A minimum of 9 cones or portable delineators shall be used for the taper. A C23 (Road Work Ahead) or C24 (Shoulder Work Ahead) sign shall be mounted on a portable sign stand with flags. The sign shall be placed where designated by the Engineer.

A minimum of one paved traffic lane, not less than 3.6 m {12 feet} wide, shall be open for use by public traffic. When construction operations are not actively in progress, not less than 2 of these lanes shall be open to public traffic.

If delays of more than a few minutes are anticipated, advance warning and advisory signs must be erected in order that motorists may consider alternative routes.

10-1.08 TRAFFIC CONTROL SYSTEM FOR LANE CLOSURE

A traffic control system shall consist of closing traffic lanes in conformance with the details shown on the plans, the provisions in Section 12, "Temporary Traffic Control," of the Standard Specifications, the provisions under "Maintaining Traffic" and "Construction Area Signs" of these special provisions, and these special provisions.

The provisions in this section will not relieve the Contractor from the responsibility to provide additional devices or take measures as may be necessary to comply with the provisions in Section 7-1.04, "Public Safety," of the Standard Specifications.

During traffic stripe operations and pavement marker placement operations using bituminous adhesive, traffic shall be controlled, at the option of the Contractor, with either stationary or moving lane closures. During other operations, traffic shall be controlled with stationary lane closures. Attention is directed to the provisions in Section 84-2.03, "Construction," of the Standard Specifications.

If components in the traffic control system are displaced or cease to operate or function as specified, from any cause, during the progress of the work, the Contractor shall immediately repair the components to the original condition or replace the components and shall restore the components to the original location.

STATIONARY LANE CLOSURE

When lane closures are made for work periods only, at the end of each work period, all components of the traffic control system, except portable delineators placed along open trenches or excavation adjacent to the traveled way shall be removed from the traveled way and shoulder. If the Contractor so elects, the components may be stored at selected central locations designated by the Engineer within the limits of the highway right of way.

When traffic is under one-way control on unpaved areas, the cones shown along the centerline on the plan need not be placed.

Utilizing a pilot car will be at the option of the Contractor. If the Contractor elects to use a pilot car, the cones shown along the centerline on the plan need not be placed. The pilot car shall have radio contact with personnel in the work area. The maximum speed of the pilot car through the traffic control zone shall be 40 kilometers per hour {25 mph}.

MOVING LANE CLOSURE

Flashing arrow signs used in moving lane closures shall be truck-mounted. Flashing arrow signs shall be in the caution display mode when used on 2-lane highways. Changeable message signs used in moving lane closure operations shall conform to the provisions in Section 12-3.32, "Portable Changeable Message Signs," of the Standard Specifications, except the signs shall be truck-mounted. The full operation height of the bottom of the sign may be less than 2.1 m {7 feet} above the ground, but should be as high as practicable.

Truck-mounted attenuators (TMA) for use in moving lane closures shall be any of the following approved models, or equal:

- A. Hexfoam TMA Series 3000, Alpha 1000 TMA Series 1000 and Alpha 2001 TMA Series 2001, manufactured by Energy Absorption Systems, Inc., One East Wacker Drive, Chicago, IL 68601-2076, Telephone (312) 467-6750.
 - 1. Distributor (Northern): Traffic Control Service, Inc., 8585 Thys Court, Sacramento, CA 95828, Telephone 1-800-884-8274, FAX (916) 387-9734.
 - 2. Distributor (Southern): Traffic Control Service, Inc., 1881 Betmor Lane, Anaheim, CA 92805, Telephone 1-800-222-8274.
- B. Cal T-001 Model 2 or Model 3, manufacturer and distributor; Hexcel Corporation, 11711 Dublin Boulevard, P.O. Box 2312, Dublin, CA 94568, Telephone (510) 828-4200.
- C. Renco Rengard Model Nos. CAM 8-815 and RAM 8-815, manufacturer and distributor, Renco Inc., 1582 Pflugerville Loop Road, P.O. Box 730, Pflugerville, TX 78660-0730, Telephone 1-800-654-8182.

Each TMA shall be individually identified with the manufacturer's name, address, TMA model number, and a specific serial number. The names and numbers shall each be a minimum 13 mm {1/2 inch} high and located on the left (street) side at the lower front corner. The TMA shall have a message next to the name and model number in 13 mm {1/2 inch} high letters which states, "The bottom of this TMA shall be _____ mm \pm _____ mm {_____ inches \pm _____ inches} above the ground at all points for proper impact performance." A TMA which is damaged or appears to be in poor condition shall not be used unless recertified by the manufacturer. The Engineer shall be the sole judge whether used TMAs supplied under this contract need recertification. Each unit shall be certified by the manufacturer to meet the requirements for TMAs in conformance with the standards established by the Transportation Laboratory.

Approvals for new TMA designs proposed as equal to the above approved models shall be in conformance with the procedures (including crash testing) established by the Transportation Laboratory. For information regarding submittal of new designs for evaluation contact: Transportation Laboratory, 5900 Folsom Boulevard, Sacramento, CA 95819.

New TMAs proposed as equal to approved TMAs or approved TMAs determined by the Engineer to need recertification shall not be used until approved or recertified by the Transportation Laboratory.

SECTION 11. BID FORMS

BIDDER'S BOND

Know All Men by These Present,

That we _____,
PRINCIPAL, and _____
as SURETY, are held and firmly bound into the County of San Benito in the penal sum of TEN PERCENT (10%) OF
THE TOTAL AMOUNT OF THE BID of the Principal above named, submitted by said Principal to the County of
San Benito, for the work described below, for the payment of which sum in lawful money of the United States, well
and truly to be made, to the County of San Benito we bind ourselves, our heirs, executors, administrators and
successors, jointly and severally, firmly by these presents. In no case shall the liability of the surety hereunder exceed
the sum of \$_____.

THE CONDITION OF THIS OBLIGATION IS SUCH, That whereas the Principal has submitted the above-
mentioned bid to the County of San Benito, as aforesaid, for certain construction specifically described as follows, for
which bids are to be opened at _____, California, on or about _____,
(City where bid opening) (Date bid opening)
for _____

(exact description including location as on proposal)

NOW, THEREFORE, If the aforesaid Principal is awarded the contract and, within the time and manner required
under the specifications, after the prescribed forms are presented to him for signature, enters into a written contract, in
the prescribed form, in accordance with the bid, and files two bonds with the County of San Benito, one to guarantee
faithful performance and the other to guarantee payment for labor and materials, as required by law, then this
obligation shall be null and void; otherwise, it shall be and remain in full force and virtue.

IN WITNESS WHERE OF the above-bounden parties have executed this instrument under their several seals this
_____ day of _____, 2019, the name and corporate seal of each corporate party being hereto affixed and
these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

(Corporate Seal)

Principal

By _____

Title _____

(Corporate Seal)

Surety

By _____

Title _____

(Attach notary acknowledgment for all signatures and attorney-in-fact certificate for signature by surety's
representative)

EQUAL EMPLOYMENT OPPORTUNITY CERTIFICATION

The bidder _____, proposed subcontractor _____, hereby certifies that he has _____, has not _____, participated in a previous contract or subcontract subject to the equal opportunity clauses, as required by Executive Orders 10925, 11114, or 11246, and that, where required, he has filed with the Joint Reporting Committee, the Director of the Office of Federal Contract Compliance, a Federal Government contracting or administering agency, or the former President's Committee on Equal Employment Opportunity, all reports due under the applicable filing requirements.

Date: _____

Bidder's business name

By _____

Print Name: _____

Title: _____

Subscribed and sworn to me this _____ day of _____, 201__.

Notary Public in and for the County _____ of _____, State of California

My commission expires _____.

[Notary Stamp]

PUBLIC CONTRACT CODE SECTION 10162 QUESTIONNAIRE

In accordance with Public Contract Code Section 10162, the Bidder shall complete, under penalty of perjury, the following questionnaire:

Has the bidder, any officer of the bidder, or any employee of the bidder who has a proprietary interest in the bidder, ever been disqualified, removed, or otherwise prevented from bidding on, or completing a federal, state, or local government project because of a violation of law or a safety regulation?

Yes _____ No _____

If the answer is yes, explain the circumstances in the following space.

Date: _____

Bidder's business name

By _____

Print Name: _____

Title: _____

Subscribed and sworn to me this _____ day of _____, 201__.

Notary Public in and for the County _____ of _____, State of California

My commission expires _____.
[Notary Stamp]

PUBLIC CONTRACT SECTION 10232 STATEMENT

In accordance with Public Contract Code Section 10232, the Contractor, hereby states under penalty of perjury, that no more than one final un-appealable finding of contempt of court by a federal court has been issued against the Contractor within the immediately preceding two year period because of the Contractor's failure to comply with an order of a federal court which orders the Contractor to comply with an order of the National Labor Relations Board.

Note: The above Statement and Questionnaire are part of the Bid.

Bidders are cautioned that making a false certification may subject the certifier to criminal prosecution.

Date: _____

Bidder's business name

By _____

Print Name: _____

Title: _____

Subscribed and sworn to me this _____ day of _____, 201__.

Notary Public in and for the County _____ of _____, State of California

My commission expires _____.

[Notary Stamp]

PUBLIC CONTRACT CODE SECTION 10285.1 STATEMENT

In accordance with Public Contract Code Section 10285.1 (Chapter 376, Stats. 1985), the bidder hereby declares under penalty of perjury under the laws of the State of California that the bidder

has ____, has not ____

been convicted within the preceding three years of any offenses referred to in that section, including any charge of fraud, bribery, collusion, conspiracy, or any other act in violation of any state or Federal antitrust law in connection with the bidding upon, award of, or performance of, any public works contract, as defined in Public Contract Code Section 1101, with any public entity, as defined in Public Contract Code Section 1100, including the Regents of the University of California or the Trustees of the California State University. The term "bidder" is understood to include any partner, member, officer, director, responsible managing officer, or responsible managing employee thereof, as referred to in Section 10285.1.

Note: The bidder must place a check mark after "has" or "has not" in one of the blank spaces provided.

The above Statement is part of the Bid.

Bidders are cautioned that making a false certification may subject the certifier to criminal prosecution.

Date: _____

Bidder's business name

By _____

Print Name: _____

Title: _____

Subscribed and sworn to me this _____ day of _____, 201__.

Notary Public in and for the County of _____, State of California

My commission expires _____.
[Notary Stamp]

NONCOLLUSION AFFIDAVIT
(Title 23 United States Code Section 112 and
Public Contract Code Section 7106)

To the CITY / COUNTY of _____
PUBLIC WORKS DIVISION

In accordance with Title 23 United States Code Section 112 and Public Contract Code 7106 the bidder declares that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding; that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in the bid are true; and, further, that the bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

Note: The above Noncollusion Affidavit is part of the Proposal. Signing this Proposal on the signature portion thereof shall also constitute signature of this Noncollusion Affidavit. Bidders are cautioned that making a false certification may subject the certifier to criminal prosecution.

CONTRACTOR'S CERTIFICATE AS TO WORKER'S COMPENSATION
(Labor Code section 1861)

Labor Code section 3700 provides, in relevant part:

"Every employer except the state shall secure the payment of compensation in one or more of the following ways:

(a) By being insured against liability to pay compensation in one or more insurers duly authorized to write compensation insurance in this state.

(b) By securing from the Director of Industrial Relations a certificate of consent to self-insure, either as an individual employer, or as one employer in a group of employers, which may be given upon furnishing proof satisfactory to the Director of Industrial Relations of ability to self-insure and to pay any compensation that may become due to his or her employees."

I certify that I am aware of the provisions of Section 3700 of the Labor Code which require every employer to be insured against liability for Worker's Compensation or to undertake self-insurance in accordance with the provisions of that Code, and I will comply with such provisions before commencing the performance of the work of this contract.

Dated: _____

Bidder's Business Name

By: _____

Print Name: _____

Title: _____

**AFFIDAVIT CONCERNING EMPLOYMENT OF UNDOCUMENTED ALIENS
TO BE SUBMITTED WITH BID**

(Public Contract Code section 6101)

Public Contract Code section 6101 provides that,

"No state agency or department, as defined in [Public Contract Code] Section 10335.7, that is subject to this code, shall award a public works or purchase contract to a bidder or contractor, nor shall a bidder or contractor be eligible to bid for or receive a public works or purchase contract, who has, in the preceding five years, been convicted of violating a state or federal law respecting the employment of undocumented aliens.

_____(Name), being first duly sworn, deposes and says (1) that he or she is the _____(Title) of _____(DBA), the party making the foregoing Bid; and (2) that the party making the foregoing Bid has not, within the preceding five (5) years, been convicted of violating a state or federal law respecting the employment of undocumented aliens.

Dated: _____

Bidder's Business Name

By: _____

Print Name: _____

Title: _____

BID SCHEDULES

**To the Clerk of the Board
San Benito County Board of Supervisors
Ladies and Gentlemen:**

The undersigned as bidder declares that he or she has carefully examined the location of the proposed work, the plans and specifications and the proposed contract annexed thereto and agrees that if this bid is accepted, to contract with San Benito County, in the form of the copy of the contract attached to the specifications, to provide all the materials (except those specifically mentioned to be furnished by the San Benito County), necessary machinery, tools, apparatus, and other means of construction and do all the work specified in the contract in the manner and time set forth for the improvement of the specified work entitled: **COUNTY PROJECT NO. PWB-1904, SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COATS PROJECTS AT VARIOUS LOCATIONS FY 2018-2019**

Construction shall be in strict conformity with the plans and specifications prepared by the San Benito County Engineer, copies of which are on file in the office of the San Benito County Public Works Department, and which plans and specifications are hereby made a part hereof.

The bidder proposes and agrees to contract with San Benito County to perform all of the work, including subsidiary obligations as defined in said specifications for the following prices to wit:

COUNTY PROJECT NO. PWB-1904

**SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS
AT VARIOUS LOCATIONS
FY 2018-2019**

BID SCHEDULES

SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS AT VARIOUS LOCATIONS FY 2018-2019 PWB - 1904

<p style="text-align: center;">BID SCHEDULE "A" SAN BENITO COUNTY SB 1 CIR-HMA-SC PROJECTS, FY 18-19 PWB-1904 FAIRVIEW ROAD</p>						
ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL PRICE
1	999990	MOBILIZATION	LS	1		
2	120090	CONSTRUCTION AREA SIGNS	LS	1		
3	120100	TRAFFIC CONTROL SYSTEM	LS	1		
4	130200	PREPARE WATER POLLUTION PREVENTION PLAN	LS	1		
5	150722	REMOVAL REFLECTIVE PAVEMENT MARKERS	EA	110		
6	710214	CONFORM TO EXISTING PG&E VALVE COVER	EA	1		
7	397005	TACK COAT	TON	3		
8	370120	ASPHALT OVERLAY (0.20')	TON	1,566		
9	190185	SHOULDER BACKING	TON	242		
10	028705	COLD IN-PLACE RECYCLING (0.33')	SQFT	86,760		
11	398200	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	300		
12	152501	ADJUST GUARDRAIL HEIGHT	LF	120		
13	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 6)	LF	1,291		
14	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 22)	LF	924		
15	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 29)	LF	385		
16	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 27B)	LF	5,940		
17	840560	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 38A)	LF	370		
18	840560	THERMOPLASTIC PAVEMENT MARKINGS (TYPE IV, LEFT ARROW)	SQFT	45		
19	840560	THERMOPLASTIC PAVEMENT MARKINGS ("ONLY")	SQFT	22		
<p style="text-align: center;">FAIRVIEW ROAD BID SCHEDULE "A" SUBTOTAL:</p>						

BID SCHEDULE "B"
SAN BENITO COUNTY
SB 1 CIR-HMA-SC PROJECTS, FY 18-19
PWB-1904
UNION ROAD

ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL PRICE
1	999990	MOBILIZATION	LS	1		
2	120090	CONSTRUCTION AREA SIGNS	LS	1		
3	120100	TRAFFIC CONTROL SYSTEM	LS	1		
4	128652	PORTABLE CHANGEABLE MESSAGE SIGNS	EA	2		
5	860807	VEHICLE DETECTOR	EA	2		
6	710214	ADJUST WATER VALVE	EA	2		
7	710214	CONFORM TO EXISTING DRAINAGE INLET	EA	2		
8	150722	REMOVAL REFLECTIVE PAVEMENT MARKERS	EA	105		
9	028705	COLD IN-PLACE RECYCLING (0.25')	SQFT	47,810		
10	190185	SHOULDER BACKING	TON	32		
11	397005	TACK COAT	TON	2		
12	370120	ASPHALT OVERLAY (0.20')	TON	1,024		
13	398200	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	1,054		
14	846035	THERMOPLASTIC PAVEMENT MARKINGS (TYPE IV, LT TURN)	SQFT	75		
15	846035	THERMOPLASTIC PAVEMENT MARKINGS ("SIGNAL" AND "AHEAD")	SQFT	63		
16	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS A24F - BASIC 18")	SQFT	144		
17	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS DETAIL 22)	LF	1,200		
18	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS DETAIL 29)	LF	400		
19	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS DETAIL 38)	LF	300		
20	846035	THERMOPLASTIC PAVEMENT STRIPING (CALTRANS DETAIL 27B)	LF	3,200		

UNION ROAD BID SCHEDULE "B" SUBTOTAL:

BID SCHEDULE "C"
SAN BENITO COUNTY
SB 1 CIR-HMA-SC PROJECTS
FY 18-19
PWB-1904
SOUTHSIDE ROAD

ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL PRICE
1	999990	MOBILIZATION	LS	1		
2	120090	CONSTRUCTION AREA SIGNS	LS	1		
3	120100	TEMPORARY TRAFFIC CONTROL SYSTEM	LS	1		
4	130200	PREPARE WATER POLLUTION PREVENTION PLAN	LS	1		
5	150722	REMOVAL REFLECTIVE PAVEMENT MARKERS	EA	100		
6	710214	ADJUST MANHOLE ELEVATION	EA	3		
7	370120	ASPHALTIC EMULSION (CHIP SEAL)	TON	13		
8	375035	3/8" AGGREGATE GRADATION (CHIP SEAL)	TON	105		
9	377501	SLURRY SEAL (TYPE II AGGREGATE)	TON	69		
10	028705	COLD IN-PLACE RECYCLING (0.25') W/ IMPORT AB AS NECESSARY	SQFT	44,175		
11	846035	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 22)	LF	1,767		
12	846035	THERMOPLASTIC TRAFFIC STRIPE (CALTRANS DETAIL 27B)	LF	3,534		

Southside Road Bid Schedule "C" Subtotal:

BID SCHEDULE "D"
SAN BENITO COUNTY
SB 1 CIR-HMA-SC PROJECTS, FY 18-19
PWB-1904
F STREET

6/18/2019

ITEM NO.	ITEM CODE	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT COST	TOTAL PRICE
1	999990	MOBILIZATION	LS	1		
2	120090	CONSTRUCTION AREA SIGNS	LS	1		
3	120100	TEMPORARY TRAFFIC CONTROL SYSTEM	LS	1		
4	710214	ADJUST WATER VALVE	EA	2		
5	710214	ADJUST MANHOLE ELEVATION	EA	2		
6	377501	SLURRY SEAL (TYPE II AGGREGATE)	TON	28		
7	370120	ASPHALTIC EMULSION (CHIP SEAL)	TON	5		
8	375035	3/8" AGGREGATE GRADATION (CHIP SEAL)	TON	40		
F STREET BID SCHEDULE "D" SUBTOTAL:						

SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS
AT VARIOUS LOCATIONS FY 2018-2019 PWB - 1904

BID SCHEDULES "A", "B", "C", "D" TOTAL: _____

CONTRACTOR: _____
(Please Type or Print Business Name)

BY: _____ **Date:** _____
(Signature)

NAME (Please Type or Print): _____

The quantities are approximate only, being given as a basis for the comparison of bids; and the Public Works Division does not, expressly or by implication, agree that the actual amounts of work will correspond therewith, but reserves the right to increase or decrease the amount of any class or portion of the work as may be deemed necessary or expedient by the Engineer. All bids are to be compared on the bid sheet of the quantities to be done.

HARRY MAVROGENES, RMA DIRECTOR
COUNTY OF SAN BENITO
STATE OF CALIFORNIA

NOTES:1. COMPLETE THE FOLLOWING “LIST OF SUBCONTRACTORS” AND
“ADDENDUM ACKNOWLEDGEMENT”.

LIST OF SUBCONTRACTORS

COUNTY PROJECT NO. **PWB-1904**

SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS AT VARIOUS LOCATIONS FY 2018-2019 PWB - 1904

In compliance with the Subletting and Subcontracting Fair Practices Act (Chapter 4 [commencing with Section 4100], Part 1, Division 2 of the Public Contract Code) and any amendments thereto, each bidder shall set forth below: (a) the name and the location of the place of business of each subcontractor who will perform work or labor or render service to the prime contractor in or about the construction of the work or improvement to be performed under this contract or a subcontractor licensed by the State of California who, under subcontract to the prime contractor, specially fabricates and installs a portion of the work or improvement according to detailed drawings contained in the plans and specifications in an amount in excess of one-half of one percent of the prime contractor's total bid or, in the case of bids or offers for the construction of streets or highways, including bridges, in excess of one-half of one percent of the prime contractor's total bid or \$10,000, whichever is greater, and (b) the portion of the work which will be done by each subcontractor under this Act. The prime contractor shall list only one subcontractor for each such portion as is defined by the prime contractor in this bid.

If a prime contractor fails to specify a subcontractor or if a prime contractor specifies more than one subcontractor for the same portion of the work to be performed under the contract in excess of one-half of one percent of the prime contractor's total bid, he shall be deemed to have agreed that he is fully qualified to perform that portion himself, and that he shall perform that portion himself.

No prime contractor whose bid is accepted shall: (a) substitute any subcontractor, (b) permit any subcontract to be voluntarily assigned or transferred or allow it to be performed by any one other than the original subcontractor listed in the original bid, or (c) sublet or subcontract any portion of the work in excess of one-half of one percent of the prime contractor's total bid as to which his original bid did not designate a subcontractor, except as authorized in the Subletting and Subcontracting Fair Practices Act. Subletting or subcontracting of any portion of the work in excess of one-half of one percent of the prime contractor's total bid as to which no subcontractor was designated in the original bid shall only be permitted in cases of public emergency or necessity, and then only after a finding reduced to writing as a public record of the authority awarding this contract setting forth the facts constituting the emergency or necessity.

Portion of Work	Name of Subcontractor	Location and Place of Business

☐ Check this box if no subcontractors are required to be listed for work or labor to be performed or services to be rendered.

Title: _____

ADDENDUM ACKNOWLEDGEMENT

COUNTY PROJECT NO. PWB-1904

SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS AT VARIOUS LOCATIONS FY 2018-2019 PWB - 1904

TO: COUNTY OF SAN BENITO

Resource Management Agency
Public Works Division
2301 Technology Parkway
Hollister, CA 95023

1. Pursuant to and in compliance with your Notice to Contractors Inviting Formal Bids and with the other documents relating thereto, the undersigned bidder, having become familiar with the terms of the contract, the local conditions affecting the performance of the contract, the cost of the work at the place where the work is to be done, the project plans and specifications, and the other contract documents, hereby proposes and agrees to perform within the time stipulated and to provide and furnish any and all labor, materials, equipment, transportation, utilities, and services necessary to perform the contract and complete in a workmanlike manner all of the work required in connection with the following project: Project Number **PWB-1904**, all in strict conformity with the drawing details and specifications and other contract documents, including addenda nos. ____, ____, ____, ____, and ____, for the sum hereinafter stated.

THIS PAGE LEFT BLANK INTENTIONALLY

SAMPLE CONTRACT



COUNTY OF SAN BENITO STATE OF CALIFORNIA

THIS CONTRACT, made and entered into this ___ day of __, 2018 between County of San Benito, a political subdivision of the State of California, hereinafter referred to as County, and __, hereinafter referred to as Contractor;

WHEREAS, the San Benito County Board of Supervisors caused plans and specifications for the work hereinafter mentioned to be prepared, and approved and adopted the plans and specifications; and

WHEREAS, the San Benito County Board of Supervisors caused to be noticed for the time and in the manner required by law a Notice inviting sealed Bids for the performance of the work described in the adopted plans and specifications; and

WHEREAS, Contractor, in response to the Notice, submitted a sealed Bid for the performance of the work specified in the adopted plans and specifications to the San Benito County Board of Supervisors within the time and in the manner specified in the Notice; and

WHEREAS, in the manner provided by law, the San Benito County Board of Supervisors received, publicly opened and canvassed the Bids submitted in response to the Notice, including the Bid submitted by Contractor; and

WHEREAS, Contractor was the lowest responsive, responsible Bidder for the performance of said work, and the San Benito County Board of Supervisors, as a result of the canvass of Bids submitted, determined and declared Contractor to be the lowest responsive, responsible Bidder for the work and awarded to it a contract therefore.

NOW, THEREFORE, in consideration of the above, it is mutually agreed between the parties hereto as follows:

1. The CONTRACTOR will commence and complete the construction of the following public work project:

COUNTY PROJECT #PWB-18__

2. The CONTRACTOR shall do all of the work and furnish all of the materials, supplies, tools, equipment, labor, and other services necessary to construct and complete in a good, workmanlike and substantial manner and to the COUNTY'S satisfaction, the project as described in the Invitation for Bids package, including all of the CONTRACT DOCUMENTS.
3. The CONTRACTOR will commence the work required by the CONTRACT DOCUMENTS within _____ calendar days after the date of the Notice To Proceed and will complete the same within _____ calendar days unless the period for completion is extended otherwise by the CONTRACT DOCUMENTS.

4. The CONTRACTOR agrees to perform all of the work described in the CONTRACT DOCUMENTS and comply with the terms therein for the sum of Dollars and Cents (\$).
5. The term "CONTRACT DOCUMENTS" means and includes the following, all of which documents are incorporated herein by reference:
- a. INVITATION FOR BIDS "THE BID PACKAGE" INCLUDING BUT NOT LIMITED TO THE FOLLOWING:
- (1) INVITATION FOR BIDS INCLUDING BUT NOT LIMITED TO THE FOLLOWING:
 - (a) NOTICE TO CONTRACTORS: INVITATION FOR BIDS
 - (b) GENERAL PROVISIONS: SAN BENITO COUNTY PUBLIC WORKS AND ROAD PROJECTS
 - (c) SPECIAL CONDITIONS
 - (d) THE STANDARD SPECIFICATIONS, DATED MAY 2015, AND THE STANDARD PLANS, DATED MAY 2015, OF THE STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION
 - (e) TYPICAL STRIPING DETAIL prepared or issued by SAN BENITO COUNTY PUBLIC WORKS dated NOV. 20, 2009.
 - (2) SPECIFICATIONS AND PLANS
 - (3) ADDENDA:

No. , dated ,

No. , dated ,
- b. THE ACCEPTED BID INCLUDING BUT NOT LIMITED TO THE FOLLOWING:
- (1) BIDDERS BOND
 - (2) EQUAL EMPLOYMENT OPPORTUNITY CERTIFICATION
 - (3) PUBLIC CONTRACT CODE SECTION 10162 QUESTIONNAIRE
 - (4) PUBLIC CONTRACT SECTION 10232 STATEMENT
 - (5) PUBLIC CONTRACT CODE SECTION 10285.1 STATEMENT
 - (6) NONCOLLUSION AFFIDAVIT
 - (7) CONTRACTOR'S CERTIFICATION AS TO WORKER'S COMPENSATION
 - (8) AFFIDAVIT CONCERNING EMPLOYMENT OF UNDOCUMENTED ALIENS
 - (9) BID SCHEDULE
 - (10) SIGNATURE PAGE
 - (11) LIST OF SUBCONTRACTORS
 - (12) ADDENDUM ACKNOWLEDGEMENT

- c. NOTICE OF AWARD
- d. CONTRACT, SIGNED BY THE COUNTY AND THE CONTRACTOR
- e. PERFORMANCE BOND
- f. PAYMENT BOND
- g. NOTICE TO PROCEED
- h. FUTURE CHANGE ORDERS

All CONTRACT DOCUMENTS are intended to cooperate, so that any work called for in one and not mentioned in another is to be executed the same as if mentioned in all. However, should there be any conflict between the terms of this instrument and the CONTRACTOR'S Bid, then this instrument shall control. It is further expressly agreed by and between the parties hereto that should there be any conflict between the terms of this instrument and the CONTRACTOR'S Bid, then this instrument shall control and nothing herein shall be considered as an acceptance of the said terms of the Bid conflicting herewith. Where the specific terms and conditions in any of the referenced CONTRACT DOCUMENTS conflict with general terms and conditions in any referenced CONTRACT DOCUMENTS, the more specific terms and conditions shall be deemed to control. However, the general terms and conditions in any referenced CONTRACT DOCUMENTS shall remain in full force and effect, to the extent they do not conflict with the specific terms and conditions in any referenced CONTRACT DOCUMENTS.

- 6. The COUNTY will pay to the CONTRACTOR in the manner and at such times set forth in the CONTRACT DOCUMENTS such amounts as required by the CONTRACT DOCUMENTS.
- 7. In lieu of the COUNTY retaining a portion of progress payments due the CONTRACTOR, the CONTRACTOR may elect to deposit qualifying securities equivalent to the amount to be withheld. Upon such deposit under an escrow agreement substantially in the form specified in section 22300(e) of the Public Contracts Code, the funds shall be released.
- 8. Eight (8) hours of labor shall constitute a legal day's work, and the CONTRACTOR or any subcontractor under him, in the performance of the contract, shall not require more than eight (8) hours of labor in any calendar day, or more than forty (40) hours of labor in any calendar week, from any person employed by the CONTRACTOR in the performance of the work under this Contract, except as permitted under the provisions of Section 1815 of the Labor Code of the State of California. The CONTRACTOR shall forfeit, as penalty to the County, twenty-five dollars (\$25.00) for each worker employed by the CONTRACTOR or any subcontractor under the CONTRACTOR in the performance of the contract for each calendar day during which any worker is required or permitted to labor more than eight (8) hours and for each calendar week during which any worker is required or permitted to labor more than forty (40) hours, in violation of the provisions of such Labor Code.
- 9. The Contractor and subcontractors shall comply with the requirements of Labor Code sections 1777.5 and 1777.6 in the employment of apprentices. Information relative to apprenticeship standards, wage schedules, and other requirements may be obtained from the Director of Industrial Relations ex officio the Administrator of Apprenticeship, San Francisco, California, or from the Division of Apprenticeship Standards and its branch offices.
- 10. Pursuant to Section 1770 et seq. of the California Labor Code, the CONTRACTOR shall pay not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations. The statement of prevailing wages appearing in the General Prevailing Wage Rates, as established by the California Department of Industrial Relations, is hereby specifically referred to and by this reference is made a part of this contract. Copies of the Prevailing Wage Scale are available at the following website: http://www.dir.ca.gov/DLSR/statistics_research.html#PWD.

Those copies shall be made available to any interested party upon request. Failure to pay such prevailing wages shall subject the employer to the penalties set forth in Labor Code section 1775. The difference between such prevailing wage rates and the amount paid to each worker for each calendar day or portion thereof for which the worker was paid less than the prevailing wage rate shall be paid to each worker by the CONTRACTOR or subcontractor. An error on the part of the COUNTY does not relieve the CONTRACTOR or any subcontractor from responsibility for payment of the prevailing rate of per diem wages and penalties pursuant to Labor Code sections 1770 through 1775.

11. The CONTRACTOR and each subcontractor must keep accurate payroll records of employees on public contracts and certify these records upon request, pursuant to Section 1776 of the California Labor Code and implementing regulations set forth in Title 8, Division 1, Chapter 8, Subchapter 3, sections 16000 and 16400 through 16404 of the California Code of Regulations. Payroll records must be made available for inspection by employees, the County, and the Division of Labor Standards Enforcement. The CONTRACTOR shall be responsible for compliance by the CONTRACTOR'S subcontractors.
12. The CONTRACTOR shall be subject to the examination and audit of the State auditor, at the request of the County or as part of any audit of the County, for a period of three (3) years after final payment under the contract.
13. During the performance of this Contract, Contractor agrees as follows:
 - a. During the performance of this Contract, Contractor and its subcontractors shall not unlawfully discriminate against any employee or applicant for employment because of race, religion, color, national origin, ancestry, physical disability, medical condition (cancer related), marital status, pregnancy, age (over 18), sex, sexual orientation, veteran's status or any other non-merit factor unrelated to job duties. Contractor and subcontractors shall insure that the evaluation and treatment of their employees and applicants for employment are free of such discrimination. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this non-discrimination clause.
 - b. The Contractor shall, in all solicitations or advertisements for employees by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, national origin, ancestry, physical or mental disability, medical condition (cancer related), marital status, pregnancy, sex, sexual orientation, age (over 18), veteran status, or any other non-merit factor unrelated to job duties.
 - c. The Contractor shall include the nondiscrimination and compliance provisions of this clause in all subcontracts to perform work under this Contract.
14. The CONTRACTOR offers and agrees to assign to the COUNTY all rights, title, and interest in and to all causes of action it may have under Section 4 of the Clayton Act (15 U.S.C. Section 15) or under the Cartwright Act (Chapter 2 (commencing with Section 16700) of Part 2 of Division 7 of the California Business and Professions Code), arising from purchases of goods, services, or materials pursuant to this CONTRACT. This assignment shall be made and become effective at the time the COUNTY tenders final payment to the CONTRACTOR, without further acknowledgment by the parties.
15. This CONTRACT shall be binding upon all parties hereto and their respective heirs, executors, administrators, successors, and assigns.

16. The following individuals are the parties CONTRACT Administrators:

COUNTY'S Contract Administrator:

Name: _____

Title: _____

Address: _____

Phone: _____

Fax: _____

E-mail: _____

CONTRACTOR'S Contract Administrator:

Name: _____

Title: _____

Address: _____

Phone: _____

Fax: _____

E-mail: _____

This CONTRACT shall not be effective unless and until approved by a duly authorized representative of County of San Benito and San Benito County Counsel.

IN WITNESS WHEREOF, County of San Benito and Contractor have caused this Agreement to be signed as of the day and year first above written.

CONTRACTOR (FIRM)

_____ Date _____

Address: _____

Phone: _____

Fax: _____

COUNTY OF SAN BENITO

_____ Date _____

APPROVED AS TO LEGAL FORM:

San Benito County Counsel's Office

_____ Date _____

G. Michael Ziman, Deputy County Counsel

COUNTY OF SAN BENITO
PAYMENT BOND
(Civil Code Section 3249)

KNOW ALL MEN BY THESE PRESENTS THAT:

WHEREAS, the County of San Benito has awarded to Principal, as Contractor, a contract for the following project:

COUNTY CONTRACT NO. **PWB-1904**

SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS
AT VARIOUS LOCATIONS FY 2018-2019 PWB - 1904

AND WHEREAS, Principal, as Contractor, is required to furnish a bond in connection with said contract, to secure the payment of claims of laborers, mechanics, materialmen, and other persons furnishing labor and materials on the project, as provided by law.

NOW, THEREFORE, we _____, as Principal, and _____ as Surety, are held and firmly bound unto the County of San Benito, a political subdivision of the State of California (hereinafter called "County"), and to the persons named in California Civil Code section 3181 in the penal sum of _____, for the payment of which sum in lawful money of the United States, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH THAT:

If the Principal, or any of Principal's heirs, executors, administrators, successors, assigns, or subcontractors, (1) fails to pay in full all of the persons named in Civil Code Section 3181 with respect to any labor or materials furnished by said persons on the project described above, or (2) fails to pay in full all amounts due under the California Unemployment Insurance Code with respect to work or labor performed on the project described above, or (3) fails to pay for any amounts required to be deducted, withheld, and paid over to the Employment Development Department from the wages of employees of the Principal and subcontractors pursuant to Unemployment Insurance Code section 13020 with respect to such work and labor, then the Surety shall pay for the same.

Surety hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract on the call for bids, or to the work to be performed thereunder, or the specifications accompanying the same, shall in any way affect its obligation under this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of said contract or the call for bids, or to the work, or to the specifications.

If suit is brought upon this bond by the County and judgment is recovered, the Surety shall pay all litigation expenses incurred by the County in such suit, including court costs, expert witness fees and investigation expenses.

This bond inures to the benefit of any of the persons named in Civil Code section 3181, and such persons or their assigns shall have a right of action in any suit brought upon this bond, subject to any limitations set forth in Civil Code sections 3247 et seq. (Civil Code, Division 3, Part 4, Title 15, Chapter 7: Payment Bond for Public Works).

IN WITNESS WHERE OF the above-bounden parties have executed this instrument under their several seals this_____day of_____, 201__, the name and corporate seal of each corporate party being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

(Corporate Seal)

Principal

By _____

Title _____

(Corporate Seal)

Surety

By _____

Title _____

(Attach notary acknowledgment for all signatures and attorney-in-fact certificate for signature by surety's representative)

**COUNTY OF SAN BENITO
PERFORMANCE BOND**

KNOW ALL MEN BY THESE PRESENTS THAT:

WHEREAS, the County of San Benito has awarded to Principal, _____ as Contractor, a contract for the following project:

**SB 1 COLD IN-PLACE RECYCLING OVERLAY – SEAL COAT PROJECTS
AT VARIOUS LOCATIONS FY 2018-2019**

AT

FAIRVIEW ROAD, UNION ROAD, SOUTHSIDE ROAD & F STREET

COUNTY CONTRACT NO. **PWB-1904**

WHEREAS, Principal, as Contractor, is required to furnish a bond in connection with said contract, to secure the faithful performance of said contract.

NOW, THEREFORE, we _____, as Principal, and _____ as Surety, are held and firmly bound unto the County of San Benito, a political subdivision of the State of California (hereinafter called "County"), in the penal sum of _____, for the payment of which sum in lawful money of the United States, well and truly to be made, we bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH THAT:

If the Principal, as Contractor, or Principal's heirs, executors, administrators, successors, or assigns, (1) shall in all things stand to and abide by and well and truly keep and perform the covenants, conditions, and agreements in said contract and any alteration thereof made as therein provided, on Principal's part to be kept and performed, at the time and in the manner therein specified and in all respects according to their true intent and meaning, and (2) shall defend, indemnify and save harmless the County, the members of its board of supervisors, and its officers, agents and employees as therein stipulated, then this obligation shall become null and void; otherwise, it shall be and remain in full force and virtue.

Surety hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract on the call for bids, or to the work to be performed thereunder, or the specifications accompanying the same, shall in any way affect its obligation under this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of said contract or the call for bids, or to the work, or to the specifications.

If suit is brought upon this bond by the County and judgment is recovered, the Surety shall pay all litigation expenses incurred by the County in such suit, including court costs, expert witness fees and investigation expenses.

IN WITNESS WHEREOF, the above-bounden parties have executed this instrument under their several seals this _____ day of _____, 201__, the name and corporate seal of each corporate party being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

(Corporate Seal)

Principal

By _____

Title _____

(Corporate Seal)

Surety

By _____

Title _____

(Attach notary acknowledgment for all signatures and attorney-in-fact certificate for signature by surety's representative)